

Frank Lacey

Dear WA State Department of Ecology Hanford Nuclear Site,

Thank you for the opportunity to provide comments on the Class 2 Permit Modification for the Waste Encapsulation Storage Facility. I am very concerned about getting the WESF capsules into dry storage sooner rather than later. If a major earthquake or other event causes the water to drain from the WESF capsule storage pools, it could trigger a catastrophic release of radioactivity that could make the Hanford Site inaccessible for hundreds of years. We can't let that happen. Thank you for considering my comments:

-Require Concrete Testing: Due to the scarcity of data on the effects of gamma radiation on dry concrete, it is incumbent that Ecology require collection of concrete testing data at WESF for use in assessments under Ecology's permits to make conditions safer now and in the future.

-Don't Delay Transfer to Dry Storage: Work hard to stay on schedule to complete work by August 2025, while ensuring a safe work environment.

-Fully Fund WESF: Deliver a unified message on fully funding Hanford cleanup to ensure crucial cleanup work, such as transferring the capsules to dry storage, is completed.

-Include Catastrophic Release Emergency Response Plans: Ensure that robust, specific and detailed emergency response plans for a catastrophic release of radioactivity at WESF are included in the permit. The emergency response plan is even more important in light of the delays to the 2025 milestone.

"Catastrophic" and "Delay" are the two key words here.

Though I live many miles from Hanford, I recognize the impacts of failure encompass the entire Pacific Northwest. This is truly a catastrophic possibility.

Clean-up efforts must not be characterized by the term "delay," as they have been for decades. Delay is inexcusable. Our children, their future children and their environment should be protected from a Hanford catastrophe.

Sincerely,
Frank Lacey
Anacortes, WA 98221
flacey67@gmail.com