


Date (MM/DD/Y)	MIN of pH	AVERAGE of pH	MAX of pH	STDEVP of pH
Jan	7.72	7.78	7.85	0.024
Feb	7.84	7.91	8.35	0.033
Mar	7.83	8.01	8.49	0.125
Apr	7.8	8.08	8.46	0.142
May	7.53	8.02	8.38	0.152
Oct	7.53	7.67	7.98	0.066
Nov	7.54	7.75	7.95	0.098
Dec	7.72	7.78	7.86	0.030
Grand Total	7.53	7.79	8.49	0.15

Jan	7.72	0.04	0.024	0.024	0.045
Feb	7.84	0.03	0.033	0.033	0.409
Mar	7.83	0.05	0.125	0.125	0.355
Apr	7.8	0.13	0.142	0.142	0.243
May	7.53	0.34	0.152	0.152	0.209
Oct	7.53	0.07	0.066	0.066	0.247
Nov	7.54	0.11	0.098	0.098	0.102
Dec	7.72	0.03	0.030	0.030	0.051



Data collected dockside at Pacific Northwest National Laboratory - Sequim in 2017 and 2018.
Data should be considered level 1 QA/QC'ed data - sensors calibrated and given general review
Missing data was removed for QA/QC reasons