

## Center for Food Safety (Kingsly McConnell)

On behalf of Center for Food Safety, please see the attached proposed CAFO General Permit in the form of a redlined permit.

Issuance Date: XXX, 2026

Effective Date: xxx

Expiration Date: +5 years

# CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT

A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM AND  
STATE WASTE DISCHARGE GENERAL PERMIT

**State of Washington**  
**Department of Ecology**  
Olympia, Washington

In compliance with the provisions of  
The State of Washington Water Pollution Control Law  
Chapter 90.48 Revised Code of Washington  
and  
The Federal Water Pollution Control Act  
(The Clean Water Act)  
Title 33 United States Code, Section 1251 et seq.

Until this permit expires, is modified or revoked, Permittees that have properly obtained coverage under this general permit are authorized to discharge in accordance with the special and general conditions, which follow.



---

Jon Kenning  
Water Quality Program Manager  
Washington State Department of Ecology

## **ADA ACCESSIBILITY**

To request ADA Accommodation, contact Water Quality Reception at 360-407-6600 or visit [Ecology's ADA Accessibility web page](https://ecology.wa.gov/accessibility)<sup>1</sup>. For Relay Services or TTY call 711 or 877-833-6341.

For document translation services, call Water Quality Reception at 360-407-6600. Por publicaciones en español, por favor llame Water Quality Reception al 360-407-6600.

---

<sup>1</sup> <https://ecology.wa.gov/accessibility>

This page intentionally left blank.

## TABLE OF CONTENTS

ADA ACCESSIBILITY	2
TABLE OF CONTENTS	3
LIST OF FIGURES	9
SUMMARY OF PERMIT SUBMITTALS	15
SPECIAL CONDITIONS	32
S1. PERMIT COVERAGE	32
S2. PERMIT ADMINISTRATION	35
S3. DISCHARGE LIMITS	40
S4. MANURE POLLUTION PREVENTION	43
S5. MONITORING	38
S6. RECORD KEEPING	49
S7. REPORTS AND SUBMITTALS	51
S8. APPENDICES	55
GENERAL CONDITIONS	55
G1. DISCHARGE VIOLATIONS	55
G2. PROPER OPERATION AND MAINTENANCE	55
G3. RIGHT OF ENTRY	55
G4. PERMIT COVERAGE REVOKED	55
G5. GENERAL PERMIT MODIFICATION AND REVOCATION	56
G6. REPORTING A CAUSE FOR MODIFICATION	56
G7. TOXIC POLLUTANTS	57
G8. OTHER REQUIREMENTS OF 40 CFR	57
G9. COMPLIANCE WITH OTHER LAWS AND STATUTES	57
G10. ADDITIONAL MONITORING	57
G11. PAYMENT OF FEES	57
G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT	57
G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS	58
G14. SIGNATORY REQUIREMENTS	58
G15. APPEALS	59
G16. SEVERABILITY	59
G17. DUTY TO REAPPLY	59

G18. MONITORING BEYOND PERMIT REQUIREMENTS	60
APPENDIX A: Definitions	61
APPENDIX B: CAFO General Permit Annual Report Form	69
Permittee Information	69
Operator Information	69
Facility Information	69
Discharge Information	70
Nutrient Source Content Analysis	71
Field Application Information	72
Field Nutrient Budgets	74
Certification	74
Paper Submittal Instructions	74
Questions	74
APPENDIX C: Nitrate Priority Areas	76

**LIST OF TABLES**

CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT .....	1
ADA ACCESSIBILITY.....	2
TABLE OF CONTENTS.....	3
LIST OF FIGURES.....	9
SUMMARY OF PERMIT SUBMITTALS .....	15
SPECIAL CONDITIONS.....	32
S1. PERMIT COVERAGE .....	32
S1.A. Facilities Required to Seek Coverage under This General Permit .....	32
1. How Ecology Determines Significant Contributors of Pollutants .....	32
2. Multiple Facilities with common ownership .....	32
3. Permit tiers.....	32
4. Facilities that become Medium or Large .....	32
S1.B. Activities Covered Under This Permit .....	33
S1.C. Geographic Area Covered .....	33
S2. PERMIT ADMINISTRATION .....	35
S2.A. How to Apply for Permit Coverage .....	35
1. Submit an application .....	35

2.	Revise application, if needed .....	35
3.	Publish public notice .....	36
S2.B.	When Permit Coverage is Effective .....	36
S2.C.	How to Transfer Permit Coverage .....	37
S2.D.	How to Terminate Permit Coverage .....	38
1.	Eligibility for Terminating Permit Coverage .....	38
2.	Facility Cleaning Requirements .....	38
3.	Requesting Termination of Permit Coverage .....	39
S3.	DISCHARGE LIMITS .....	40
	In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem. ....	40
S3.A	Total Maximum Daily Loads (TMDL) .....	40
S3.B	Impaired Waterbodies .....	41
S3.C	Production Area .....	41
S3.D	Land Application Fields .....	42
S4.	MANURE POLLUTION PREVENTION .....	43
S4.A	Pollution Prevention Plan .....	43
1.	General Requirements .....	43
2.	Production Area Drawings and Maps .....	44
3.	Land Application Drawings and Maps .....	44
4.	Facility Information .....	45
5.	Update of the MPPP .....	46
a.	When the Permittee proposes changes to the facility .....	46
b.	When Ecology, WSDA, or Permittee assessments require MPPP updates .....	47
c.	When the Permittee proposes alternatives .....	48
S4.B	Production Area Run-off Controls .....	49
S4.C	Storage of Manure, Litter, and Process Wastewater .....	50
1.	Liquid Waste Storage Structures .....	50
2.	Solid Materials Storage Facilities .....	51
3.	Liquid and Solid Waste Storage Facility Effluent Limits .....	51
4.	Maintain Storage Facilities .....	53
5.	Waste Storage Pond Closure Procedures .....	53

- d. Temporary Closures ..... 53
- e. Permanent Decommissioning..... 53
- S4.D. Other Above and Below Ground Infrastructure ..... 54
- S4.E Diversion of Clean Water ..... 54
- S4.F Prevent Direct Animal Contact with Water ..... 55
- S4.G Chemical Handling ..... 55
- S4.H Livestock Mortality Management..... 55
- S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis..... 56
- S4.J Soil Sampling and Nutrient Analysis ..... 56
  - 1. Soil Sampling Depth ..... 56
  - 2. Spring Soil Sampling and Analysis..... 57
  - 3. Late Summer-Early Fall Soil Sampling and Analysis..... 57
  - 4. Sampling and Analysis Methods ..... 57
- S4.K Land Application..... 57
  - 1. Annual Field-Specific Crop Nutrient Budget ..... 58
  - 2. Application Rates ..... 59
  - 3. Application Restrictions ..... 60
  - 4. Double Cropping, Winter Cover Crops, Perennial Crops ..... 61
  - 5. Emergency Winter Land Application ..... 61
- S4.L Adaptive Management of Land Application Fields ..... 63
  - 1. Step 1: Determine Field Risk Level..... 63
  - 2. Step 2: Take Required Adaptive Management Actions ..... 63
  - 3. Step 1: Determine Field Risk Level..... 65
  - 4. Step 2: Take Required Adaptive Management Actions for Phosphorus ..... 66
  - 5. Step 3: Submit Deeper Soil Test Results ..... 66
- S4.M Irrigation Water Management ..... 36
- S4.N Field Discharge Management Practices ..... 36
- S4.O Manure Export..... 37
- S4.P Emergency Procedures ..... 37
- S4.Q Training..... 38
- S5. MONITORING ..... 38
  - S5.A. Operations and Maintenance ..... 38
  - S5.B. Manure, Litter, and Process Wastewater Monitoring..... 39

- 1. When to collect and analyze samples..... 39
- 2. How to collect and analyze samples ..... 39
- S5.C. Soil Monitoring..... 40
  - 1. When to collect and analyze soil samples ..... 40
  - 2. How to collect and analyze soil samples ..... 40
- S5.D. Groundwater Monitoring ..... 43
  - 1. Medium and Large CAFOs located within a nitrate priority area..... 43
    - a. Develop the Work Plan ..... 43
    - b. Install Groundwater Monitoring Wells ..... 43
    - c. Conduct Routine Monitoring ..... 43
  - 2. Small CAFOs and Facilities outside of a Nitrate Priority Area..... 44
    - a. Develop the Work Plan ..... 44
    - b. Implement the Work Plan..... 44
    - c. Report the Study Results ..... 44
    - d. Install Additional Groundwater Monitoring Wells ..... 45
    - e. Conduct Routine Monitoring ..... 45
  - 3. Submitting work plans and reporting results for all facilities..... 45
- S5.E. Surface Water Monitoring ..... 46
  - 2. Standard Protocol ..... 46
  - 3. Protocol when conditions are unsafe ..... 47
  - 4. Ecology Regional Office Contact Information..... 47
- S5.F. Laboratory Accreditation ..... 48
- S6. RECORD KEEPING ..... 49
  - S6.A. Operations and Maintenance Records ..... 49
  - S6.B. Land Application Records..... 49
  - S6.C. Export Records ..... 50
  - S6.D. Monitoring Records ..... 50
  - S6.E. Providing Records..... 50
  - S6.F. Records Retention ..... 50
- S7. REPORTS AND SUBMITTALS ..... 51
  - S7.A How to Submit Documents to Ecology ..... 51
  - S7.B. Submittal of MPPP ..... 51
  - S7.C. Waste Storage Structure Assessment..... 51

1. Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks ..... 51

2. Assessment for waste storage ponds without leak detection systems ..... 52

3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces ..... 52

4. Assessment for solids storage, dry stacks, and compost piles on soil pads ..... 53

S7.D. Annual Report ..... 53

S7.E. Reporting Permit Violations ..... 54

S7.F. Spills Reporting ..... 55

S8. APPENDICES ..... 55

GENERAL CONDITIONS ..... 55

G1. DISCHARGE VIOLATIONS ..... 55

G2. PROPER OPERATION AND MAINTENANCE ..... 55

G3. RIGHT OF ENTRY ..... 55

G4. PERMIT COVERAGE REVOKED ..... 55

G5. GENERAL PERMIT MODIFICATION AND REVOCATION ..... 56

G6. REPORTING A CAUSE FOR MODIFICATION ..... 56

G7. TOXIC POLLUTANTS ..... 57

G8. OTHER REQUIREMENTS OF 40 CFR ..... 57

G9. COMPLIANCE WITH OTHER LAWS AND STATUTES ..... 57

G10. ADDITIONAL MONITORING ..... 57

G11. PAYMENT OF FEES ..... 57

G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT ..... 57

G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS ..... 58

G14. SIGNATORY REQUIREMENTS ..... 58

G15. APPEALS ..... 59

G16. SEVERABILITY ..... 59

G17. DUTY TO REAPPLY ..... 59

G18. MONITORING BEYOND PERMIT REQUIREMENTS ..... 60

APPENDIX A: Definitions ..... 61

APPENDIX B: CAFO General Permit Annual Report Form ..... 69

    Permittee Information ..... 69

    Operator Information ..... 69

Facility Information ..... 69

Discharge Information ..... 70

Nutrient Source Content Analysis..... 71

Field Application Information ..... 72

    Field Soil Sample Analysis ..... 72

    Nutrient Sources Applied to Field..... 73

    Adaptive Management Risk Level..... 73

Field Nutrient Budgets ..... 74

Certification..... 74

Paper Submittal Instructions ..... 74

Questions ..... 74

APPENDIX C: Nitrate Priority Areas..... 76

**LIST OF FIGURES**

CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT 1

    ADA ACCESSIBILITY 2

    TABLE OF CONTENTS 3

    LIST OF FIGURES 9

    SUMMARY OF PERMIT SUBMITTALS 15

    SPECIAL CONDITIONS 32

        S1. PERMIT COVERAGE 32

            S1.A. Facilities Required to Seek Coverage under This General Permit 32

                1. How Ecology Determines Significant Contributors of Pollutants 32

                2. Multiple Facilities with common ownership 32

                3. Permit tiers 32

                4. Facilities that become Medium or Large 32

            S1.B. Activities Covered Under This Permit 33

            S1.C. Geographic Area Covered 33

        S2. PERMIT ADMINISTRATION 35

            S2.A. How to Apply for Permit Coverage 35

                1. Submit an application 35

                2. Revise application, if needed 35

3. Publish public notice	36
S2.B. When Permit Coverage is Effective	36
S2.C. How to Transfer Permit Coverage	37
S2.D. How to Terminate Permit Coverage	38
1. Eligibility for Terminating Permit Coverage	38
2. Facility Cleaning Requirements	38
3. Requesting Termination of Permit Coverage	39
S3. DISCHARGE LIMITS	40
In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem.	40
S3.A Total Maximum Daily Loads (TMDL)	40
S3.B Impaired Waterbodies	41
S3.C Production Area	41
S3.D Land Application Fields	42
S4. MANURE POLLUTION PREVENTION	43
S4.A Pollution Prevention Plan	43
1. General Requirements	43
2. Production Area Drawings and Maps	44
3. Land Application Drawings and Maps	44
4. Facility Information	45
5. Update of the MPPP	46
a. When the Permittee proposes changes to the facility	46
b. When Ecology, WSDA, or Permittee assessments require MPPP updates	47
c. When the Permittee proposes alternatives	48
S4.B Production Area Run-off Controls	49
S4.C Storage of Manure, Litter, and Process Wastewater	50
1. Liquid Waste Storage Structures	50
2. Solid Materials Storage Facilities	51
3. Liquid and Solid Waste Storage Facility Effluent Limits	51
4. Maintain Storage Facilities	53
5. Waste Storage Pond Closure Procedures	53
d. Temporary Closures	53

e. Permanent Decommissioning	53
S4.D. Other Above and Below Ground Infrastructure	54
S4.E Diversion of Clean Water	54
S4.F Prevent Direct Animal Contact with Water	55
S4.G Chemical Handling	55
S4.H Livestock Mortality Management	55
S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis	56
S4.J Soil Sampling and Nutrient Analysis	56
1. Soil Sampling Depth	56
2. Spring Soil Sampling and Analysis	57
3. Late Summer-Early Fall Soil Sampling and Analysis	57
4. Sampling and Analysis Methods	57
S4.K Land Application	57
1. Annual Field-Specific Crop Nutrient Budget	58
2. Application Rates	59
3. Application Restrictions	60
4. Double Cropping, Winter Cover Crops, Perennial Crops	61
5. Emergency Winter Land Application	61
S4.L Adaptive Management of Land Application Fields	63
1. Step 1: Determine Field Risk Level	63
2. Step 2: Take Required Adaptive Management Actions	63
3. Step 1: Determine Field Risk Level	65
4. Step 2: Take Required Adaptive Management Actions for Phosphorus	66
5. Step 3: Submit Deeper Soil Test Results	66
S4.M Irrigation Water Management	36
S4.N Field Discharge Management Practices	36
S4.O Manure Export	37
S4.P Emergency Procedures	37
S4.Q Training	38
S5. MONITORING	38
S5.A. Operations and Maintenance	38
S5.B. Manure, Litter, and Process Wastewater Monitoring	39
1. When to collect and analyze samples	39

2. How to collect and analyze samples	39
S5.C. Soil Monitoring	40
1. When to collect and analyze soil samples	40
2. How to collect and analyze soil samples	40
S5.D. Groundwater Monitoring	43
1. Medium and Large CAFOs located within a nitrate priority area	43
a. Develop the Work Plan	43
b. Install Groundwater Monitoring Wells	43
c. Conduct Routine Monitoring	43
2. Small CAFOs and Facilities outside of a Nitrate Priority Area	44
a. Develop the Work Plan	44
b. Implement the Work Plan	44
c. Report the Study Results	44
d. Install Additional Groundwater Monitoring Wells	45
e. Conduct Routine Monitoring	45
3. Submitting work plans and reporting results for all facilities	45
S5.E. Surface Water Monitoring	46
2. Standard Protocol	46
3. Protocol when conditions are unsafe	47
4. Ecology Regional Office Contact Information	47
S5.F. Laboratory Accreditation	48
S6. RECORD KEEPING	49
S6.A. Operations and Maintenance Records	49
S6.B. Land Application Records	49
S6.C. Export Records	50
S6.D. Monitoring Records	50
S6.E. Providing Records	50
S6.F. Records Retention	50
S7. REPORTS AND SUBMITTALS	51
S7.A How to Submit Documents to Ecology	51
S7.B. Submittal of MPPP	51
S7.C. Waste Storage Structure Assessment	51

1. Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks	51
2. Assessment for waste storage ponds without leak detection systems	52
3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces	52
4. Assessment for solids storage, dry stacks, and compost piles on soil pads	53
S7.D. Annual Report	53
S7.E. Reporting Permit Violations	54
S7.F. Spills Reporting	55
S8. APPENDICES	55
GENERAL CONDITIONS	55
G1. DISCHARGE VIOLATIONS	55
G2. PROPER OPERATION AND MAINTENANCE	55
G3. RIGHT OF ENTRY	55
G4. PERMIT COVERAGE REVOKED	55
G5. GENERAL PERMIT MODIFICATION AND REVOCATION	56
G6. REPORTING A CAUSE FOR MODIFICATION	56
G7. TOXIC POLLUTANTS	57
G8. OTHER REQUIREMENTS OF 40 CFR	57
G9. COMPLIANCE WITH OTHER LAWS AND STATUTES	57
G10. ADDITIONAL MONITORING	57
G11. PAYMENT OF FEES	57
G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT	57
G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS	58
G14. SIGNATORY REQUIREMENTS	58
G15. APPEALS	59
G16. SEVERABILITY	59
G17. DUTY TO REAPPLY	59
G18. MONITORING BEYOND PERMIT REQUIREMENTS	60
APPENDIX A: Definitions	61
APPENDIX B: CAFO General Permit Annual Report Form	69
Permittee Information	69
Operator Information	69

Facility Information	69
Discharge Information	70
Nutrient Source Content Analysis	71
Field Application Information	72
Field Soil Sample Analysis	72
Nutrient Sources Applied to Field	73
Adaptive Management Risk Level	73
Field Nutrient Budgets	74
Certification	74
Paper Submittal Instructions	74
Questions	74
APPENDIX C: Nitrate Priority Areas	76

## SUMMARY OF PERMIT SUBMITTALS

Refer to the Special and General Conditions for details on permit report and submittal requirements. The text of this permit contains words and phrases in ***bold and italics***. These words and phrases are the first usage in the permit and are defined in Appendix A.

**Table 1 Summary of Permit Reports and Submittals**

Permit Section	Forms & Reports	Description	Frequency	First Due Date
S2.A	Permit Application (i.e. Notice of Intent, NOI)	Applying for permit coverage and submitting initial MPPP	One-time	As necessary
S2.D	Transfer form	Transfer Permit Coverage To a New Owner or Operator	As necessary	Prior to transfer
S2.E	Termination request form	Applying for cancellation of permit coverage	As necessary	As necessary
S4.A.5	Update the MPPP	Update the MPPP	As necessary	14 days from a change or 7 days from a notification of deficiency
S4.K.5.a	Email to Ecology	Prior to making any emergency land applications	As necessary	As necessary
S4.K.5.d	Email to Ecology	After making any emergency land applications	As necessary	Within 24 hours of the emergency land application
S4.K.5.e	Compliance Plan	Compliance Plan following emergency land applications	As necessary	Within 6 months of the emergency land application
S4.K.5.f	Time extension request	Extend deadline for compliance plans for emergency land applications	As necessary	As necessary
S4.L	Nutrient Budgets for Very High Risk Fields	Proposing a nutrient budget for the upcoming growing season	As necessary	Ecology must provide written approval prior to application
S5.D.1.a;	Groundwater Monitoring Work Plan	Monitoring Plan for Medium and Large CAFOs located in Nitrate Priority Areas	One-time; As necessary	Within 6 months of receiving permit coverage
S5.D.2.a	Groundwater Monitoring Work Plan	Groundwater evaluation study plan for Small CAFOs and all CAFOs located outside of Nitrate Priority Areas meeting certain conditions	As necessary	Within 6 months of receiving Ecology's determination

Permit Section	Forms & Reports	Description	Frequency	First Due Date
S5.D.2.c	Groundwater Evaluation Study Results	Results of groundwater evaluation study for CAFOs meeting certain conditions	As necessary	As necessary
S5.D.1.c; S5.D.2.e	Begin Groundwater Monitoring Notification	CAFOs required to monitor groundwater water	One-time; As necessary	30 days before first monitoring report
S5.E	Phone Call to Ecology	Reporting surface water discharge	As necessary	As necessary
S5.E	Reporting Results from a Surface Water Discharge	Laboratory results of water quality samples collected after a discharge	As necessary	As necessary
S6	Ecology Request for Permit Records	Providing items such as updated MPPP or land application records	As necessary	Within 14 days of Ecology's written request
S7.C	Storage Structure Assessment	Compliance reports for each solid and liquid storage structure	One-time	Within 1 years of permit coverage
S7.C	Storage Structure Repair and Improvement Plan	Plan for repairs and improvements to waste storage structures	One-time; As necessary	3 months after initial storage assessment
S7.D	Annual Report	Report of production numbers, monitoring results, and land applications	Annually	February 1, 2027
S7.E	Reporting Permit Violations	Verbal and written notifications of permit violations	Each noncompliance	Within 24 hours and in 5 days
S7.F	Spills Reporting	Verbal report of spills oil or hazardous materials	Each noncompliance	Within 24 hours
G6	Permit Modification	Significant change in production or process	As necessary	Prior to change
G17	Permit Application	Renewal of permit coverage	One-time	180 days before expiration date of this general permit

## SPECIAL CONDITIONS

### S1. PERMIT COVERAGE

#### S1.A. Facilities Required to Seek Coverage under This General Permit

This *permit* applies to lots or facilities (other than aquatic animal production facilities) defined as concentrated animal feeding operations (CAFOs) in 40 CFR 122.23. These CAFOs are presumed to discharge to surface water, or to surface and groundwater, and require coverage under this permit. The permit requires the owner or operator of a CAFO to apply for coverage under this permit.

##### 1. **sMultiple Facilities with common ownership**

Two or more CAFOs under common ownership are considered a single CAFO for the purposes of permitting if they adjoin each other or if they use a common area or system for handling *manure, litter, process wastewater, and other organic by-products*.

##### 2. **Permit tiers**

If the facility is a small CAFO (i.e., is not medium or large CAFO), it must follow all requirements of this permit except S3.

If the facility is either a medium or large CAFO as defined in Table 2, or the facility is a *significant contributor of pollutants to waters of the state* in accordance with the procedures in S1.A.1 above, it must follow all requirements in this permit.

Significant is defined as “a reasonable likelihood of more than a moderate adverse impact on environmental quality.” WAC 197-11-794 (1).

##### 3. **Facilities that become Medium or Large**

If a facility is not a medium or large CAFO as defined in Table 2 at the effective date of this permit but later meets the triggers included in Table 2, it must give notice to Ecology of an amended coverage pursuant to S.2A.2 below, within 45 days of becoming a medium or large CAFO.

**Table 2 Size of CAFO by Animal Type**

Animal Type	Number of Animals in Medium CAFO	Number of Animals in Large CAFO
Dairy Cows <sup>a</sup>	200-699	700 or more
Veal Calves	300-999	1,000 or more
Other Cattle <sup>b</sup>	300-999	1,000 or more
Swine (55 lbs. or more)	750-2,499	2,500 or more
Swine (less than 55 lbs.)	3,000-10,000	10,000 or more
Horses	150-499	500 or more
Sheep and Lambs	3,000-9,999	10,000 or more
Turkeys	16,500-54,999	55,000 or more
Laying Hens or Broilers, with liquid waste system	9,000-29,999	30,000 or more
Chickens, other than layers, with dry waste system	37,500-124,999	125,000 or more
Laying Hens, with dry waste system	25,000-81,999	82,000 or more
Ducks, with liquid waste system	10,000-29,999	30,000 or more
Ducks, with dry waste system	1,500-4,999	5,000 or more

<sup>a</sup> Milked or Dry

<sup>b</sup> Including, but not limited to Heifers, Steers, Bulls, Cow/Calf Pairs

**S1.B. Activities Covered Under This Permit**

This statewide **general permit** prohibits all discharges of process wastewater, manure, litter, feed, other organic by-products, and associated pollutants except as conditionally authorized under the terms of this permit for overflow discharges of process wastewater to surface waters due to rainfall from the **production area** in S3.C.

**S1.C. Geographic Area Covered**

This permit covers the activities listed in special condition S1.A within the State of Washington. This permit shall not issue for any CAFO proposed or constructed on or after June 1, 2026 in a designated groundwater management area, as defined by RCW 90.44.400 and implementing regulations. This permit does not apply to **Indian Country** and **trust or restricted lands** except portions of the Puyallup Reservation as noted. Puyallup Exception: Following the Puyallup Tribe of Indians

Land Claims Settlement Act of 1989, 25 U.S.C. §1773; this permit does apply to land within the Puyallup Reservation except for discharges to surface water on land held in trust by the federal government. Some conditions in this permit include separate requirements for wetter and drier climates. **Wetter climates** are defined as receiving 25 inches of precipitation or more per year, while **drier climates** are defined as receiving 25 inches of precipitation or less annually.

## S2. PERMIT ADMINISTRATION

### S2.A. How to Apply for Permit Coverage

All CAFOs seeking coverage under this permit must do the following:

#### 1. Submit an application

Submit a complete and signed **Notice of Intent** form (NOI) and a Manure Pollution Prevention Plan (MPPP) that meets the requirements of special conditions S3 through S8-and G in this permit. A Responsible Person, in accordance with General Condition G14 *Signatory Requirements*, must sign the signature page of the NOI and submit it to Ecology within 45 days of the effective date of this permit, or within 45 days of becoming a facility covered by this permit.

Submit the NOI and MPPP using Ecology's Water Quality Permitting Portal. If the **applicant** is unable to submit electronically (for example, they do not have access to the internet), contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Administrator  
PO Box 47600  
Olympia, WA 98504

Inability to submit the NOI via the Portal does not excuse the requirement that the form be submitted within 45 days of needing permit coverage; as such, it is up to a potential permittee to coordinate with Ecology with enough advance notice to meet the permit's timelines.

#### 2. Revise application, if needed

Ecology will review the NOI and MPPP for completeness and may request additional information from the applicant if it is necessary to complete the NOI and MPPP or to clarify, modify, or supplement previously submitted material. Ecology will notify the applicant of the application's status within 30 days.

If there have been any changes at a facility that require revised or modified documents during the pendency of Ecology review, the permittee must notify Ecology immediately of the changes and provide an updated NOI and MPPP within 30 days.

### 3. Publish public notice

When Ecology determines that the NOI and MPPP are complete, the applicant must publish a public notice using the template on the NOI. The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

Publish the public notice only after Ecology has made a preliminary determination and notified the applicant in writing that the **application for coverage** is complete.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received about the applicability of this permit to the operation before issuing a decision on permit coverage pursuant to special condition S2.B *When Permit Coverage is Effective*.

In addition, Ecology will post the NOI and MPPP on its website for the duration of the 30 day public comment period, including an opportunity for the public to request a hearing. Ecology will post copies of all comments received on the NOI and MPPP and any further documentation generated (including but not limited to revised MPPPs, comment responses, or new application materials). Ecology will also maintain an electronic listserv where the public can sign up for alerts about posts of NOIs and supporting material.

Ecology may, at its option, publish public notice of multiple applications for coverage under this permit at one time in the Washington State Register (WSR) which is published the first and third Wednesday of the month. If Ecology publishes public notice in the WSR, the permit coverage timeline will be longer than the timeline listed in special condition S2.B *When Permit Coverage is Effective*.

### S2.B. When Permit Coverage is Effective

Ecology will notify the applicant in writing (with a copy of the notification posted online with other application materials and comment documents) of the final decision. Once Ecology issues permit coverage, the CAFO owner or operator who applied for coverage becomes a **Permittee**.

When Ecology needs additional time to reach a decision, we will notify the applicant in writing within 30 days of receiving the application for coverage and identify the issues that the applicant must resolve before Ecology can reach a decision. Ecology may need additional time to review the application:

1. If the application is incomplete.
2. If the application requires additional site-specific information.
3. If the public requests a public hearing about the applicability or non-applicability of this permit to the operation proposed for coverage.
4. If members of the public submit comments.
5. When more information is necessary to determine whether coverage under the general permit is appropriate.

### **S2.C. How to Transfer Permit Coverage**

Coverage under this general permit shall automatically transfer to a new **Permittee**, if all of the following conditions are met:

1. The original Permittee and the new Permittee submit to Ecology a complete, written, signed agreement (Transfer of Coverage Form) containing a specific date for transfer of permit responsibility, coverage and liability. The Transfer of Coverage form is available on the [CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>5</sup>.
2. The volume and characteristics of the wastewater and management practices remain substantially unchanged.
3. Ecology does not notify the Permittee of the need to submit a new application for coverage under the general permit or for an individual permit pursuant to Chapters 173-216, 173-220, and 173-226 WAC.

The original Permittee remains responsible for, and subject to, all permit conditions and permit fees until the transfer of permit coverage is effective.

As part of the transfer, the original Permittee must supply the new Permittee with copies of all permit documents, based on current facility conditions, used to comply with this permit.

---

<sup>5</sup> <https://ecology.wa.gov/cafo>

Once the permit has been transferred, the new Permittee is required to use the existing permit documents (e.g. MPPP) provided by the original Permittee until the new Permittee updates the documents to reflect any changes to facility operation the new Permittee makes.

Ecology will post the Transfer of Coverage form immediately upon receipt to its Permitting and Reporting Information System (PARIS) database.

## **S2.D. How to Terminate Permit Coverage**

### **1. Eligibility for Terminating Permit Coverage**

A Permittee may request termination of their permit coverage when one of the following conditions is met:

- a. The Permittee demonstrates that they no longer have a discharge to surface or groundwater from their production area or land application fields, and can demonstrate that there will be no legacy discharges or discharges from any facility cleaning requirements (see S2.D.2, below). Ecology will make a determination based on the documentation provided and will confirm as a final agency action the termination of permit coverage. Such a final action, made pursuant to S2.D.4, below, will be posted by Ecology on the agency's website with the facility's other permit materials.

### **2. Facility Cleaning Requirements**

The permittee must clean, re-purpose, or decommission facility infrastructure that will no longer be used. The following facility cleaning and re-purposing requirements must be completed before the termination of permit coverage can be approved by Ecology:

- a. All manure, litter, , and process wastewater must be removed from storage, management, and other facility infrastructure and land applied in accordance with the Permittee's yearly nutrient budgets, or **exported** in accordance special condition S4.O *Manure Export* as appropriate.
- b. All manure, litter, feed, process wastewater, and other organic by-product management systems and facilities that could fill with water from precipitation must be flushed with clean water. The water from flushing must be land applied in accordance with the Permittee's yearly nutrient budgets or exported in accordance with special condition S4.O *Manure Export*.

- c. After flushing/cleaning, if the manure, litter, feed, process wastewater, and other organic by-product storage, management, and other facility infrastructure will no longer be used, the infrastructure must be modified, if necessary, so it is not a conduit for any pollutants to enter surface or groundwater.
- d. Temporary closures, permanent decommissioning, or other changes to **waste storage ponds** must follow the relevant requirements in special condition S4.C.4 *Waste Storage Pond Closure Procedures*.

### 3. Requesting Termination of Permit Coverage

The Permittee may request termination of permit coverage using the **Notice of Termination** form available on the [CAFO permit webpage](#)<sup>6</sup>. The Permittee must submit the signed form through [Ecology's Water Quality Permitting Portal](#)<sup>7</sup>.

If the Permittee is unable to submit electronically (for example, they do not have access to the internet), they must contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Administrator  
PO Box 47600  
Olympia, WA 98504

The termination of permit coverage is effective on the date 61 days after Ecology receives the complete Notice of Termination form, unless Ecology notifies the Permittee in writing that their request is denied because either the Permittee has not met the eligibility requirements or information is insufficient to make a determination.

The Permittee will continue to incur an annual permit fee (chapter 173-224 WAC) until they submit a completed Notice of Termination form signed in accordance with general condition G14 and Ecology terminates the permit coverage. The Permittee will receive a letter from Ecology notifying them that their permit coverage is terminated.

### 4. Permit Termination

Ecology will only terminate the permit after determining, in writing:

---

<sup>6</sup> <https://ecology.wa.gov/cafo>

<sup>7</sup> <https://secureaccess.wa.gov/ecy/wqwebportal>

- a) That the facility has ceased all operations, that all wastewater or manure storage structures have been closed correctly following Natural Resource Conservation Service (NRCS) Conservation Practice Standard No. 360, Closure of Waste Impoundments, **as well as ensuring that all soil testing at 45 PPM Nitrate or higher is excavated and disposed of in a manner that will not negatively affect water or air quality** and that all other remaining stockpiles of manure, litter, or process wastewater not contained in a wastewater or manure storage structure are disposed of properly, and all facility cleaning requirements (in S2.D.2, above) are completed;
- b) The facility is no longer a CAFO that discharges manure, litter, or process wastewater to waters of the United States; or
- c) The entire discharge is permanently terminated by elimination of the flow or by connection to a publicly owned treatment works (POTW).

### S3. DISCHARGE LIMITS

Discharges conditionally authorized by this permit must not cause or contribute to a violation of **water quality standards**. Discharges not in compliance with these standards are not authorized. The Permittee must also be in compliance with other discharge limits (e.g. special condition S4. Manure Pollution Prevention) in order for discharges to be conditionally authorized.

**In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem.****S3.A Total Maximum Daily Loads (TMDL)**

Discharges conditionally authorized by this permit to waterbodies which have an EPA-approved TMDL, or are upstream from a waterbody that has an EPA-approved TMDL, must be limited and controlled in a manner that is consistent with the assumptions and requirements of a wasteload allocation for the facility for the pollutant(s) being discharged and existing dischargers must be subject to compliance schedules designed to bring the waterbody back into compliance. A Permittee's MPPP must identify the specific limitations and controls being used by the CAFO to ensure its discharges are consistent

with the wasteload allocation. Discharges not consistent with an approved TMDL are not authorized. To determine if a discharge may be to, or is upstream from, a waterbody with a TMDL in place, refer to [Ecology's list of TMDLs](#)<sup>8</sup>.

### S3.B Impaired Waterbodies

Discharges conditionally authorized by this permit to an EPA-approved 303(d)-listed waterbody (Category 5) or to a waterbody upstream from an EPA-approved 303(d)-listed waterbody (Category 5) that do not have a completed TMDL in place must not contain the pollutant(s) for which the waterbody is listed as impaired and any other pollutants which will cause or contribute to the exceedance of numeric or narrative criteria causing the impairment.

To determine if a discharge may occur to, or is upstream from, an impaired waterbody, refer to [Ecology's impaired waterbody database](#)<sup>9</sup>.

### S3.C Production Area

The Permittee is prohibited from discharging process wastewater to surface waters of the state from the production area except that process wastewater pollutants in the overflow may be discharged to surface waters of the state when the following conditions are met at facilities constructed before April 14, 2003:

1. Rainfall causes an overflow of process wastewater from a facility which is designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff and direct precipitation from a **100-year, 24-hour storm event** at the location of the facility and still have waste storage pond design **freeboard**; and
2. The design storage volume is adequate to contain all manure, litter, and process wastewater accumulated during the storage period, including, at a minimum, the following:
  - a) Double the estimated volume of manure, litter, process wastewater, and other wastes accumulated during the storage period;
  - b) The normal precipitation less evaporation during the storage period for the location of the facility;

---

<sup>8</sup> <https://ecology.wa.gov/TMDLs>

<sup>9</sup> <https://ecology.wa.gov/303d>

- c) The normal runoff during the storage period into the storage structure for the location of the facility;
- d) Direct precipitation from the 100-year 24-hour precipitation event for the location of the facility;
- e) Runoff from the 100-year 24-hour precipitation event from the Production area into the storage structure for the location of the facility;
- f) Residual solids after liquids are removed;
- g) Necessary freeboard to maintain structural integrity. After settlement, the top of the embankment shall be at least 1 foot above the surrounding grade, or greater than the minimum determined by the current NRCS Conservation Practice Standard Code 313, whichever is greater; and
- h) A minimum treatment volume, in the case of treatment lagoons.

3. The production area is designed, maintained, and operated in accordance with the MPPP and the inspection, maintenance, recordkeeping, reporting, and all other requirements of this permit.

#### **S3.D Land Application Fields**

The Permittee is prohibited from discharging manure, litter, feed, process wastewater, or other organic by-products from their land application fields to surface water or groundwater.

**S3.E Threatened and Endangered Species Habitat**  
Discharges conditionally authorized by this permit must not harm any state endangered, threatened, or sensitive species, or any federally listed threatened or endangered species. Harm is defined as killing or injuring fish or wildlife, significantly modify or degrading the species habitat, or impairing essential behavioral patterns, including, breeding, spawning, rearing, migrating, feeding or sheltering.

## S4. MANURE POLLUTION PREVENTION

### S4.A Pollution Prevention Plan

#### 1. General Requirements

All Permittees and applicants for coverage under this permit must prepare, keep up-to-date, implement, and comply with a Manure Pollution Prevention Plan (MPPP) for their CAFO. The MPPP must specify the site-specific practices and procedures that:

- Demonstrate how the CAFO will comply with the pollution prevention performance objectives in special conditions S4.A through S4.Q.
- Prevent the discharge of manure, litter, process wastewater, other organic by-products, and other sources of **pollution** from the CAFO and ensure that the facility does not discharge pollution that causes or contributes to a violation of water quality standards.
- Ensure the facility is designed, operated, and maintained to prevent all production area and land application area discharges that are not conditionally authorized in S3.C.
- Require land application of manure, litter or process wastewater in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater. Comply with all federal requirements in 40 CFR 122.42(e)(1) through(e)(5) and 40 CFR Part 412.

The MPPP must include a narrative description ([not the linear approach](#)) of how the CAFO will meet the performance objectives in special conditions S4.A through S4.Q, including drawings or diagrams of facility infrastructure. If a performance objective in special conditions S4.A through S4.Q does not apply to a facility, the Permittee or applicant must explain why the performance objective does not apply to their operation.

Some permit conditions include separate requirements for wetter and drier climates. **Wetter climates** are defined as receiving 25 inches of precipitation or more per year, while **drier climates** are defined as receiving 25 inches of precipitation or less annually.

The Permittee or applicant must prepare and submit their initial MPPP with the application for permit coverage or renewal according to procedures in special condition S2.A. *How to Apply for Permit Coverage* and general condition G17 *Duty to Reapply*.

When permit coverage is granted, the MPPP becomes an enforceable **effluent limitation** of the permit and the permittee must implement and comply with the terms of the MPPP.

## 2. Production Area Drawings and Maps

The MPPP must have map and/or aerial photos of the CAFO production area clearly indicating the location of the following items:

- a. Solid and liquid manure and process wastewater storage structures (e.g. pits, tanks), including those used for moving liquid manure and process wastewater around the facility.
- b. Composting facilities.
- c. Feed storage (e.g. silage bunker) structures.
- d. All underground piping for liquid manure and process wastewater.
- e. Electrical lines that control pumps or valves that if broken would result in uncontrolled flow of liquid manure or process wastewater.
- f. Animal housing.
- g. Areas where animal mortalities are stored or composted.
- h. Direction(s) of run-off or overland flow on the production area.
- i. Groundwater wells and monitoring wells, noting their use (e.g. drinking, livestock watering, irrigation) and well tag or ID number.

## 3. Land Application Drawings and Maps

The MPPP must have maps and/or aerial photos of the land application fields clearly indicating the following items:

- a. A unique field identifier (e.g. field name, field code, name used for WSDA Dairy Nutrient Management Program required records) for each field that will be used to reference the field on all permit records and reports.

- b. Field discharge management practice location, type, and width (special condition S4.N *Field Discharge Management Practices*).
- c. Other areas that must not have manure, litter, or process wastewater applied to them because application to those areas would result in a discharge.
- d. All tile drain inlets and outlets.
- e. All field ditches.

#### 4. Facility Information

The following documentation about the Permittee's facility must be included in the MPPP and kept up-to-date as changes are made to the facility.

- a. Information about existing site conditions (topography, drainage, soils, vegetation, etc.).
- b. The maximum number of animals the current infrastructure was designed to manage and store manure, litter, process wastewater, or other organic by-products from.
- c. Potential surface or groundwater discharge problem areas (e.g. high risk areas).
- d. Whether the facility is located within an area where there are higher risk conditions for groundwater contamination. Use Ecology's Nitrate Priority Areas Map in Appendix C to determine if the facility is within a priority area.
  - i. If the facility is located within a **Nitrate Priority Area**, the applicant must complete the requirements in S5.D *Groundwater Monitoring*.
  - ii. If a facility is located outside of a Nitrate Priority Area, the facility may be required to monitor groundwater if the groundwater impact monitoring (special condition S4.L) or the results of waste storage structure assessment (special condition S7.C) indicates that an adverse impact to groundwater may be occurring. See the requirements in S5.D *Groundwater Monitoring*.
- e. The total long-term storage capacity for all manure, litter, feed, process wastewater, and other organic by-product storage structures (e.g. waste storage pond, above ground or in-ground storage tank, bunker, concrete storage pad). This does not include structures intended to only hold manure, litter, or process wastewater, on a temporary basis while pumping from one location to another or while processing the materials, for example pits used for

pumping liquid manure from one location to another or equipment/buildings used to process feed into a mixed ration. This also does not include structures used to control clean water pursuant to special condition S4.E *Diversion of Clean Water*.

- f. Information about each storage structure. The MPPP must include:
- The total designed storage volume.
  - The number of days of storage capacity as designed and as currently maintained.
  - Design treatment volume (liquid storage structures only).
  - Volume available for solids build-up (liquid storage structures only).
  - Leak detection plan if the storage structure has a leak detection system. The plan must describe how the Permittee will test and monitor for leaks.
  - Freeboard requirements
  - Volume set aside to contain the runoff from a 100-year, 24-hour storm event

**5. Update of the MPPP**

*a. When the Permittee proposes changes to the facility*

Whenever the permittee proposes a change in design, construction, operation, or maintenance of the Permittee's facility infrastructure, the Permittee must update their MPPP and submit the updated MPPP at least 60 days prior to implementing any proposed changes.

Ecology will review the modified MPPP and may request additional information to clarify, modify, or supplement previously submitted material. If Ecology determines the changes to the modified MPPP are substantial as defined by 40 CFR 122.42 (e)(6), we will notify the Permittee of the need to publish public notice. Ecology will also publish a public notice on its website that includes the proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

When Ecology determines that the modified MPPP is complete, the Permittee must publish a public notice using the template on the Coverage Modification form. The public notice must be published once a week for two (2)

weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

*b. When Ecology, WSDA, or Permittee assessments require MPPP updates*

If Ecology or WSDA staff determine that the MPPP is, or would be, ineffective in eliminating discharges not authorized by this permit, the Permittee must submit an updated MPPP within 14 days of a notification of the deficiency by Ecology or WSDA. The Permittee must also immediately begin the process to fully implement and maintain appropriate source control and/or treatment practices, addressing the deficiencies no later than 45 days from date of notification.

If Permittee assessments per S4.K.5, S7.C, or S7.E identify deficiencies, the Permittee must update the MPPP and submit it to Ecology along with the associated repair or compliance plans according to the timelines set in the applicable special condition.

If installation of necessary infrastructure or practices is not feasible within 45 days, Ecology may approve additional time when an extension is requested by a Permittee within the initial 45-day period.

Ecology will review the modified MPPP and may request additional information to clarify, modify, or supplement previously submitted material. If Ecology determines the changes to the modified MPPP are substantial, we will notify the Permittee of the need to publish public notice. If the permittee requests a time extension for facility improvement, public noticing is required. Ecology will also publish a public notice on its website that includes the

proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

To publish a public notice, the Permittee must use the template on the Coverage Modification form. The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received on the proposed changes before issuing a decision on the coverage modification.

Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

*c. When the Permittee proposes alternatives*

Permittees proposing alternative procedures or practices under S4.J.3 *Application Restrictions* or S4.N *Field Discharge Management Practices* must submit a modified MPPP with supporting information. Ecology will review the proposal and may request additional information to clarify, modify, or supplement previously submitted material.

When Ecology determines that the modified MPPP is complete, the Permittee must publish a public notice using the template on the Coverage Modification form. Ecology will also publish a public notice on its website that includes the proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received on the proposed changes before issuing a decision on the coverage modification.

Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

#### **S4.B Production Area Run-off Controls**

The Permittee must prevent all discharges of pollutants, manure, process wastewater, litter, feed, and organic by-products to surface water and groundwater from its production area with the exception of rainfall-caused overflow discharges of process wastewater to surface waters conditionally authorized under special condition S3.C *Production Area*. The confinement areas, and waste handling and waste storage facilities must be designed, constructed, and maintained to maintain adequate freeboard and to contain all manure, litter, feed, process wastewater, and other organic by-products, including the contaminated runoff and direct precipitation from a 100-year, 24-hour rainfall event.

The Permittee must keep manure, litter, and process wastewater from being tracked out onto public roadways. If manure, litter, process wastewater, or other sources of pollutants are tracked out onto public roadways, the Permittee must clean up the material tracked onto the roadway. Materials cleaned up on from the roadway must be disposed of appropriately and may not be placed in ditches, other conduits to surface or groundwater, or left along right-of-ways.

**Vegetated treatment areas** may be used to treat and infiltrate run-off into the ground, provided the treatment area's hydraulic capacity is greater than design flows and the vegetation cover is suitable to the site and run-off treatment performance needs. A site is not suitable if the vegetated treatment area will cause a violation of groundwater standards. The Permittee must document the treatment design, including nutrient uptake and hydraulic capacity, and the operation and maintenance plan for all vegetated treatment areas in the MPPP.

If a discharge to surface waters occurs from the production area, including a vegetated treatment area, the discharge must be reported to Ecology within 24 hours and monitored according to S5.E *Surface Water Monitoring*.

#### **S4.C Storage of Manure, Litter, and Process Wastewater**

The Permittee must have adequate storage space for the manure, litter, process wastewater, feed, and any other sources of pollutants on-site during the **storage period** for the area where the CAFO is located in order to comply with special condition S3 *Discharge Limits*. The following are performance objectives for storage of liquid and solid materials:

##### **1. Liquid Waste Storage Structures**

Liquid waste storage structures must be designed, constructed, operated, and maintained to prevent discharges to surface water and groundwater, maintain adequate freeboard, and to contain all manure, litter, feed, process wastewater, and other organic by-products including the contaminated runoff and direct precipitation from a 100-year, 24-hour rainfall event.

The design storage volume must equal the sum of:

- a) Double the estimated volume of manure, litter, process wastewater, and other wastes accumulated during the storage period;
- b) The normal precipitation less evaporation during the storage period for the location of the facility;
- c) The normal runoff during the storage period into the storage structure for the location of the facility;
- d) Direct precipitation from the 100-year 24-hour precipitation event for the location of the facility;
- e) Runoff from the 100-year 24-hour precipitation event from the Production area into the storage structure for the location of the facility;
- f) Residual solids after liquids are removed;

- g) Necessary freeboard to maintain structural integrity. After settlement, the top of the embankment shall be at least 1 foot above the surrounding grade, or greater than the minimum determined by the current NRCS Conservation Practice Standard Code 313, whichever is greater; and
- h) A minimum treatment volume, in the case of treatment lagoons.

Liquid storage structures must be lined to prevent discharges of pollutants to groundwater.

There must be a minimum of two feet of vertical separation between the bottom of the waste storage pond (from the bottom of the liner) and the seasonal high **water table**.

Design and installation of waste storage ponds and other liquid storage structures being built, expanded, or having major refurbishment must be overseen by a licensed professional engineer.

Permittees must have a depth gauge in each liquid storage structure that clearly indicates the minimum capacity necessary to contain the contaminated runoff and direct precipitation from a 100-year, 24 hour precipitation event and still have design freeboard. The marker shall be visible from the top of the levee.

## 2. Solid Materials Storage Facilities

Permittees must design, install, implement and maintain effective pollution prevention measures to prevent the discharge of pollutants from solid manure, litter, compost, and feed storage areas. At a minimum:

- a. Locate structures on impervious surfaces (such as concrete) or soil pads with low permeability, < 10-4 cm/sec at 95% compaction.
- b. [Manure storage facilities shall be constructed on surfaces with a minimum 2% slope, to prevent ponding.](#)
- c. Direct contaminated runoff to structures designed to store liquid manure and process wastewater or through a vegetated treatment area designed and operated in accordance with S4.B *Production Area Run-off Controls*.
- d. Cover all storage areas (e.g. tarp, roof), divert clean water in accordance with special condition S4.E *Diversion of Clean Water*.

## 3. Liquid and Solid Waste Storage Facility Effluent Limits

- A. New, reconstructed, or enlarged pond designs must

1. Consist of a double liner constructed with 60-mil high density polyethylene or material of equivalent durability with a leachate collection and removal system between the two liners, or;
  2. Comply with requirements for existing liquid storage facilities if the discharger demonstrates through submittal of technical reports that the alternative design is protective of groundwater quality.
- B. Existing liquid and solid waste storage structures must be designed, constructed, operated, and maintained to implement the more restrictive of the Best Available Technology Economically Achievable to eliminate any discharges or ensure compliance with state water quality standards. To ensure the facility implements the proper standards, the permittee must:
1. Determine the Best Available Technology Economically Achievable the permittee must provide Ecology with an economic analysis based on:
    - a. An evaluation by a professional engineer of the current condition of the facility's liquid and solid waste storage structures, documenting the seepage rate and supported by the necessary information such as complete as-built plans, specifications, drawings, etc.
    - b. The cost estimates for a range of control technology, including a) two layer synthetic liners with a leak detection and capture system between the layers; b) steel and concrete above ground storage structures; c) **synthetic liner** over clay (AKA geosynthetic clay liner (GCL)); d) concrete lined lagoons; and e) other appropriate alternative designs, and
    - c. The necessary income statement data—revenue, costs, and earnings—for the most recent three years to allow for the assessment.

Based on this information, treatment technology will be deemed economically achievable if its annual cost is less than the facility's annual profits.
  2. Determine, if after applying Best Available Technology Economically Achievable, there is a reasonable potential the resulting discharge may cause or contribute to a violation of water quality standards for the receiving waters or any downstream waters. If so, identify the control measures necessary to ensure compliance with water quality standards.
  3. Apply the more stringent control measures.

#### 4. **Maintain Storage Facilities**

The permittee must conduct weekly visual inspections of manure, litter, process wastewater, other organic by-product, and feed storage facilities according to provisions in special condition S5.A *Operations and Maintenance*. If a storage facility is equipped with a leak detection system, the permittee must monitor for leaks according to the leak detection plan included in the MPPP.

The Permittee must prevent damage and maintain the integrity of their storage facilities by controlling vegetation and animals on the structure and by repairing structures as necessary to bring it back up to design specifications.

The Permittee must periodically measure and remove accumulated solids from liquid storage structures as necessary in order to maintain design volume. Permittee must also ensure that any liner in the liquid storage structure is not damaged during maintenance. The MPPP must specify how leaks, if using a **synthetic liner** (e.g. punctures in the plastic), will be detected and repaired.

#### 5. **Waste Storage Pond Closure Procedures**

##### *d. Temporary Closures*

If the Permittee has a waste storage pond or other liquid storage structure that is temporarily not in use, but will be used again, the pond must be maintained as though it were in use so that it remains in good working order.

##### *e. Permanent Decommissioning*

If a waste storage pond or other liquid storage structure is being decommissioned, the permittee must render the pond or other liquid storage structure unusable and minimize the risk of leftover nutrients converting to mobile forms (e.g. ammonia to nitrate) which pose a risk to groundwater by implementing the following requirements:

- i. Any manure, litter, feed, process wastewater, or other organic by-products contained in the structure must be removed and land applied in accordance with the Permittee's MPPP or exported in accordance with special condition S4.O *Manure Export*.
- ii. Soils beneath decommissioned lagoons shall be tested for nitrates. All soil with > 45 ppm nitrate shall be removed and disposed of using approved methods.

- iii. If converting the site to another use requires complete removal of the structure, high nutrient soils (45-PPM) above grade must be land applied according to the Permittee's MPPP (special condition S4.K.1 *Annual Field-Specific Crop Nutrient Budget*) or exported in accordance with special condition S4.O *Manure Export*.
- iv. If the pond or other liquid storage structure has a synthetic liner, the liner must be removed and disposed of or recycled in a lawful manner. If the liner prevented release of nutrients into soils beneath the pond or structure, special condition S4.C.4.b.ii above does not apply.
- v. After completion of special condition S4.C.4.b.i through S4.C.4.b.iii, any earthen structure must be filled with soil, made unable to contain liquid, or returned to grade matching the surrounding area. All exposed soil must be seeded with site appropriate plant species or site appropriate land management implemented to prevent erosion unless the Permittee is planning to build a structure on the site where the waste storage pond or other liquid storage structure existed within 3 months of pond decommissioning.

#### **S4.D. Other Above and Below Ground Infrastructure**

The Permittee must operate and maintain infrastructure used on-site to prevent discharges due to physical failure of the infrastructure.

Other infrastructure (such as pipes, valves, tile lines, etc.) used to manage manure, litter, feed, process wastewater, and other organic by-products must be regularly inspected according to special condition S5.A *Operations and Maintenance* and tested (if applicable) to ensure it is in proper working order. Results from inspections must be used to make repairs or replacements to infrastructure in a timely manner. Document the reasons that repairs were not completed in a timely manner in the Manure Pollution Prevention Plan (MPPP) and include a schedule of when the work will be completed.

Discharge to groundwater from backflow through wells is prohibited and must be prevented.

#### **S4.E Diversion of Clean Water**

Clean water that has not come into contact with manure, litter, feed, process wastewater, other organic by-products, or other contaminants generated by the CAFO may be diverted from the CAFO production area instead of being stored. Clean water must be diverted to a location that is able to handle the volume of clean water generated and not cause other water quality problems (e.g. erosion, sediment build-up, flooding).

If the Permittee chooses to divert clean water from storage, they must describe how the diversion will prevent contact with contaminants, the location where the diverted clean water will go, and how that location is able to handle the volume of clean water generated without causing water quality problems.

#### **S4.F Prevent Direct Animal Contact with Water**

Livestock must not be allowed to come into contact with surface waters or cause pollutants to enter surface waters. This prohibition does not apply to small amounts of standing water (e.g. puddles, saturated areas) on pastures, land application fields where livestock are temporarily housed, or in the production area as long as they are not draining to other surface waters or conduits to surface waters.

Livestock must be excluded from the field discharge management areas established according to S4.N *Field Discharge Management Practices*.

#### **S4.G Chemical Handling**

All chemicals (e.g. pesticides, cleaning agents) must be disposed of in accordance with the disposal requirements of the chemical's Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) product label or Safety Data Sheet (SDS) if it is not a FIFRA labeled product.

Excess or unused chemicals and empty chemical container wash water may not be disposed of in manure, litter, feed, process wastewater, or other organic by-product management systems, or any surface waters or conduits to surface or groundwater.

The Permittee must have and implement emergency procedures for containment and clean-up in the event of a chemical spill that could impact surface or groundwater.

#### **S4.H Livestock Mortality Management**

Mortalities must be handled such that they do not pose a threat to surface or groundwater quality. Until properly disposed of, mortalities must be stored in a location that does not allow run-off to surface waters or leaching to groundwater. All runoff from stored mortalities must be directed to liquid storage facilities. Mortalities must not be disposed of in a waste storage pond or other liquid storage structure unless it is specifically designed to handle mortalities.

Unless prohibited by local ordinances, the Permittee must follow state requirements for mortality handling including WAC 16-25-025. Examples of mortality management include composting, rendering, burial and natural decomposition. If on-site composting is used, it must be conducted compliance with chapter 70A.205 RCW and chapter 173-350 WAC.

#### **S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis**

The Permittee must sample all sources of manure, litter, and process wastewater that will be land applied and analyze the samples for nutrient, including nitrogen and phosphorus, content prior to **land application**. Sampling and analysis must follow the requirements of special condition S5.B *Manure, Litter, and Process Wastewater Monitoring* and should be representative of the nutrient source as applied.

During the application season, if the permittee begins to use a new source of manure, litter, and process wastewater the Permittee must sample and analyze the new source for nutrient content prior to land applying the new source.

The Permittee must sample and analyze all sources of manure, litter, and process wastewater, at least three times, spaced evenly throughout the land application season.

The Permittee is not required to sample and analyze the commercial chemical fertilizers for nutrient content, but is required to record the amount of nutrients applied according to special condition S6.B *Land Application Records*.

#### **S4.J Soil Sampling and Nutrient Analysis**

The Permittee must sample and analyze all land application fields to which they apply manure, litter, and process wastewater for nutrient, including nitrogen and phosphorus, content at least twice each year—before land application and in the late summer or early fall.

##### **1. Soil Sampling Depth**

Soil samples must be taken at the depths specified according to annual precipitation:

- Drier climates must collect separate composite soil samples for the 0-12 inch depth, the 12-24 inch depth, and the 24-36 inch depth.
- Wetter climates must collect one composite soil sample for the 0-12 inch depth.

If the field does not have the required soil depth before refusal or groundwater is reached, the Permittee must take samples in 12-inch increments until reaching refusal or groundwater. The Permittee must indicate in its records and annual report (special conditions S6.B and S7.D) at what depth refusal or groundwater was reached.

## 2. **Spring Soil Sampling and Analysis**

Soil samples collected and analyzed early in the growing season must be considered when developing or updating the field nutrient budget in that same season. Samples must be collected and analyzed before land application begins, unless applied in accordance with special condition S4.K.4 *Double Cropping, Winter Cover Crops, Perennial Crops*.

## 3. **Late Summer-Early Fall Soil Sampling and Analysis**

Post-harvest soil samples must be taken after harvest of annual crops and before 3 inches of rainfall accumulates. Use September 1 as start date for tallying the accumulation of rainfall.

If the soil sample is taken after 3 inches of rainfall accumulates or if the field was categorized as high the previous year (special condition S4.L *Adaptive Management of Land Application Fields*), the Permittee must take an additional composite soil sample at the next vertical foot to account for nutrient leaching:

- Drier climates must collect an additional composite soil samples for the 36-48 inch depth.
- Wetter climates must collect an additional composite soil sample for the 12-24 inch depth.

## 4. **Sampling and Analysis Methods**

Soil sampling and analysis must follow the monitoring requirements of special condition S5.C *Soil Monitoring*.

### **S4.K Land Application**

The MPPP must establish protocols to land apply manure, litter, and process wastewater in accordance with site specific nutrient management practices that ensure the appropriate agricultural utilization of the nutrients, including nitrogen and phosphorus, in the manure, litter, or process wastewater. The Permittee must generate annual nutrient budgets to determine land application rates for each field where manure, litter, and process wastewater will be applied and land apply manure, litter, or process wastewater in accordance with their yearly field nutrient budgets and at the appropriate rates and times to comply with permit conditions and ensure appropriate agriculture utilization of nutrients. If the Permittee generates more manure, litter, or process wastewater than the land application fields available to the Permittee can

appropriately utilize according to their yearly field nutrient budgets, the Permittee must find other avenues of appropriately utilizing the excess manure, litter, or process wastewater (e.g. export, composting).

The Permittee's staff must have sufficient training to be able to land apply in accordance with the yearly field nutrient budgets and at appropriate rates and times to comply with permit conditions.

**1. Annual Field-Specific Crop Nutrient Budget**

The Permittee must develop a field-specific nutrient budget for each land application field they will **control** and plan to apply manure, litter, or process wastewater. The permittee shall ensure that plant-available nutrients on the land application field do not exceed nutrients, including nitrogen and phosphorus, required to reach crop's estimated yield. The yearly nutrient budget determines the maximum amount of nitrogen and phosphorus that may be land applied to the field to meet this requirement.

Annual nutrient budgets must be developed before the first land application of the growing season, and should be developed to cover the entire growing season (annual and double crop until final harvest). If the Permittee makes changes to their annual nutrient budget for a land application field they must update the nutrient budget to reflect the changes. The yearly nutrient budget must include:

- a. Current calendar year.
- b. Field ID identical to the field ID on maps in the MPPP.
- c. Field acreage.
- d. Field risk level as determined by end of season soil sample nitrate-N and phosphorus analysis values in special condition S4.L *Adaptive Management of Land Application Fields*.
- e. Adaptive management actions required by special condition S4.L *Adaptive Management of Land Application Fields*.
- f. Crop(s).
- g. Estimated planting date (or note as perennial).
- h. Estimated harvest date.

- i. Crop yield estimate for the field based upon prior years or expert guidance. Examples of sources for yield estimates include the field's 3-year average yield, a nearby similar field's 3-year average yield, land grant university guidance, commercial chemical fertilizer guides, or other national data sources.
- j. Total amount of nitrogen and phosphorus required by the crop to reach the yield estimate.
- k. Soil nitrogen and phosphorus content measured from the most recent soil sample required by special condition S4.J *Soil Sampling and Nutrient Analysis*. Nutrient budgets developed prior to a spring soil test must be updated after sample is analyzed.
- l. Estimate of nitrogen from mineralization of:
  - Soil organic matter.
  - Crop residues, including grass
  - Past applications of manure, process wastewater, or other organic by-products.
- m. Estimate of nitrogen and phosphorus from other sources (e.g. precipitation, irrigation, atmospheric deposition).
- n. Estimated loss of nitrogen due to volatilization during land application.

A nutrient budget worksheet that incorporates requirements of special condition S4.K.1 is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo-permit-webpage)<sup>10</sup>.

If the Permittee chooses to use their own form, it must account for the same parameters as the Ecology form and show the calculations used to reach the final maximum amount of nutrients that may be land applied to each field for the year.

## 2. Application Rates

Land application of manure, litter, and process wastewater must be at times and at rates which can be utilized by the crop.

---

<sup>10</sup> <https://ecology.wa.gov/cafo>

The Permittee must base their **application rates** on the most current manure, litter, and process wastewater nutrient analysis required by special condition S4.I and crop needs.

Equipment used for land application of manure and other material that can have a variable application rate (e.g. pumps, injectors, sprinklers, splash plate applicators) must be calibrated so that the Permittee has an accurate measure of how much manure is applied per unit of time or area (e.g. x gallons per hour, y gallons per acre).

The Permittee must use the applicable adaptive management actions specified in special condition S4.L *Adaptive Management of Land Application Fields* to modify their land application of nutrients.

During land application, the Permittee must not cause direct, indirect, or precipitation related discharge to surface waters and must follow the minimum field discharge management practices required by special condition S4.N *Field Discharge Management Practices*. The permittee must visually monitor land application fields for surface and tile drainage discharges when land applying manure, litter, and process wastewater. If a discharge occurs, the permittee shall follow sampling procedures in special condition S5.E *Surface Water Monitoring* and reporting requirements in special condition S7.E *Reporting Permit Violations*.

### 3. Application Restrictions

The Permittee must not land apply more nitrogen and phosphorus to a field than calculated in their yearly nutrient budget (special condition S4.K.1) for that field.

No land application of manure, litter, process wastewater, or other organic by-products may occur:

- a. To fields with a frozen surface crust (2 inches) or deeper, or if the soil is at or below zero degrees Celsius (32 degrees Fahrenheit).
- b. To fields that are snow covered.
- c. To fields with soils that are or will become **saturated** with forecasted precipitation prior to infiltration or incorporation.
- d. If the water table is within 12 inches or less of the surface.
- e. If precipitation is forecast in the next 24 hours for the facility location that will cause a discharge from the Permittee's land application fields.

- f. After October 1 and prior to **T-SUM 200** unless applied in accordance with special condition S4.K.4 *Double Cropping, Winter Cover Crops, Perennial Crops*.
- g. To fields that are bare (no perennial crop) unless the Permittee is preparing the bare field for the current year's annual crop (planting within 30 days of land application).

The Permittee may use an alternative to T-SUM 200 restriction above if the alternative demonstrates that crop growth and nutrient uptake begins before TSUM200. The alternative method must be approved by Ecology prior to utilizing the alternative to TSUM200. Submit an updated MPPP to Ecology per S4.A.5.c *When the Permittee proposes alternatives*. The alternative starting application dates must be site and crop specific. The updated MPPP must include supporting information demonstrating that the alternative method will be as effective as the T-SUM200 method in determining that crop growth and nutrient uptake is adequate to prevent discharges of excess nutrients to surface and groundwaters.

#### 4. **Double Cropping, Winter Cover Crops, Perennial Crops**

After late summer or early fall soil sampling, any land application taking place must be demonstrated to be necessary because current soil nitrogen plus estimated nitrogen mineralization will not provide the nutrients necessary for the double crop, winter cover crop, or perennial crop.

Before land application may take place for a double crop, winter cover crop, or perennial crop the Permittee must have taken fall soil samples, had the soil samples analyzed as required by special condition S4.J *Soil Sampling and Nutrient Analysis*, and shown how a land application of nitrogen is necessary to support estimated crop yield according to special condition S4.K.1 *Annual Field-Specific Crop Nutrient Budget*.

If the nutrient budget shows that soil nitrogen plus estimated nitrogen mineralization will not provide the nutrients necessary during the winter for a double crop, cover crop, or perennial crop, the Permittee may land apply manure, litter, process wastewater, or other organic by-products in compliance with the land application restrictions in special condition S4.K.1 through S4.K.3 above.

#### 5. **Emergency Winter Land Application**

Land application of manure, litter, process wastewater, or other organic by-products outside of the limits set by special condition S4.K.1 through S4.K.4 or in amounts greater than the Permittee's yearly field nutrient budgets is a violation of

this permit. Any land application outside of the permit requirements must be due to the need to protect public health and safety (e.g. to prevent waste storage pond **over-topping**).

In the event that a Permittee makes an emergency land application outside of permit requirements, the Permittee must follow the noncompliance procedure:

- a. Prior to making any emergency land applications, notify Ecology by phone or email at [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).
- b. Document the reason for emergency application and keep records of:
  - i. Dates and times of land application
  - ii. Field IDs for the fields where land application took place
  - iii. Nutrient content of applied material
  - iv. Amount of material (e.g. gallons) land applied
- c. Monitor fields and tile drain outlets for discharges to surface waters or conduits to surface waters. If a discharge occurs, collect and analyze a sample or samples representative of the discharge. Follow sample collection and analysis procedures in S5.E *Surface Water Monitoring*. Report the results to Ecology within 15 days of collecting the sample(s) using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to S7.A *How to Submit Documents to Ecology*.
- d. Within 24 hours of the application, report the information recorded in b. to Ecology via email at [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).
- e. Develop a plan to remain in compliance with the permit within 6 months of the emergency winter land application and submit that plan and an updated MPPP if necessary, to Ecology according to the procedure in special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*.
- f. Work proposed in the plan must be completed within 18 months of the emergency land application.

To request a time extension, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*, 120 days prior to the deadline. The permittee must publicly notice this request for modification of coverage following the procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. Ecology will approve or deny the request within 60 days of receipt of a complete request.

**S4.L Adaptive Management of Land Application Fields**

The Permittee must use adaptive management to prevent the build-up of excess nitrogen and phosphorus in the soil. The requirement is to reduce fall soil nitrate concentrations in land application fields to a Risk Level of Medium or less and to maintain soil phosphorous levels below 60 ppm west of the Cascades (Bray P1) and below 40 ppm east of the Cascades (Olsen (bicarbonate) extraction).

**1. Step 1: Determine Field Risk Level**

Use Table 3 below to determine land application field risk level.

- For each field in drier climates, use the fall soil test nitrate results (special condition S4.J *Soil Sampling and Nutrient Analysis*) from three feet (36 inches) to determine the field risk level.
- For each field in wetter climates, use the fall soil test nitrate results (special condition S4.J *Soil Sampling and Nutrient Analysis*) from the first foot (1-12 inches) to determine the field risk level, unless groundwater is encountered.

**Table 3 Field Risk Level**

Field Risk Level	Fall Soil Test Nitrate Range in ppm	Fall Soil Test Nitrate Range in pounds per acre
Low	Less than 15	Less than 55
Medium	15 - 30	55 - 110
High	–Greater than 30	–Greater than 110

**2. Step 2: Take Required Adaptive Management Actions**

Take the required adaptive management actions specified in the *Required Actions* column corresponding to the field risk level.

- Use Table 4 Adaptive Management Actions for areas in drier climates.

- Use Table 5 Adaptive Management Actions for areas in wetter climates.

Where the field risk level remains Medium for two consecutive years, in addition to taking the Required Actions After 1 Year column, take the actions in the Required Actions after 2 Consecutive Years column. Continue these actions until the field risk level is reduced to Low.

**Table 4 Adaptive Management Actions for areas in drier climates**

Field Risk Level	Required Actions After 1 Year	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>• No changes to current practices required.</li> </ul>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>• Reevaluate nutrient budget assumptions for estimated crop yield, nitrogen volatilization, mineralization (special condition S4.K), and other sources of nutrients (e.g. irrigation water and atmospheric/precipitation deposition).</li> <li>• Verify actual land application rates and recalibrate land application equipment if necessary.</li> </ul>	<ul style="list-style-type: none"> <li>• Continue the actions required by Medium risk level and:                             <ul style="list-style-type: none"> <li>○ Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>○ Adjust land application timing so nutrient availability aligns with peak crop uptake.</li> <li>○ Stop land application after peak crop uptake.</li> <li>○ Collect and analyze an additional late-summer/early fall soil sample at the third foot depth (25-36 inches) according to special condition S4.L.3.</li> </ul> </li> </ul>
<b>High</b>	<p>Continue the actions required by Medium risk levels and:</p> <ul style="list-style-type: none"> <li>○ Stop land application of nutrients to the field.</li> <li>○ Hire a professional/consultant to develop yearly nutrient budgets and application rates.</li> <li>○ Collect additional fall soil samples at the third, fourth, and fifth foot depth or until refusal or groundwater is reached and analyze for nitrate. Follow procedures in Step 3.</li> </ul>	<ul style="list-style-type: none"> <li>○</li> </ul>
	<ul style="list-style-type: none"> <li>○ .</li> </ul>	<ul style="list-style-type: none"> <li>○</li> <li>○</li> </ul>

**Table 5 Adaptive Management Actions for areas in wetter climates**

Field Risk Level	Required Actions	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>● No changes to current practices required.</li> </ul>	<ul style="list-style-type: none"> <li>● N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>● Reevaluate nutrient budget assumptions for estimated crop yield, nitrogen volatilization, mineralization (special condition S4.K), and other sources of nutrients (e.g. irrigation water and atmospheric/precipitation deposition).</li> <li>● Verify actual land application rates and recalibrate land application equipment if necessary.</li> </ul>	<p>Continue the actions required by Medium risk level and:</p> <ul style="list-style-type: none"> <li>○ Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>○ Adjust land application timing so nutrient availability aligns with peak crop uptake.</li> <li>○ Stop land application after peak crop uptake.</li> <li>○ Collect and analyze an additional fall soil sample at the second foot depth (12-24 inches) according to special condition S4.L.3.</li> </ul>
<b>High</b>	<p>Continue the actions in the Required Action column for Very High, High, and Medium risk levels and:</p> <ul style="list-style-type: none"> <li>● Stop land application of nutrients to the field.</li> <li>● Hire a professional/consultant to develop yearly nutrient budgets and application rates.</li> <li>○ Collect additional fall soil samples at the second, third, and fourth foot depth or until refusal or groundwater is reached and analyze for nitrate. Follow procedures in Step 3</li> </ul>	<ul style="list-style-type: none"> <li>○</li> </ul>
	<ul style="list-style-type: none"> <li>○</li> </ul>	<ul style="list-style-type: none"> <li>○</li> </ul>

**3. Step 1: Determine Field Risk Level**

Use Table 4 below to determine phosphorus land application field risk level.

Table 4 – Field Risk based on Soil Test Phosphorus Levels

Field Risk Level	West of Cascades Bray P1 extraction ppm	East of Cascades Olsen (bicarbonate) extraction ppm
Low	50	30
Medium	60	40
High	80	60
Very High	120	100

**4. Step 2: Take Required Adaptive Management Actions for Phosphorus**

Take the required adaptive management actions specified in the *Required Actions* column corresponding to the field risk level.

- Use Table XX Adaptive Management Actions Where the field risk level remains High or Very High for two consecutive years, in addition to taking the actions in the *Required Actions* column, take the actions in the *Required Actions Based upon Trends* column. Continue these actions until the field risk level is reduced to Medium or Low risk.

**5. Step 3: Submit Deeper Soil Test Results**

For fields in the Very High risk category for two consecutive years, the Permittee must sample and analyze soil at the depths specified in the *Required Actions Based upon Trends* column of Table 4 or Table 5.

Collect and analyze these soil samples in the fall according to timings in special condition S4.J *Soil Sampling and Nutrient Analysis*. Collect the samples according to procedures in special condition S5.C. *Soil Monitoring*. Analyze the samples for parameters in Table 9 of special condition S5.C. *Soil Monitoring*.

Submit these results to Ecology using WQWebPortal as described in special condition S7.A *How to Submit Documents to Ecology*.

**Table XX Phosphorus Adaptive Management Actions**

Field Risk Level	Required Actions After 1 Year	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>• Maintain phosphorus application rates at levels no greater than agronomic recommendations consistent with realistic yield goals and soil test phosphorus levels.</li> </ul>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>• Reevaluate nutrient budget assumptions for estimated crop yield, soil test phosphorus, and other sources of nutrients to ensure phosphorus is not applied in excess of agronomic need</li> <li>• Verify actual land application rates and recalibrate land application equipment if necessary</li> <li>• Evaluate planned vs. actual application rates and make adjustments for the next application</li> <li>• To increase P removal, consider increasing the amount of crop biomass removed from the field to reduce soil test phosphorus levels</li> <li>• To increase P removal, consider adding winter cover crops, relay crops, or double-cropping.</li> </ul>	<p>Continue the actions required by Medium risk level and:</p> <ul style="list-style-type: none"> <li>• Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>• Apply phosphorus during late spring or summer when runoff is unlikely and incorporate phosphorus with tillage into soil.</li> <li>• Increase the amount of crop biomass removed from the field and add winter cover crops, relay crops, or double-cropping</li> <li>• Apply phosphorus only when: (1) soil test indicate a probable yield response to additional phosphorus,</li> </ul>
<b>High</b>	<ul style="list-style-type: none"> <li>• Stop land application of phosphorus from any source to the field.</li> <li>• Hire a professional/consultant to develop whole farm nutrient management and nutrient removal strategies</li> <li>• Implement nutrient removal strategies</li> <li>• At a minimum, Increase the amount of crop biomass removed from the field and add winter cover crops, relay crops, or double-cropping</li> </ul>	<p>Continue the actions required by High risk level and:</p> <ul style="list-style-type: none"> <li>• Submit a plan to increase the level of management intensity to reduce P transport factors, see EM 8848-E • December 2003.</li> <li>• Submit a plan for removal and appropriate offsite management of manure, litter, process wastewater</li> <li>• Implement plans</li> </ul>
<b>Very High</b>	<ul style="list-style-type: none"> <li>• No land application of phosphorus from any source to the field</li> <li>• Hire a professional/consultant to develop whole farm nutrient management, field nutrient removal and transport reduction actions to reduce soil phosphorus levels and prevent phosphorous discharges from the field]</li> </ul>	<p>Continue the actions required by Very High Risk level and :</p> <ul style="list-style-type: none"> <li>• Take more aggressive actions if phosphorous levels remain very high</li> </ul>

	<ul style="list-style-type: none"><li>• Submit a plan containing these actions</li><li>• Submit a plan to increase the level of management intensity to reduce P transport factors, see EM 8848-E • December 2003.</li><li>• Submit a plan for removal and appropriate offsite management of manure, litter, process wastewater</li><li>• Implement approved plans</li></ul>	
--	--	--

#### S4.M Irrigation Water Management

The Permittee must prevent the downward movement of nitrate and phosphorus by monitoring field soil moisture level and managing their irrigation water so that the amount of water applied from precipitation and irrigation does not exceed the water holding capacity of the soil beyond the crop rooting depth.

#### S4.N Field Discharge Management Practices

The MPPP must identify appropriate site-specific conservation practices to be implemented on the land application areas to prevent discharges and control runoff of pollutants to waters of the state. The Permittee must use field discharge management practices on each land application field to ensure that no discharge of manure, litter, or process wastewater occurs, as follows:

1. Use field discharge management practices to ensure that no discharge of pollutants to any down-gradient surface waters, open tile line intake structures, sinkholes, ditches, agricultural or drinking water well heads, or other conduits to surface or groundwater occurs.
2. Field discharge management practices are not considered part of the Permittee's land application area for calculating yearly field nutrient budgets and may not have manure, litter, process wastewater, or other organic by-products applied to them. Livestock must be excluded from these areas.
3. Include one or more of the following compliant field discharge management practices used singly or in combination:
  - a. Vegetated **filter strip** between land application fields or pastures and down gradient surface water conveyances. Filter strips must be at least 35 feet wide measured horizontally from the **top of the bank** on the surface water or conduit to surface water that is being protected.
  - b. Land application setback where manure, litter, or process wastewater may not be applied closer than 100 feet from the top of the bank on the surface water or conduit to surface water that is being protected.
  - c. Berms which prevent surface water discharge from the land application field and where application of manure, litter, or process wastewater is prohibited. Berms will be subject to inspection and approval by the Washington State Department of Ecology or other qualified Washington State agency upon construction and modification. Berms must be designed, installed, and maintained to perform their function considering the following factors:
    - i. Weather characteristics for the area where the facility is located such as precipitation, storm events, and volume of field run-off.
    - ii. Land application methods used by the Permittee, form of land applied manure, litter, process wastewater, or other organic by-products, timing of land application, and application rates.

- iii. Field characteristics such as soil types, infiltration rates, field slope, presence of other conduits to surface waters (e.g. drainage ditches, tile drains), crop type, cropping cycles, and flooding.
  - iv. Installation timing, time from installation to full performance, and maintenance period and activities.
- d. An approved alternative management practice that provides pollutant reductions equivalent to or better than the reductions that would be achieved by the 100-foot setback. Alternative practices must be approved by Ecology prior to use. Submit an updated MPPP to Ecology according to procedures in S4.A.5.c *When the Permittee proposes alternatives*. The updated MPPP must include maps showing the field IDs and locations where the practice will be implemented and supporting information demonstrating that the practice will be as effective as the 100-foot application setback.
- e. [In areas where CAFOs discharge to surface waters, that is endangered species habitat, the CAFO shall construct riparian buffers according to recommendations from Ecology's \*Voluntary Clean Water Guidance for Agriculture, Chapter 12, Riparian Areas and Surface Water Protection\*.](#)

#### **S4.O Manure Export**

Manure is exported from the Permittee's CAFO to an unaffiliated party when the Permittee no longer has control of how the manure is used. The unaffiliated party receiving exported manure must obtain a nutrient application permit to apply manure, litter, wastewater, or processed waste from CAFOs to land. The Permittee must maintain a copy on file of the nutrient application permit for any manure recipient.

The Permittee must provide the most recent manure, litter, process wastewater, or other organic by-product nutrient analysis to the recipient as part of export. If the Permittee is exporting digestate, the nutrient analysis must be from within the last 5000 cubic yards (approximately 1,010,000 gallons) of digestate generated.

The Permittee must keep records of its manure exports as required by special condition S6.C *Export Records*.

If the Permittee has an agreement with another party (contracted composter) for the contracted composter to process (manure "composting" or drying) manure solids from the Permittee on-site, the solids which go to the contracted composter must be tracked as export by the Permittee. After the solids are under the control of the contracted composter, the Permittee is not responsible for tracking sales and movement off-site of the processed manure solids as part of export unless the solids come under the Permittee's control again.

#### **S4.P Emergency Procedures**

The Permittee must develop emergency procedures in the event of a failure in their infrastructure (e.g. burst pipe, waste storage pond embankment failure) that will

direct the Permittee's actions to prevent, control, or reduce discharges to ground and surface waters. Emergency procedures must include discharge sampling as required by this permit. The emergency procedures must include the noncompliance notification requirements required by special condition S7.E *Reporting Permit Violations* and special condition S7.F *Spills Reporting*.

#### **S4.Q Training**

Either the Permittee or at least one of the Permittee's employees must be familiar with the monitoring and inspections required by special condition S5.A *Operations and Maintenance*.

If the Permittee chooses to train their employee(s) to look for and notice problems with facility infrastructure during their daily work to meet the visual inspection/monitoring requirements of special condition S5.A *Operations and Maintenance* so that these requirements do not become a separate activity, the employee training must incorporate what to look for, who to notify (if there is a designee other than the Permittee) about problems or potential problems, and where and how to record the information at the end of shift as required by special condition S6.A *Operations and Maintenance*.

### **S5. MONITORING**

#### **S5.A. Operations and Maintenance**

The Permittee must perform the visual inspections of the facility indicated in Table 6 below, to ensure that equipment, infrastructure, and field discharge management practices are in proper working order.

**Table 6 Routine Visual Inspections**

Inspection	Frequency
Clean and wastewater lines	Daily
Clean water diversion (e.g. roof gutters)	Weekly
Storage ponds and waste handling infrastructure	Weekly
Field run-off management	Monthly

The Permittee must record the outcome of the visual inspections according to special condition S6.A *Operations and Maintenance Records*. A template for this record keeping is available on [Ecology's CAFO Permit webpage](https://ecology.wa.gov/cafo)<sup>11</sup>.

Other templates which document the required information may be used. For example, the most recent Oregon Department of Agriculture Large CAFO Record Keeping Calendar, which is available (at the time this permit was issued) under the [Resources section of the Oregon CAFO web page](#)<sup>12</sup>:

<sup>11</sup> <https://ecology.wa.gov/cafo>

<sup>12</sup> <http://www.oregon.gov/ODA/programs/NaturalResources/Pages/CAFO.aspx>

## 55.B. Manure, Litter, and Process Wastewater Monitoring

### 1. When to collect and analyze samples

The Permittee must sample the manure, litter, and process wastewater, for nutrient content, including nitrogen and phosphorus, prior to its application to land, up to three times annually as laid out in the schedule in Table 7.

During the land application season, if the Permittee begins to use a new source of nutrients for crops, the Permittee must have the new source sampled and analyzed for nutrient content, including nitrogen and phosphorus, prior to land applying the new source.

The Permittee is not required to have commercial chemical fertilizers sampled and analyzed for nutrient content, but is required to record the amount of nutrients applied in special condition S6.B *Land Application Records*.

### 2. How to collect and analyze samples

Manure, litter, process wastewater, and other organic by-product samples must be representative of the source (**composite sample**), and taken following the most recent guidance provided in either Extension Publication PNW 533<sup>13</sup> or PNW 673<sup>14</sup>. Copies of these documents are available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>15</sup>.

The permittee must use the analytical methods specified in Table 7 unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40 CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection level (DL), and quantification level (QL) on the discharge monitoring report or in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

If a waste storage structure is equipped with a leak detection system, monitor for leaks according to the leak detection plan included in the MPPP.

---

<sup>13</sup> Bary, A., Cogger, C., Sullivan, D. (2016). *Fertilizing with Manure and Other Organic Amendments*. Pacific Northwest Extension, Washington State University.

<sup>14</sup> Moore, A., de Haro-Marti, M., Chen, L. (2015). *Sampling Dairy Manure and Compost for Nutrient Analysis*. Pacific Northwest Extension, University of Idaho.

<sup>15</sup> <https://ecology.wa.gov/cafo>

**Table 7 Manure, Litter, and Process Wastewater Sampling**

Parameter	Units & Speciation (Liquid Materials)	Units & Speciation (Solid Materials)	Laboratory Method	Sampling Frequency	Sample Type
Ammonia-N (NH <sub>3</sub> -N)	Lbs/1000 gal as N, as received	Lbs/ton as N, as received	SM 4500-NH <sub>3</sub> G/H-2011	Up to 3 times per year, per source	Composite
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	Lbs/1000 gal as N, as received	Lbs/ton as N, as received	SM 4500-NO <sub>3</sub> E/F/H-2011	Up to 3 times per year, per source	Composite
Total Phosphorus <sup>a</sup>	Lbs/1000 gal as P <sub>2</sub> O <sub>5</sub> , as received	Lbs/ton as P <sub>2</sub> O <sub>5</sub> , as received	SM 4500-P E-2011	Up to 3 times per year, per source	Composite
Liner Leak <sup>b</sup>	Yes/No	NA	NA	Weekly	Visual Observation
Volume of Leaked Water	gallons/day	NA	NA	Daily, if leak detected	Measurement

<sup>a</sup> If laboratory reports results as elemental phosphorus, multiply the result by 2.29 to convert to the fertilizer form P<sub>2</sub>O<sub>5</sub>.

<sup>b</sup> If water is observed report yes, if not report no.

### S5.C. Soil Monitoring

#### 1. When to collect and analyze soil samples

The permittee must monitor soil on land application fields. Soil samples must be taken at least twice a year according to requirements in S4.J *Soil Sampling and Nutrient Analysis*.

- Collect soil samples prior to land application and analyze them for the parameters listed in Table 8.
- Collect soil samples after harvest of annual crops and before 3 inches of rainfall accumulate. Analyze them for parameters listed in Table 9.

#### 2. How to collect and analyze soil samples

Samples must be representative of the land application field (composite sample), following the most recent guidance on soil sample handling, preservation, and shipment provided in either Extension Publication PNW 570<sup>16</sup> or EM 8832<sup>17</sup>. Copies of these documents are available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>18</sup>.

<sup>16</sup> Staben, M. L., et al. (2003). *Monitoring Soil Nutrients Using a Management Unit Approach*. Pacific Northwest Extension.

<sup>17</sup> Sullivan, D., et al. (2021). *Post-Harvest Soil Nitrate Testing for Manured Cropping Systems West of the Cascades*. Pacific Northwest Extension, Oregon State University.

<sup>18</sup> <https://ecology.wa.gov/cafo>

**Table 8 Pre-Land Application Soil Monitoring**

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Ammonia-N (NH <sub>3</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 - 12 inches Increment 2: 12- 24 inches Increment 3: 24- 36 inches	Increment 1: 24 inches
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 - 12 inches Increment 2: 12- 24 inches Increment 3: 24- 36 inches	Increment 1: 24 inches
Total Phosphorus <sup>a</sup>	ppm	Every year	Increment 1: 0 - 12 inches Increment 2: 12- 24 inches Increment 3: 24- 36 inches	Increment 1: 0 - 24 inches

**Table 9 Post-Harvest Soil Monitoring**

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Ammonia-N (NH <sub>3</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Soil Organic Matter	%	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Total Phosphorus <sup>a</sup>	ppm	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches

<sup>a</sup>The Bray-1 extraction method must be used to determine soil phosphorus for soils below pH 7. The Olsen bicarbonate extraction method must be used for soils at or above pH 7.

## 55.D. Groundwater Monitoring

### 1. Medium and Large CAFOs located within a nitrate priority area

Medium and large CAFOs located within a ***nitrate priority area*** categorized as moderate, moderately high, high, or very high priority must install a representative groundwater monitoring network and conduct monitoring according to the procedures below. A map of the nitrate priority areas is provided in Appendix C.

All production areas and land application fields must be monitored. If the CAFO facility is not co-located, establish separate groundwater monitoring networks for each area. Land application fields with similar management practices and site conditions including but not limited to soil type and hydrogeology, may be grouped together, so long as representative samples can be obtained.

Each groundwater monitoring network must have a sufficient number of wells downgradient of the CAFO facility to ensure a high probability of detecting contamination when it is present. At least one well must be upgradient of the CAFO facility monitored by the network and additional wells must be installed if required to provide representative data. Groundwater monitoring must be conducted in the uppermost saturated zone.

#### *a. Develop the Work Plan*

Within 6 months of receiving permit coverage, the Permittee must submit a work plan to Ecology for installing a groundwater quality monitoring network, in accordance with WAC 173-200-080. The work plan must conform to *Guidelines for Preparation of Engineering Reports for Industrial Wastewater Land Application Systems* (Ecology Publication #93-36) and the *Implementation Guidance for the Groundwater Quality Standards* (Ecology Publication #96-02). The work plan must include well siting, quality control protocols, a sampling plan, and sampling protocols.

#### *b. Install Groundwater Monitoring Wells*

The Permittee must complete construction of the groundwater monitoring network within ninety (90) days after approval of the work plan by Ecology. The Permittee must construct wells in accordance with Chapter 173-160 WAC. Report to Ecology the tag numbers, latitude and longitude (NAD83/WGS84 datum), and top-of-casing elevations (NAVD88 datum) of each monitoring well.

#### *c. Conduct Routine Monitoring*

After the groundwater monitoring network is in place, the Permittee must notify Ecology and monitor the parameters in Table 10 according to the approved work plan. Notify Ecology at least 30 days prior to monitoring.

The Permittee must use the analytical methods specified below unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40

CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection level (DL), and quantification level (QL) in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

## 2. **Small CAFOs and Facilities outside of a Nitrate Priority Area**

All small CAFOs and CAFOs located outside a nitrate priority area must install groundwater monitoring network and conduct monitoring according to the procedures below. A map of the nitrate priority areas is provided in Appendix C.

All production areas and land application fields must be monitored. If the CAFO facility is not co-located, establish separate groundwater monitoring networks for each area. Land application fields with similar management practices and site conditions including but not limited to soil type and hydrogeology, may be grouped together, so long as representative samples can be obtained.

Each groundwater monitoring network must have a sufficient number of wells downgradient of the CAFO facility to ensure a high probability of detecting contamination when it is present. At least one well must be upgradient of the CAFO facility monitored by the network. Groundwater monitoring must be conducted in the uppermost saturated zone.

### *a. Develop the Work Plan*

Within 12 months of receiving permit coverage, the Permittee must submit a work plan to Ecology for a groundwater quality evaluation study at the site specified in the determination, in accordance with WAC 173-200-080. The work plan must conform to *Guidelines for Preparation of Engineering Reports for Industrial Wastewater Land Application Systems* (Ecology Publication #93-36) and the *Implementation Guidance for the Groundwater Quality Standards* (Ecology Publication #96-02). The work plan must include well siting, quality control protocols, a sampling plan, and sampling protocols.

### *b. Implement the Work Plan*

Upon approval of the work plan by Ecology, the Permittee must conduct a groundwater evaluation study to determine site-specific hydrogeologic conditions.

### *c. Report the Study Results*

After the first full year of monitoring, the Permittee must submit a report summarizing the results of the groundwater evaluation study, interpretations of the data, conclusions, and recommendations. Submit this report with the annual report required in S7.D.

*d. Install Additional Groundwater Monitoring Wells*

If the groundwater study recommends installation of additional wells, the Permittee must complete construction of the groundwater monitoring network within ninety (90) days after approval of the groundwater evaluation study by Ecology. The Permittee must construct wells in accordance with Chapter 173-160 WAC. Report to Ecology the tag numbers, latitude and longitude (NAD83/WGS84 datum), and top-of-casing elevations (NAVD88 datum) of each monitoring well.

*e. Conduct Routine Monitoring*

After the recommended groundwater monitoring network is in place, the Permittee must notify Ecology and monitor the parameters in Table 10 according to the approved groundwater evaluation study. Notify Ecology at least 30 days prior to monitoring.

The Permittee must use the analytical methods specified below unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40 CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection limit (DL), and quantification limit (QL) in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

**3. Submitting work plans and reporting results for all facilities**

Work plans and groundwater evaluation study must be submitted to Ecology according to deadlines specified above. Routine monitoring results must be submitted to Ecology with the annual report required in S7.D. Each document must be submitted using WQWebPortal as described in special condition S7.D *Annual Report* and must include the certification statement and signature required by general condition G14.

**Table 10 Groundwater monitoring**

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency <sup>a</sup>	Sample Type
Measured Depth to Groundwater	Feet (nearest 0.01 ft)	NA	At least quarterly	Field Measurement
pH	Standard Units	NA	At least quarterly	Field Measurement
Conductivity	Micromho/cm	NA	At least quarterly	Field Measurement
Temperature	Degrees C	NA	At least quarterly	Field Measurement

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency <sup>a</sup>	Sample Type
Dissolved Oxygen	mg/L	NA	At least quarterly	Field Measurement
Total Nitrogen (TN)	mg/L as N	NA	At least quarterly	Calculated
<a href="#">Nitrate - N</a>	<a href="#">mg/L</a>	<a href="#">U.S. EPA Method 300</a>	<a href="#">At least quarterly</a>	<a href="#">Grab</a>
<a href="#">Nitrite - N</a>	<a href="#">mg/L</a>	<a href="#">U.S. EPA Method 300</a>	<a href="#">At least quarterly</a>	<a href="#">Grab</a>
Total Kjeldahl Nitrogen (TKN)	mg/L as N	SM4500-N <sub>org</sub> B/C and SM4500NH <sub>3</sub> -B/C/D/EF/G/H	At least quarterly	Grab
<i>Escherichia Coli</i> (E. coli)	CFU or MPN per 100 mL	SM 9221B, 9221F, 9223B, EPA 1603	At least quarterly	Grab

<sup>a</sup> Unless groundwater evaluation study recommends more frequently monitoring

### S5.E. Surface Water Monitoring

1. Permittees shall develop and submit as part of their Manure Pollution Prevention Plan a site specific surface water monitoring plan that provides data adequate to representatively quantify and document the concentration of pollutants in any discharges from the facility to surface waters of the state. At a minimum, permittees shall analyze all upstream and downstream samples for ammonia, nitrate, TKN, total nitrogen, total phosphorus, fecal coliform (fresh and marine waters), and enterococcus (marine and shellfish consumption waters).

#### 2. Standard Protocol

If any discharge of pollutants occurs from the production area to surface water or a prohibited discharge occurs from land application areas to surface water, the permittee must:

- a. Record the date and time the discharge was identified, the date and time the discharge is halted, and an estimate of the volume of the discharge.
- b. Collect a minimum of one grab sample from the point of overflow or discharge while discharging. The sample(s) collected must be representative of the discharge. Analyze the sample(s) for the parameters listed in Table 11.
- c. Notify the appropriate Ecology regional office in person or by phone, within 24 hours of detecting the discharge.

- d. Submit the results from the above actions to Ecology using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to *S7.A How to Submit Documents to Ecology*.
- e. Follow reporting requirements in special condition *S7.E Reporting Permit Violations*.

### 3. Protocol when conditions are unsafe

If conditions are not safe for sampling, the permittee must provide documentation of why samples could not be collected and analyzed. For example, the permittee may be unable to collect samples during dangerous weather conditions (such as local flooding, high winds, hurricane, tornadoes, electrical storms, etc.).

- a. Record the date and time the discharge was identified, the date and time the discharge is halted, and an estimate of the volume of the discharge.
- b. Notify the appropriate Ecology regional office by phone, within 24 hours of detecting the discharge.
- c. Once dangerous conditions have passed, collect a minimum of one sample from the point of overflow or discharge.
- d. Submit the results from the above actions to Ecology using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to *S7.A How to Submit Documents to Ecology*.
- e. If the discharge is unauthorized, follow reporting requirements in special condition *S7.E Reporting Permit Violations*.

### 4. Ecology Regional Office Contact Information

**Central Region** at (509) 575-2490 for Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, or Yakima County

**Eastern Region** at (509) 329-3400 for Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, or Whitman County

**Northwest Region** at (425) 649-7000 for Island, King, Kitsap, San Juan, Skagit, Snohomish, or Whatcom County

**Southwest Region** at (360) 407-6300 for Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Lewis, Mason, Pacific, Pierce, Skamania, Thurston, or Wahkiakum County

**Table 11 Surface Water Monitoring**

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency	Sample Type
<i>Escherichia Coli</i> (E. coli), for discharges to freshwater	CFU or MPN per 100 mL	EPA 1603	1/event	Grab

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency	Sample Type
Enterococci, for discharges to marine water	CFU or MPN per 100 mL	EPA 1600	1/event	Grab
Fecal Coliform Bacteria, for discharges to marine water	CFU or MPN per 100 mL	SM 9222D	1/event	Grab
Total Nitrogen (TN)	mg/L as N	NA	1/event	Calculated
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	mg/L as N	SM4500-NO <sub>3</sub> -E/F/H	1/event	Grab
Total Kjeldahl Nitrogen (TKN)	mg/L as N	SM4500-N <sub>org</sub> B/C and SM4500NH <sub>3</sub> -B/C/D/EF/G/H	1/event	Grab
Total Phosphorus	mg/L	EPA 365.1	1/event	Grab
Volume of discharged water	Gallons/day	NA	Daily, as needed	Measured

#### S5.F. Laboratory Accreditation

The Permittee must ensure that all monitoring data required by Ecology for permit specified parameters is prepared by a laboratory registered or accredited under the provisions of chapter 173-50 WAC, *Accreditation of Environmental Laboratories*.

Soils data are process control parameters, which do not require preparation by an accredited laboratory. However, the Permittee must obtain this data from a reputable agricultural test lab that is an active participant in a nationally recognized agricultural laboratory proficiency testing program, such as the North American Proficiency Testing Program (NAPT). You can find more information on the [NAPT website](http://www.naptprogram.org/)<sup>19</sup>.

<sup>19</sup> <http://www.naptprogram.org/>

## S6. RECORD KEEPING

### S6.A. Operations and Maintenance Records

The Permittee must record the outcome of the visual inspections/monitoring required by special condition S5.A *Operations and Maintenance*. A template for this record keeping is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>20</sup>.

### S6.B. Land Application Records

The Permittee must keep the following records of land application for each field where manure, litter, process wastewater, or other organic by-products were applied:

1. Dates of all applications.
2. The field name consistent with the MPPP field map and field specific nutrient budget.
3. Method of land application.
4. Crops planted and estimated crop yield field
5. Soil test results for each field
6. Application rate, including commercial/chemical fertilizer, in pounds, gallons, tons, or ft<sup>3</sup> per acre.
7. The total nitrogen applied (ammonia-N (NH<sub>3</sub>-N), ammonium-N (NH<sub>4</sub>-N), nitrate (NO<sub>3</sub>-N), and organic nitrogen) in pounds per acre.
8. Total phosphorus applied in pounds per acre.
9. Weather 24 hours before land application.
10. Weather during land application.
11. Weather 24 hours after land application.
12. Total amount of irrigation water applied to each field in acre-feet and fractions thereof.

A template for this record keeping is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>21</sup>.

Upon determination that a high late summer or early fall soil nitrate test is due to crop failure or other unusual environmental conditions, the Permittee must keep records of how the determination was made, including any data, measurements, or best professional judgment by technical assistance providers.

---

<sup>20</sup> <https://ecology.wa.gov/cafo>

<sup>21</sup> <https://ecology.wa.gov/cafo>

**S6.C. Export Records**

The Permittee must record the information listed below each time it exports manure, litter, process wastewater, or other organic by-products. A template for this record keeping is available on [Ecology's CAFO permit webpage](#)<sup>22</sup>.

1. Amount of manure, litter, process wastewater, or other organic by-products exported in gallons for liquid/slurry and tons for solids
2. Name of entity manure was exported to
3. Date export took place

The permittee must provide the most recent manure, litter, process wastewater, or other organic by-product nutrient analysis to the recipient as required by special condition S4.O *Manure Export*.

**S6.D. Monitoring Records**

For each measurement or sample taken, the Permittee must record the following information:

1. The date, exact place, method, and time of sampling or measurement
2. The individual who performed the sampling or measurement
3. The dates the analyses were performed
4. The individual who performed the analyses
5. The analytical techniques or methods used
6. The results of all analyses

**S6.E. Providing Records**

The Permittee must provide a copy of their MPPP, records, or other documents required by this permit to Ecology or WSDA within 14 days of their request.

The Permittee must maintain a copy of their MPPP, records, or other documents required by this permit on-site and make these documents available to Ecology or WSDA during site visits.

Updated MPPP must be submitted to Ecology within the timeframe required in S4.A.5 *Update of the MPPP*.

**S6.F. Records Retention**

The Permittee must retain records for a minimum of five (5) years. Such information must include copies of all monitoring, reports, and records required by this permit, and records of all data used to complete the application for this permit.

The Permittee must keep records longer in the event of unresolved litigation regarding the discharge of pollutants by the Permittee or when requested by Ecology.

---

<sup>22</sup> <https://ecology.wa.gov/cafo>

## S7. REPORTS AND SUBMITTALS

### S7.A How to Submit Documents to Ecology

The permittee must use [Ecology's Water Quality Permitting Portal](#)<sup>23</sup> to submit all documents, data, and submittals required in this permit.

If the Permittee is unable to submit electronically (for example, they do not have access to the internet), they must contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Washington State Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Manager  
PO Box 47696  
Olympia, WA 98504-7696

All submittals (documents, data, reports, etc.) must be approved and signed by a responsible person in accordance with General Condition G14 (Signatory Requirements).

### S7.B. Submittal of MPPP

The Permittee must submit the CAFO's initial MPPP to Ecology with the permit application.

Updated MPPPs must be submitted to Ecology within the timeframe required in S4.A.5 *Update of the MPPP*.

### S7.C. Waste Storage Structure Assessment

The permittee must conduct and submit an assessment of the condition of each storage structure used for manure, litter, process wastewater and other organic by-products according to the procedures below.

The Permittee shall continue to address any deficiencies identified in the assessment required in the previous Concentrated Animal Feeding Operation General Permit.

#### 1. **Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks**

If the waste storage pond has a leak detection system, follow the leak detection plan as written in the MPPP. See special condition S4.C.3 *Maintain Storage Facilities* for plan requirements.

If using a permanent aboveground tank, follow maintenance requirements in special condition S4.C.3 *Maintain Storage Facilities*. Conduct and document visual inspections and repairs as required in special condition S5.A *Operations and Maintenance*.

---

<sup>23</sup> <https://secureaccess.wa.gov/ecy/wqwebportal>

## 2. Assessment for waste storage ponds without leak detection systems

If a waste storage pond does not have a leak detection system in place, a **qualified expert** must assess the pond for compliance with requirements in special condition S4.C .

The Permittee must submit the results of the assessment for each waste storage pond without a leak detection system to Ecology within 1 year of permit coverage. The assessment must include the certification statement and signature required by general condition G14.

If the assessment identifies that the storage pond does not comply with the standards established in special condition S4.C or repairs are needed, the permittee must discontinue use of the waste storage pond and develop a plan for repair. The repair plan must be submitted to Ecology with an updated MPPP within 6 months in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The repair plan must include:

- a. A description of how the Permittee will ensure compliance with special condition S4.C.
- b. Timelines of when repairs will be completed.
- c. A certification statement and signature as required by general condition G14.

Ecology may require a work plan and groundwater evaluation study (special condition S5.D *Groundwater Monitoring*) if the assessment determines that:

- a. there is less than two feet of vertical separation between the bottom of the waste storage pond (inside the pond above the liner) and the seasonal high water table, or
- b. there is a reasonable potential to impact groundwater due to the design or condition of the structure.

Work proposed in the repair plan must be completed within 18 months of the completion of the waste storage pond assessment.

To request a time extension on work proposed in the repair plan, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates* , 120 days prior to the deadline. Ecology will approve or deny the request within 60 days of receipt of a complete request.

## 3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces

If the storage area is located on an impervious surface, follow maintenance requirements in special condition S4.C.3 *Maintain Storage Facilities*. Conduct and document visual inspections and repairs as required in special condition S5.A *Operations and Maintenance*.

#### 4. Assessment for solids storage, dry stacks, and compost piles on soil pads

Each solids storage area located on soil pads must be assessed for compliance with requirements in special condition S4.C through a qualified expert, or by completing the double-ring infiltrometer test (ASTM D3385-88), provided that the test is approved for the subject soil texture. The infiltrometer test procedure is available on [Ecology's CAFO Permit webpage](#)<sup>25</sup>.

The Permittee must submit the results of the assessment for each soil pad to Ecology within 1 year of permit coverage.

If the assessment identifies deficiencies, the permittee must collect soil samples at depth increments of 0-12 inch and 12-24 inches and analyze for parameters in Table 8. The permittee must develop a compliance plan to address the deficiencies. The plan must be submitted with an updated MPPP to Ecology within 6 months in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The compliance plan must include:

- a. A description of how the Permittee will ensure compliance with special condition S4.C.2 *Solid Material Storage Facilities*.
- b. Timelines of when work to address the deficiency will be completed.
- c. Results from analyzed soil samples, which must account for compaction.
- d. A certification statement and signature as required by general condition G14.

Work proposed in the compliance plan must be completed within 18 months of the completion of the solids storage assessment. To request a time extension on work proposed in the compliance plan, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*, 120 days prior to the deadline. Ecology will approve or deny the request within 60 days of receipt of a complete request.

#### S7.D. Annual Report

By February 1 each year, the Permittee must submit an annual report using Ecology's Water Quality Permitting Portal – Permit Submittals application, unless Ecology grants the permittee a waiver from electronic reporting according to S7.A *How to Submit documents to Ecology*. Use the form in Appendix B if granted a waiver.

The reporting period is the previous calendar year (January 1 to December 31). Permittees must include the following with each annual report:

1. Number of animals and manure, litter, wastewater generated.
2. Discharges from production area or land application fields, if they occurred.
3. Nutrient source content results, analyzed according to S5.B.

---

<sup>25</sup> <https://ecology.wa.gov/cafo>

4. Field land application information for each field, including the location and rates of process wastewater, manure, and litter applied to land.
5. Waste and soil nutrient results, analyzed according to S5.C.
6. Yearly field-specific nutrient budgets for each field, including double crop or winter crop if applicable, developed according to S4.K.1.
7. Process wastewater, manure, and litter export information
8. Groundwater monitoring well results.
9. The certification statement and signature according to G14.

#### **S7.E. Reporting Permit Violations**

In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must:

1. Immediately take action to minimize or otherwise stop the violation, and correct the problem.
2. Sample and analyzed all discharges to surface water according to procedures in special condition S5.E *Surface Water Monitoring*.
3. Notify the appropriate Ecology regional office in person or by phone, within 24 hours of when the Permittee becomes aware of the noncompliance:

**Central Region** at (509) 575-2490 for Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, or Yakima County

**Eastern Region** at (509) 329-3400 for Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, or Whitman County

**Northwest Region** at (425) 649-7000 for Island, King, Kitsap, San Juan, Skagit, Snohomish, or Whatcom County

**Southwest Region** at (360) 407-6300 for Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Lewis, Mason, Pacific, Pierce, Skamania, Thurston, or Wahkiakum County

4. Submit a written report to Ecology within 5 days using Ecology's Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to S7.A *How to Submit Documents to Ecology*. The report must include:
  - a. A description of the noncompliance
  - b. A descriptions of the cause of the noncompliance
  - c. The period of noncompliance including exact dates and times
  - d. A statement about whether the noncompliance has been corrected, or if it has not been corrected how long the noncompliance is expected to last

- e. A description of the steps taken, or being taken to correct the noncompliance corrective action taken and/or planned, steps to be taken to prevent a recurrence, results of the re-sampling, and any other pertinent information.
  - f. Sample results required by special condition S5.E *Surface Water Monitoring*.
  - g. The certification statement and signature required by general condition G14.
5. The Permittee must review their MPPP for compliance with the permit and make appropriate updates within 14 days of the noncompliance to address the noncompliance and reflect any necessary changes to the facility. If the MPPP is revised, submit the updated MPPP in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The Permittee must also immediately begin the process to fully implement and maintain appropriate source control and/or treatment infrastructure or practices, addressing the deficiencies no later than 45 days from the date of noncompliance. If installation of necessary infrastructure or practices is not feasible within 45 days Ecology may approve additional time when an extension is requested by a Permittee within the initial 45-day period.

Compliance with the requirements of this special condition (special condition S7.E) does not relieve the Permittee from responsibility to maintain continuous compliance with the terms and conditions of this permit or the resulting liability for failing to comply.

#### **S7.F. Spills Reporting**

The Permittee must report spills of oil or hazardous materials (e.g. pesticides) in accordance with the requirements of RCW 90.56.280 and 173-303-145 WAC by calling the National Response Center 1-800-424-8802, and the Washington Emergency Management Division 1-800-258-5990. Permittees can obtain additional instructions on [Ecology's Report a Spill webpage](#)<sup>26</sup>.

## **S8. APPENDICES**

The attached appendices are incorporated by reference into this permit.

APPENDIX A: DEFINITIONS

APPENDIX B: ANNUAL REPORT

APPENDIX C: NITRATE PRIORITY AREAS

---

<sup>26</sup> <https://ecology.wa.gov/Footer/Report-an-environmental-issue/Report-a-spill>

## GENERAL CONDITIONS

### G1. DISCHARGE VIOLATIONS

All discharges and activities authorized by this general permit shall be consistent with the terms and conditions of this general permit. The discharge of any pollutant to surface water or groundwater, except as conditionally authorized by S3.C of this general permit, is a violation of the terms and conditions of this general permit.

### G2. PROPER OPERATION AND MAINTENANCE

The Permittee shall, at all times, properly operate and maintain all facilities or systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems, which are installed by a Permittee only when the operation is necessary to achieve compliance with the conditions of this permit.

### G3. RIGHT OF ENTRY

The Permittee shall allow an authorized representative of Ecology, upon the presentation of credentials and such other documents as may be required by law:

1. To enter upon the premises where a discharge is located or where any records shall be kept under the terms and conditions of this permit;
2. To have access to and copy at reasonable times any records that shall be kept under the terms of this permit;
3. To inspect at reasonable times any monitoring equipment or method of monitoring required in this permit;
4. To inspect at reasonable times any collection, treatment, pollution management, or discharge facilities; and
5. To sample at reasonable times any discharge of pollutants.

### G4. PERMIT COVERAGE REVOKED

Pursuant with chapter 43.21B RCW and chapter 173-226 WAC, the Director may require any discharger authorized by this permit to apply for and obtain coverage under an individual permit or another more specific and appropriate general permit. Cases where revocation of coverage may be required include, but are not limited to, the following:

1. Violation of any term or condition of this permit.
2. Obtaining coverage under this permit by misrepresentation or failure to disclose fully all relevant facts.

3. Failure or refusal of the Permittee to allow entry as required in RCW 90.48.090.
4. A determination that the permitted activity endangers human health or the environment, or contributes to water quality standards violations.
5. Nonpayment of permit fees or penalties assessed pursuant to RCW 90.48.465 and chapter 173-224 WAC.
6. Failure of the Permittee to satisfy the public notice requirements of WAC 173-226-130(5), when applicable; or Permittees who have their coverage revoked for cause according to WAC 173-226-240 may request temporary coverage under this permit during the time an individual permit is being developed, provided the request is made within ninety (90) days from the time of revocation and is submitted along with a complete individual permit application form.

## **G5. GENERAL PERMIT MODIFICATION AND REVOCATION**

This permit may be modified, revoked and reissued, or terminated in accordance with the provisions of chapter 173-226 WAC. Grounds for modification or revocation and reissuance include, but are not limited to, the following:

1. When a change which occurs in the technology or practices for control or abatement of pollutants applicable to the category of dischargers covered under this permit;
2. When effluent limitation guidelines or standards are promulgated pursuant to the FWPCA or chapter 90.48 RCW, for the category of dischargers covered under this permit;
3. When a water quality management plan containing requirements applicable to the category of dischargers covered under this permit is approved; or
4. When information is obtained which indicates that cumulative effects on the environment from dischargers covered under this permit are unacceptable.

## **G6. REPORTING A CAUSE FOR MODIFICATION**

A Permittee who knows or has reason to believe (including through the receipt of information from the public) that any activity has occurred or will occur which would constitute cause for modification or revocation under Condition G5 above, or 40 CFR 122.62 shall report such plans, or such information, to Ecology so that a decision can be made on whether action to modify coverage or revoke coverage under this permit will be required. Ecology may then require submission of a new application for coverage under this, or another general permit, or an application for an individual permit. Submission of a new application does not relieve the Permittee of the duty to comply with all the terms and conditions of the existing permit until the new application for coverage has been approved and corresponding permit has been issued.

**G7. TOXIC POLLUTANTS**

The Permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants within the time provided in the regulations that establish those standards or prohibitions, even if this permit has not yet been modified to incorporate the requirement.

**G8. OTHER REQUIREMENTS OF 40 CFR**

All other requirements of 40 CFR 122.41 and 122.42 are incorporated in this general permit by reference.

**G9. COMPLIANCE WITH OTHER LAWS AND STATUTES**

Nothing in this permit shall be construed as excusing the Permittee from compliance with any applicable Federal, State, or local statutes, ordinances, or regulations.

**G10. ADDITIONAL MONITORING**

Ecology may establish specific monitoring requirements in addition to those contained in this permit by administrative orders or permit modification.

**G11. PAYMENT OF FEES**

The Permittee shall submit payment of fees associated with this permit as assessed by Ecology. Ecology may revoke this permit coverage or take enforcement, collection, or other actions, if the permit fees established under chapter 173-224 WAC are not paid.

**G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT**

Any discharger authorized by this permit may request to be excluded from coverage under this general permit by applying for an individual permit. The discharger shall submit to the Director an application as described in WAC 173-220-040 or WAC 173-216-070, whichever is applicable, with reasons supporting the request. These reasons must fully document how an individual permit will apply to the applicant in a way that the general permit cannot. Ecology may make specific requests for information to support the request. The Director shall either issue an individual permit or deny the request with a statement explaining the reason for the denial. When an individual permit is issued to a discharger otherwise subject to this general permit, the applicability of this general permit to that Permittee is automatically terminated on the effective date of the individual permit.

### **G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS**

Any person who is found guilty of willfully violating the terms and conditions of this permit shall be deemed guilty of a crime, and upon conviction thereof shall be punished by a fine of up to ten thousand dollars and costs of prosecution, or by imprisonment in the discretion of the court. Each day upon which a willful violation occurs may be deemed a separate and additional violation. Any person who violates the terms and conditions of a waste discharge permit shall incur, in addition to any other penalty as provided by law, a civil penalty in the amount of up to ten thousand dollars for every such violation. Each and every such violation shall be a separate and distinct offense, and in case of a continuing violation, every day's continuance shall be deemed to be a separate and distinct violation.

### **G14. SIGNATORY REQUIREMENTS**

All applications, reports, or information submitted to Ecology shall be signed and certified.

1. All permit applications shall be signed:
  - a. In the case of corporations, by a responsible corporate officer.
  - b. In the case of a partnership, by a general partner of a partnership.
  - c. In the case of sole proprietorship, by the proprietor.
  - d. In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.
2. All reports required by this permit and other information requested by Ecology shall be signed by a person described above or by a duly authorized representative of that person. A person is a duly authorized representative only if:
  - a. The authorization is made in writing by a person described above and submitted to Ecology.
  - b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility, such as the position of plant manager, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.)
3. Changes to authorization. If an authorization under paragraph B.2 above is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of paragraph B.2 above must be submitted to Ecology prior to or together with any reports, information, or applications to be signed by an authorized representative.
4. Certification. Any person signing a document under this section shall make the following certification:

*I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

## **G15. APPEALS**

The terms and conditions of this general permit are subject to appeal. There are two different appeal categories.

1. The permit terms and conditions as they apply to the appropriate class of dischargers are subject to appeal within thirty (30) days of issuance of this general permit in accordance with chapter 43.21(B) RCW and chapter 173-226 WAC; and
2. The applicability of the permit terms and conditions to an individual discharger are subject to appeal in accordance with chapter 43.21(B) RCW within thirty (30) days of the effective date of coverage of that discharger.

An appeal of the coverage of this general permit to an individual discharger is limited to the applicability or non-applicability of this permit to that same discharger. Appeal of this permit coverage of an individual discharger will not affect any other individual dischargers. If the terms and conditions of this general permit are found to be inapplicable to any discharger(s), the matter shall be remanded to Ecology for consideration of issuance of an individual permit or permits.

## **G16. SEVERABILITY**

The provisions of this permit are severable, and if any provision of this general permit or application of any provision of this general permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this general permit, shall not be affected thereby.

## **G17. DUTY TO REAPPLY**

The Permittee shall reapply for coverage under this permit at least one hundred and eighty (180) days prior to the specified expiration date of this permit. An expired permit and coverage under the permit continues in force and effect until Ecology issues a new permit (coverage) or until Ecology cancels it. Only those facilities that have reapplied for coverage under this permit are covered under the continued permit.

## **G18. MONITORING BEYOND PERMIT REQUIREMENTS**

If the Permittee performs monitoring to document compliance with this permit beyond that required by this permit, sampling and analysis must conform to the latest revision of the *Guidelines Establishing Test Procedures for the Analysis of Pollutants* contained in 40 CFR Part 136 (or as applicable in 40 CFR subchapters N [Parts 400–471] or O [Parts 501-503]).

Ecology may specify alternative methods for parameters without limits and for those parameters without an EPA approved test method in 40 CFR Part 136.

## APPENDIX A: DEFINITIONS

### 100-year, 24-hour Storm Event:

The amount of precipitation from a 24-hour storm event that has the likelihood of occurring once in a 100-year period. The amount of precipitation from a storm event of this type varies by location.

### Applicant:

The person or entity applying for permit coverage.

### Application for Coverage:

The form developed by Ecology used by a discharger to apply for coverage under a general permit. It is specific to each general permit. Also referred to as a Notice of Intent or NOI.

### Application Rate:

The rate in quantity per acre (e.g. gallons/acre, tons/acre) that manure, litter, process wastewater, other organic by-products, or other nutrients from all sources are applied to a land application field.

### Beneficial Use:

All existing and future uses of waters of the state as defined in WAC 173-200-020(4), and the use designations specified in WAC 173-201A-602. All uses have the same priority.

### Composite Sample:

A series of grab samples collected over several locations within a field or *management unit* and combined together.





Figure 1 Composite Sample

### Control:

Performing, directing, managing, overseeing, supervising, or giving instruction about any action or decision.

**Crest:**

The highest point of the structural (e.g. embankment) wall of a waste storage pond or other liquid storage structure.



**Figure 2 Crest of a waste storage structure**

**Discharge:**

The addition of any pollutant or combination of pollutants to waters of the state.

**Discharger:**

The owner or operator of any commercial or industrial operation subject to regulation under chapter 90.48 RCW or the federal Clean Water Act due to a discharge.

**Drier Climate:**

A region in the State of Washington that receives, on average, 25 inches or less of precipitation annually.

**Effluent Limitation:**

Synonymous with discharge limits. Any restriction on timing, quantities, rates, and concentrations of pollutants discharged into waters of the state.

**Export:**

The removal of manure, litter, and process wastewater from the CAFO's production system to another party that is not under the control of the Permittee.

**Feed:**


Materials used for animal nutrition or that will be processed and used for animal nutrition that are stored by the CAFO such as hay, silage, grain, vegetable leavings, or other materials used for animal nutrition.

**Filter Strip:**

A strip of dense permanent vegetative cover such as grass and shrubs which slow land application field run-off and work to filter out nutrients and other contaminants (e.g. sediment, chemicals, bacteria, pathogens).

**Freeboard:**

The vertical distance from the maximum storage level (including normal storage plus storage volume for a 100-year, 24-hour storm event) of a waste storage pond to the lowest point on the waste storage pond **crest**.



**Figure 3 Freeboard**

**General Permit:**

A permit that covers multiple dischargers of a source category within a designated geographical area in lieu of issuing individual site-specific permits to each discharger.

**Geomembrane Liner:**

A type of storage pond liner material that is a synthetic polymer such as reinforced polypropylene, high density polyethylene (HDPE), or polyvinyl chloride (PVC) and that is usually between 35 and 60 mil thick.

**Groundwater:**

Water in a saturated zone or stratum beneath the surface of land or below a surface water body. Surficially perched water is groundwater (Douma v. Ecology PCHB 00-019).

**Indian Country:**

As defined in 18 USC 1151: "Except as otherwise provided in sections 1154 and 1156 of this title, the term "Indian country", as used in this chapter, means (a) all land within the limits of any Indian reservation under the jurisdiction of the United States Government, notwithstanding the issuance of any patent, and, including rights-of-way running through the reservation, (b) all dependent Indian communities within the borders of the United States whether within the original or subsequently acquired territory thereof, and whether within or without the limits of a state, and (c) all Indian allotments, the Indian titles to which have not been extinguished, including rights-of-way running through the same."

**Land Apply/Application:**

The process of putting manure, litter, or process wastewater on to a field to provide nutrients for crop growth.

**Land Application Field:**

An area of land, including *management units*, under the control of the CAFO (excluding the production area) to which manure, litter, or process wastewater are applied as a fertilizer or soil amendment.

**Litter:**

Animal bedding, materials used in animal housing such as straw, sand, or shavings on the floor, or spilled feed that has come into contact with manure, other organic by-products, or other contaminants.

**Management Unit:**

Portions of a field or portions of multiple closely located fields which have the same or very similar soil and crop growth characteristics which allow the areas to be managed as a single land application field.

**Manure:**

Liquid and solid livestock excrement.

**Nitrate priority area:**

Area prioritized by Ecology where conditions are vulnerable to nitrate transport to groundwater and wells sampled for nitrate exceed or approach the drinking water maximum contaminant limit of 10 mg/L. Areas are based on factors such as topography, nitrate risk studies, recharge,

land use, geology, soil properties, travel time through the soil profile, nitrate concentrations, and public health exposure. Priority areas are classified as Very High (bin 1), High (bin 2), Moderately High (bin 3), Moderate (bin 4), and Moderate- Urban (bin 5). Areas classified as Low (bin 6) and Insufficient Data (bin 7) have vulnerable conditions, but little to no nitrate results above 5 mg/L.

**Notice of Intent (NOI):**

A formal application or request for coverage under a general permit pursuant to WAC 173-226-200. See also Application for Coverage.

**Notice of Termination (NOT):**

A request by the *Permittee* to Ecology to end the Permittee's permit coverage because the facility no longer requires a permit.

**Over-Top:**

The addition of manure, litter, process wastewater, and precipitation to a waste storage pond until the level of the liquid in the pond rises over the pond crest.

**Other Organic By-Product:**

Decomposable materials such as compost, digestate, crop residues, or other organic sources of nutrients that may be land applied.

**Permit:**

An authorization, license, or equivalent control document issued by Ecology to implement chapter 90.48 RCW, the federal Clean Water Act, and associated statutes by allowing discharges of pollutants to waters of the state within constraints.

**Permittee:**

The person or entity that holds a permit coverage allowing specific discharge(s) to waters of the state (surface or ground).

**Point Source:**

Any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged.

**Pollutant:**

Dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, dirt, sediment, industrial, municipal, and agricultural waste, or any other organic or inorganic matter that shall cause or tend to cause pollution when discharged into water.

**Pollution:**

Such contamination, or other alteration of the physical, chemical or biological properties, of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental or injurious to the public health, safety or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate *beneficial uses*, or to livestock, wild animals, birds, fish or other aquatic life.

**Process Wastewater:**

Any water that is used as part of the operation of a CAFO that has come into contact with animals, raw materials, products, manure, litter, feed, *other organic by-products*, or other contaminants on the facility.

**Production Area:**

The locations making up a CAFO facility that are used for animal confinement, manure, litter, feed, and process wastewater storage, product processing facilities (e.g. milking parlor, egg washing, feed mixing), and other areas used for the storage, handling, treatment, processing, or movement of raw materials, products, or wastes. This includes manure stockpiled on fields.

**Qualified Expert:**

Individuals who: (1) Have received professional training in waste storage facility design and construction and (2) Are capable of evaluating the conditions of the facility that could impact water quality at the site as required by this permit.

**Saturated Soil:**

Soil that has water filling 100% of its soil pore volume and that no longer has the capacity to retain additional water within its pore structure.

**Storage Period:**

The period of time (generally fall to early spring) during which manure, litter, and process wastewater must be stored because they may not be land applied and comply with permit requirements.

**Synthetic Liner:**


Synonymous with **geomembrane liner**.

**T-SUM 200:**

A sum of the daily heat units above zero for each day since January 1 until 200 heat units are reached. Heat units are the average of each day's low and high temperatures in degrees Celsius.

**Top of the Bank:**

The point on the edge of a field past which the land drops quickly down into a drainage ditch, surface water, or depression in the land.



**Figure 4 Top of the Bank**

**Total Maximum Daily Load (TMDL):**

A calculation of the maximum amount of a pollutant that a water body can receive and still meet state water quality standards. Percentages of the total maximum daily load are allocated to the various pollutant sources. A TMDL is the sum of the allowable loads of a single pollutant from all contributing point and nonpoint sources. The TMDL calculations include a "margin of safety" to ensure that the water body can be protected in case there are unforeseen events or unknown sources of the pollutant. The calculation also accounts for seasonable variation in water quality.

**Trust or Restricted Lands:**

As defined in 25 USC § 2201(4): "(i) 'trust or restricted lands' means lands, title to which is held by the United States in trust for an Indian tribe or individual, or which is held by an Indian tribe or individual subject to a restriction by the United States against alienation; and (ii) 'trust or restricted interest in land' or 'trust or restricted interest in a parcel of land' means an interest in land, the title to which interest is held in trust by the United States for an Indian tribe or individual, or which is held by an Indian tribe or individual subject to a restriction by the United States against alienation."

**Vegetated Treatment Area:**

An area of permanent vegetation used to treat contaminated runoff from areas such as feedlots, feed storage, compost areas, solid manure storage areas, barnyards and other livestock holding areas.

**Waste Storage Pond:**

A structure designed for storage of liquid manure, process wastewater, or other liquids or slurries. May also be referred to as a temporary storage pond or lagoon.

**Water Table:**

The level at, and below, which the ground is completely saturated with water.

**Waters of the State:**

Includes lakes, rivers, ponds, streams, inland waters, underground waters (*groundwater*), salt waters and all other surface waters and watercourses within the jurisdiction of the state of Washington (RCW 90.48.020).

**Water Quality Standards:**

The current state and federal standards for water quality including, but not limited to:

- Surface Waters of the State of Washington (chapter 173-201A WAC).
- Ground Water Quality Standards (chapter 173-200 WAC).
- Sediment Management Standards (chapter 173-204 WAC).
- Human health based criteria in the National Toxics Rule (40 CFR § 131.36).

**Wetter Climate:**

A region in the State of Washington that receives, on average, more 25 inches of precipitation annually.



**APPENDIX B:  
CAFO GENERAL  
PERMIT ANNUAL  
REPORT FORM**

Permit No. WAG-  
Facility Name:  
Facility County:

---

Use this form to submit your annual report to Ecology. All facilities must submit a signed annual report each year on or before December 31st.

This report is for the activities conducted during calendar year 20

**Permittee Information**

Facility Name  
Responsible Person  
Email  
Phone Number

**Operator Information**

Operator Name  
Email  
Phone Number:

**Facility Information**

*Provide the maximum number of each type of animal confined at the facility during the calendar year.*

Milking Cow:  
Dry Cow:  
Calf:  
Feedlot Beef:  
Chicken - Broiler:  
Chicken - Layer:  
Swine at least 55 pounds:  
Swine smaller than 55 pounds:

Sheep and lambs:

Turkeys:

Ducks:

Other:

***How much manure, litter, process waste, process wastewater, and other organic by-products did your facility generate during the past year?***

Liquid Manure: Units:

Solid Manure Units:

Poultry Litter: Units:

Process Wastewater: Units:

Digestate: Units:

Other Organic By-products: Units:

***How much manure, litter, process waste, process wastewater, and other organic by-products did your facility export during the past year?***

Liquid Manure: Units:

Solid Manure Units:

Poultry Litter: Units:

Process Wastewater: Units:

Digestate: Units:

Other Organic By-products: Units:

***What is the total number of acres covered in your Manure Pollution Prevention Plan?***

***What is the total number of acres you applied nutrients to or are in control of for this reporting period?***

## **Discharge Information**

During the year, has manure, litter, process waste, or process wastewater discharged from your production area or land application fields? If you are covered by the Combined Permit, do not include discharges of agricultural stormwater here.

NO

YES.

If YES, provide a summary of the approximate date, time, volume and duration of the discharge(s). Summarize your response to the discharge(s) on a separate sheet of paper and attach it with your annual report.

## Nutrient Source Content Analysis

Report the results of your manure, litter, and process wastewater analyses as required in special conditions S4.I and S5.B. Results must be reported “as received” or “wet weight basis”. Print additional copies of this page if you have more nutrient sources than space provided.

Nutrient Source Name <sup>27</sup>	Sample Collection Date	Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N) concentration	Ammonia-N (NH <sub>3</sub> -N) concentration	Units for Nitrogen	Total Phosphorus concentration	Units for Phosphorus

<sup>27</sup> As documented in your Manure Pollution Prevention Plan

## Field Application Information

Fill out this page for each of the fields you applied manure nutrients to fields you control.

Field ID:

Field size, acres:

1<sup>st</sup> Crop Grown:

1<sup>st</sup> Crop Yield, include units:

2<sup>nd</sup> Crop Grown:

2<sup>nd</sup> Crop Yield, include units:

### Field Soil Sample Analysis

Sample Depth	Date sample collected	Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N) concentration	Ammonia-N (NH <sub>3</sub> -N) concentration	Units for nitrogen concentrations	Unit conversion factor for nitrogen <sup>28</sup>	Phosphorus (P <sub>2</sub> O <sub>5</sub> ) as P concentration	Units for Phosphorus	Unit conversion factor for phosphorus <sup>30</sup>	Organic matter content, as percent <sup>31</sup>
0-12 inches									
13-24 inches									
25-36 inches									
0-12 inches									
13-24 inches									
25-36 inches									

<sup>28</sup> When reporting pounds per acre confirm the conversion factor used by the laboratory. Typically between 3.2 to 4.0 pounds per acre per 1 ppm nitrate-N.

<sup>30</sup> When reporting pounds per acre confirm the conversion factor used by the laboratory.

<sup>31</sup> Organic Matter analysis required every three years.

**Nutrient Sources Applied to Field**

Fill out this page for each of the fields you applied manure nutrients to fields you control. List all sources of nutrients including commercial fertilizer that were applied to this field.

Field ID:

Field Size:

Date of Application	Nutrient source name <sup>32</sup>	Total amount of nutrients applied	Units of nutrients applied	Total amount of nitrogen applied	Units of nitrogen applied	Total Amount of Phosphorus Applied	Units of Phosphorus Applied
Annual Total							

**Adaptive Management Risk Level**

If the post-harvest soil nitrate test results in a field risk level of high or very high, document the reasons for the result. High risk is soil nitrate concentrations above 31 ppm or 111 pounds per acre. Very high risk is soil nitrate concentrations above 45 ppm or 165 pounds per acre.

---

<sup>32</sup> Nutrient Source Name must match the source reported in the Nutrient Source Content Analysis section.

## Field Nutrient Budgets

Attach the final field-specific nutrient budgets prepared for each field that received manure nutrients. I have included my field-specific nutrient budgets for the year 20\_\_\_\_\_.

## Certification

A person who has signature authority must sign the Application. Signature authority is defined in General Condition 14 as:

- a. In the case of corporations, by a responsible corporate officer.
- b. In the case of a partnership, by a general partner of a partnership.
- c. In the case of sole proprietorship, by the proprietor.

In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.

*"I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."*

Printed Name:    Date:

Signature:

## Paper Submittal Instructions

Once the information in above sections is complete and the form is signed by the Legally Responsible Party, mail the form and attachments to:

Washington Department of Ecology

Water Quality Program

Attn: CAFO Permit Administrator

PO Box 47600

Olympia, WA 98504-7600

Keep a copy of the completed form and attached documents for your records.


## Questions

If you need assistance when filling out this report, please contact your CAFO permit inspector at the Washington Department of Agriculture.

If you're unable to reach your permit inspector, contact the CAFO permit administrator at (360) 407-6600 or [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).

### APPENDIX C: NITRATE PRIORITY AREAS

[View this map online](#)<sup>33</sup>



<sup>33</sup> <https://arcg.is/qLKqz>

APPENDIX D: 40 CFR 122.42(e)

(e) *Concentrated animal feeding operations (CAFOs)*. Any permit issued to a CAFO must include the requirements in paragraphs (e)(1) through (e)(6) of this section.

(1) *Requirement to implement a nutrient management plan*. Any permit issued to a CAFO must include a requirement to implement a nutrient management plan that, at a minimum, contains best management practices necessary to meet the requirements of this paragraph and applicable effluent limitations and standards, including those specified in 40 CFR part 412. The nutrient management plan must, to the extent applicable:

(i) Ensure adequate storage of manure, litter, and process wastewater, including procedures to ensure proper operation and maintenance of the storage facilities;

(ii) Ensure proper management of mortalities (*i.e.*, dead animals) to ensure that they are not disposed of in a liquid manure, storm water, or process wastewater storage or treatment system that is not specifically designed to treat animal mortalities;

(iii) Ensure that clean water is diverted, as appropriate, from the production area;

(iv) Prevent direct contact of confined animals with waters of the United States;

(v) Ensure that chemicals and other contaminants handled on-site are not disposed of in any manure, litter, process wastewater, or storm water storage or treatment system unless specifically designed to treat such chemicals and other contaminants;

(vi) Identify appropriate site specific conservation practices to be implemented, including as appropriate buffers or equivalent practices, to control runoff of pollutants to waters of the United States;

(vii) Identify protocols for appropriate testing of manure, litter, process wastewater, and soil;

(viii) Establish protocols to land apply manure, litter or process wastewater in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater; and

(ix) Identify specific records that will be maintained to document the implementation and management of the minimum elements described in paragraphs (e)(1)(i) through (e)(1)(viii) of this section.

**(2) Recordkeeping requirements.**

(i) The permittee must create, maintain for five years, and make available to the Director, upon request, the following records:

(A) All applicable records identified pursuant paragraph (e)(1)(ix) of this section;

(B) In addition, all CAFOs subject to 40 CFR part 412 must comply with record keeping requirements as specified in § 412.37(b) and (c) and § 412.47(b) and (c).

(ii) A copy of the CAFO's site-specific nutrient management plan must be maintained on site and made available to the Director upon request.

**(3) Requirements relating to transfer of manure or process wastewater to other persons.** Prior to transferring manure, litter or process wastewater to other persons, Large CAFOs must provide the recipient of the manure, litter or process wastewater with the most current nutrient analysis. The analysis provided must be consistent with the requirements of 40 CFR part 412. Large CAFOs must retain for five years records of the date, recipient name and address, and approximate amount of manure, litter or process wastewater transferred to another person.

**(4) Annual reporting requirements for CAFOs.** The permittee must submit an annual report to the Director. As of December 21, 2025 or an EPA-approved alternative date (see 40 CFR 127.24(e) or (f)), all annual reports submitted in compliance with this section must be submitted electronically by the permittee to the Director or initial recipient, as defined in 40 CFR 127.2(b), in compliance with this section and 40 CFR part 3 (including, in all cases, subpart D to part 3), § 122.22, and 40 CFR part 127. 40 CFR part 127 is not intended to undo existing requirements for electronic reporting. Prior to this date, and independent of 40 CFR part 127, the permittee may be required to report electronically if specified by a particular permit or if required to do so by state law. The annual report must include:

(i) The number and type of animals, whether in open confinement or housed under roof (beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, ducks, turkeys, other);

(ii) Estimated amount of total manure, litter and process wastewater generated by the CAFO in the previous 12 months (tons/gallons);

(iii) Estimated amount of total manure, litter and process wastewater transferred to other person by the CAFO in the previous 12 months (tons/gallons);

(iv) Total number of acres for land application covered by the nutrient management plan developed in accordance with paragraph (e)(1) of this section;

(v) Total number of acres under control of the CAFO that were used for land application of manure, litter and process wastewater in the previous 12 months;

(vi) Summary of all manure, litter and process wastewater discharges from the production area that have occurred in the previous 12 months, including, for each discharge, the date of discovery, duration of discharge, and approximate volume; and

(vii) A statement indicating whether the current version of the CAFO's nutrient management plan was developed or approved by a certified nutrient management planner; and

(viii) The actual crop(s) planted and actual yield(s) for each field, the actual nitrogen and phosphorus content of the manure, litter, and process wastewater, the results of calculations conducted in accordance with paragraphs (e)(5)(i)(B) and (e)(5)(ii)(D) of this section, and the amount of manure, litter, and process wastewater applied to each field during the previous 12 months; and, for any CAFO that implements a nutrient management plan that addresses rates of application in accordance with paragraph (e)(5)(ii) of this section, the results of any soil testing for nitrogen and phosphorus taken during the preceding 12 months, the data used in calculations conducted in accordance with paragraph (e)(5)(ii)(D) of this section, and the amount of any supplemental fertilizer applied during the previous 12 months.

(5) **Terms of the nutrient management plan.** Any permit issued to a CAFO must require compliance with the terms of the CAFO's site-specific nutrient management plan. The terms of the nutrient management plan are the information, protocols, best management practices, and other conditions in the nutrient management plan determined by the Director to be necessary to meet the requirements of paragraph (e)(1) of this section. The terms of the nutrient management plan, with respect to protocols for land application of manure, litter, or process wastewater required by paragraph (e)(1)(viii) of this section and, as applicable, 40 CFR 412.4(c), must include the fields available for land application; field-specific rates of application properly developed, as specified in paragraphs (e)(5)(i) through (ii) of this section, to ensure appropriate agricultural utilization of the nutrients in the manure, litter,

or process wastewater; and any timing limitations identified in the nutrient management plan concerning land application on the fields available for land application. The terms must address rates of application using one of the following two approaches, unless the Director specifies that only one of these approaches may be used:

(i) **Linear approach.** An approach that expresses rates of application as pounds of nitrogen and phosphorus, according to the following specifications:

(A) The terms include maximum application rates from manure, litter, and process wastewater for each year of permit coverage, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Director, in pounds per acre, per year, for each field to be used for land application, and certain factors necessary to determine such rates. At a minimum, the factors that are terms must include: The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field; the crops to be planted in each field or any other uses of a field such as pasture or fallow fields; the realistic yield goal for each crop or use identified for each field; the nitrogen and phosphorus recommendations from sources specified by the Director for each crop or use identified for each field; credits for all nitrogen in the field that will be plant available; consideration of multi-year phosphorus application; and accounting for all other additions of plant available nitrogen and phosphorus to the field. In addition, the terms include the form and source of manure, litter, and process wastewater to be land-applied; the timing and method of land application; and the methodology by which the nutrient management plan accounts for the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied.

(B) Large CAFOs that use this approach must calculate the maximum amount of manure, litter, and process wastewater to be land applied at least once each year using the results of the most recent representative manure, litter, and process wastewater tests for nitrogen and phosphorus taken within 12 months of the date of land application; or

(ii) **Narrative rate approach.** An approach that expresses rates of application as a narrative rate of application that results in the amount, in tons or gallons, of manure, litter, and process wastewater to be land applied, according to the following specifications:

(A) The terms include maximum amounts of nitrogen and phosphorus derived from all sources of nutrients, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Director, in pounds per acre, for each field, and certain factors necessary to determine such amounts. At a minimum, the factors that are terms must include: the outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field; the crops to be planted in each field or any other uses such as pasture or fallow fields (including alternative crops identified in accordance

with paragraph (e)(5)(ii)(B) of this section); the realistic yield goal for each crop or use identified for each field; and the nitrogen and phosphorus recommendations from sources specified by the Director for each crop or use identified for each field. In addition, the terms include the methodology by which the nutrient management plan accounts for the following factors when calculating the amounts of manure, litter, and process wastewater to be land applied: Results of soil tests conducted in accordance with protocols identified in the nutrient management plan, as required by paragraph (e)(1)(vii) of this section; credits for all nitrogen in the field that will be plant available; the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied; consideration of multi-year phosphorus application; accounting for all other additions of plant available nitrogen and phosphorus to the field; the form and source of manure, litter, and process wastewater; the timing and method of land application; and volatilization of nitrogen and mineralization of organic nitrogen.

(B) The terms of the nutrient management plan include alternative crops identified in the CAFO's nutrient management plan that are not in the planned crop rotation. Where a CAFO includes alternative crops in its nutrient management plan, the crops must be listed by field, in addition to the crops identified in the planned crop rotation for that field, and the nutrient management plan must include realistic crop yield goals and the nitrogen and phosphorus recommendations from sources specified by the Director for each crop. Maximum amounts of nitrogen and phosphorus from all sources of nutrients and the amounts of manure, litter, and process wastewater to be applied must be determined in accordance with the methodology described in paragraph (e)(5)(ii)(A) of this section.

(C) For CAFOs using this approach, the following projections must be included in the nutrient management plan submitted to the Director, but are not terms of the nutrient management plan: The CAFO's planned crop rotations for each field for the period of permit coverage; the projected amount of manure, litter, or process wastewater to be applied; projected credits for all nitrogen in the field that will be plant available; consideration of multi-year phosphorus application; accounting for all other additions of plant available nitrogen and phosphorus to the field; and the predicted form, source, and method of application of manure, litter, and process wastewater for each crop. Timing of application for each field, insofar as it concerns the calculation of rates of application, is not a term of the nutrient management plan.

(D) CAFOs that use this approach must calculate maximum amounts of manure, litter, and process wastewater to be land applied at least once each year using the methodology required in paragraph (e)(5)(ii)(A) of this section before land applying manure, litter, and process wastewater and must rely on the following data:

(1) A field-specific determination of soil levels of nitrogen and phosphorus, including, for nitrogen, a concurrent determination of nitrogen that will be plant available consistent with the methodology required by paragraph (e)(5)(ii)(A) of

this section, and for phosphorus, the results of the most recent soil test conducted in accordance with soil testing requirements approved by the Director; and

(2) The results of most recent representative manure, litter, and process wastewater tests for nitrogen and phosphorus taken within 12 months of the date of land application, in order to determine the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied.

(6) **Changes to a nutrient management plan.** Any permit issued to a CAFO must require the following procedures to apply when a CAFO owner or operator makes changes to the CAFO's nutrient management plan previously submitted to the Director:

(i) The CAFO owner or operator must provide the Director with the most current version of the CAFO's nutrient management plan and identify changes from the previous version, except that the results of calculations made in accordance with the requirements of paragraphs (e)(5)(i)(B) and (e)(5)(ii)(D) of this section are not subject to the requirements of paragraph (e)(6) of this section.

(ii) The Director must review the revised nutrient management plan to ensure that it meets the requirements of this section and applicable effluent limitations and standards, including those specified in 40 CFR part 412, and must determine whether the changes to the nutrient management plan necessitate revision to the terms of the nutrient management plan incorporated into the permit issued to the CAFO. If revision to the terms of the nutrient management plan is not necessary, the Director must notify the CAFO owner or operator and upon such notification the CAFO may implement the revised nutrient management plan. If revision to the terms of the nutrient management plan is necessary, the Director must determine whether such changes are substantial changes as described in paragraph (e)(6)(iii) of this section.

(A) If the Director determines that the changes to the terms of the nutrient management plan are not substantial, the Director must make the revised nutrient management plan publicly available and include it in the permit record, revise the terms of the nutrient management plan incorporated into the permit, and notify the owner or operator and inform the public of any changes to the terms of the nutrient management plan that are incorporated into the permit.

(B) If the Director determines that the changes to the terms of the nutrient management plan are substantial, the Director must notify the public and make the proposed changes and the information submitted by the CAFO owner or operator available for public review and comment. The process for public comments, hearing requests, and the hearing process if a hearing is held must follow the procedures applicable to draft permits set forth in 40 CFR 124.11 through 124.13. The Director may establish, either by regulation or in the CAFO's permit, an appropriate period of time for the public to comment and request a hearing on

the proposed changes that differs from the time period specified in 40 CFR 124.10. The Director must respond to all significant comments received during the comment period as provided in 40 CFR 124.17, and require the CAFO owner or operator to further revise the nutrient management plan if necessary, in order to approve the revision to the terms of the nutrient management plan incorporated into the CAFO's permit. Once the Director incorporates the revised terms of the nutrient management plan into the permit, the Director must notify the owner or operator and inform the public of the final decision concerning revisions to the terms and conditions of the permit.

(iii) Substantial changes to the terms of a nutrient management plan incorporated as terms and conditions of a permit include, but are not limited to:

(A) Addition of new land application areas not previously included in the CAFO's nutrient management plan. Except that if the land application area that is being added to the nutrient management plan is covered by terms of a nutrient management plan incorporated into an existing NPDES permit in accordance with the requirements of paragraph (e)(5) of this section, and the CAFO owner or operator applies manure, litter, or process wastewater on the newly added land application area in accordance with the existing field-specific permit terms applicable to the newly added land application area, such addition of new land would be a change to the new CAFO owner or operator's nutrient management plan but not a substantial change for purposes of this section;

(B) Any changes to the field-specific maximum annual rates for land application, as set forth in paragraphs (e)(5)(i) of this section, and to the maximum amounts of nitrogen and phosphorus derived from all sources for each crop, as set forth in paragraph (e)(5)(ii) of this section;

(C) Addition of any crop or other uses not included in the terms of the CAFO's nutrient management plan and corresponding field-specific rates of application expressed in accordance with paragraph (e)(5) of this section; and

(D) Changes to site-specific components of the CAFO's nutrient management plan, where such changes are likely to increase the risk of nitrogen and phosphorus transport to waters of the U.S.

(iv) **For EPA-issued permits only.** Upon incorporation of the revised terms of the nutrient management plan into the permit, 40 CFR 124.19 specifies procedures for appeal of the permit decision. In addition to the procedures specified at 40 CFR 124.19, a person must have submitted comments or participated in the public hearing in order to appeal the permit decision.

(f) **Public notification requirements for CSO discharges to the Great Lakes Basin.** Any permit issued authorizing the discharge of a combined sewer overflow (CSO) to the Great Lakes Basin must:

(1) Require implementation of the public notification requirements in § 122.38(a);

(2) Specify the information that must be included on discharge point signage, which, at a minimum, must include those elements in § 122.38(a)(1)(ii);

(3) Specify discharge points and public access areas where signs are required pursuant to § 122.38(a)(1)(i);

(4) Specify the timing and minimum information required for providing initial and supplemental notification to:

(i) Local public health department and other potentially affected entities under § 122.38(a)(2); and

(ii) The public under § 122.38(a)(3).

(5) Specify the location of CSO discharges that must be monitored for volume and discharge duration and the location of CSO discharges where CSO volume and duration may be estimated; and

(6) Require submittal of an annual notice in accordance with § 122.38(b);

(7) Specify protocols for making the annual notice under § 122.38(b) available to the public.

[48 FR 14153, Apr. 1, 1983, as amended at 49 FR 38049, Sept. 26, 1984; 50 FR 4514, Jan. 31, 1985; 55 FR 48073, Nov. 16, 1990; 57 FR 60448, Dec. 18, 1992; 68 FR 7268, Feb. 12, 2003; 71 FR 6984, Feb. 10, 2006; 72 FR 40250, July 24, 2007; 73 FR 70483, Nov. 20, 2008; 80 FR 64098, Oct. 22, 2015; 83 FR 732, Jan. 8, 2018; 85 FR 69197, Nov. 2, 2020]

Issuance Date: XXX, 2026

Effective Date: xxx

Expiration Date: +5 years

# CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT

A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM AND  
STATE WASTE DISCHARGE GENERAL PERMIT

**State of Washington**  
**Department of Ecology**  
Olympia, Washington

In compliance with the provisions of  
The State of Washington Water Pollution Control Law  
Chapter 90.48 Revised Code of Washington  
and  
The Federal Water Pollution Control Act  
(The Clean Water Act)  
Title 33 United States Code, Section 1251 et seq.

Until this permit expires, is modified or revoked, Permittees that have properly obtained coverage under this general permit are authorized to discharge in accordance with the special and general conditions, which follow.



---

Jon Kenning  
Water Quality Program Manager  
Washington State Department of Ecology

## **ADA ACCESSIBILITY**

To request ADA Accommodation, contact Water Quality Reception at 360-407-6600 or visit [Ecology's ADA Accessibility web page](https://ecology.wa.gov/accessibility)<sup>1</sup>. For Relay Services or TTY call 711 or 877-833-6341.

For document translation services, call Water Quality Reception at 360-407-6600. Por publicaciones en español, por favor llame Water Quality Reception al 360-407-6600.

---

<sup>1</sup> <https://ecology.wa.gov/accessibility>

This page intentionally left blank.

## TABLE OF CONTENTS

ADA ACCESSIBILITY	2
TABLE OF CONTENTS	3
LIST OF FIGURES	9
SUMMARY OF PERMIT SUBMITTALS	15
SPECIAL CONDITIONS	32
S1. PERMIT COVERAGE	32
S2. PERMIT ADMINISTRATION	35
S3. DISCHARGE LIMITS	40
S4. MANURE POLLUTION PREVENTION	43
S5. MONITORING	38
S6. RECORD KEEPING	49
S7. REPORTS AND SUBMITTALS	51
S8. APPENDICES	55
GENERAL CONDITIONS	55
G1. DISCHARGE VIOLATIONS	55
G2. PROPER OPERATION AND MAINTENANCE	55
G3. RIGHT OF ENTRY	55
G4. PERMIT COVERAGE REVOKED	55
G5. GENERAL PERMIT MODIFICATION AND REVOCATION	56
G6. REPORTING A CAUSE FOR MODIFICATION	56
G7. TOXIC POLLUTANTS	57
G8. OTHER REQUIREMENTS OF 40 CFR	57
G9. COMPLIANCE WITH OTHER LAWS AND STATUTES	57
G10. ADDITIONAL MONITORING	57
G11. PAYMENT OF FEES	57
G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT	57
G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS	58
G14. SIGNATORY REQUIREMENTS	58
G15. APPEALS	59
G16. SEVERABILITY	59
G17. DUTY TO REAPPLY	59

G18. MONITORING BEYOND PERMIT REQUIREMENTS	60
APPENDIX A: Definitions	61
APPENDIX B: CAFO General Permit Annual Report Form	69
Permittee Information	69
Operator Information	69
Facility Information	69
Discharge Information	70
Nutrient Source Content Analysis	71
Field Application Information	72
Field Nutrient Budgets	74
Certification	74
Paper Submittal Instructions	74
Questions	74
APPENDIX C: Nitrate Priority Areas	76

**LIST OF TABLES**

CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT .....	1
ADA ACCESSIBILITY.....	2
TABLE OF CONTENTS.....	3
LIST OF FIGURES.....	9
SUMMARY OF PERMIT SUBMITTALS .....	15
SPECIAL CONDITIONS.....	32
S1. PERMIT COVERAGE .....	32
S1.A. Facilities Required to Seek Coverage under This General Permit .....	32
1. How Ecology Determines Significant Contributors of Pollutants .....	32
2. Multiple Facilities with common ownership .....	32
3. Permit tiers.....	32
4. Facilities that become Medium or Large .....	32
S1.B. Activities Covered Under This Permit .....	33
S1.C. Geographic Area Covered .....	33
S2. PERMIT ADMINISTRATION .....	35
S2.A. How to Apply for Permit Coverage .....	35
1. Submit an application .....	35

2.	Revise application, if needed .....	35
3.	Publish public notice .....	36
S2.B.	When Permit Coverage is Effective .....	36
S2.C.	How to Transfer Permit Coverage .....	37
S2.D.	How to Terminate Permit Coverage .....	38
1.	Eligibility for Terminating Permit Coverage .....	38
2.	Facility Cleaning Requirements .....	38
3.	Requesting Termination of Permit Coverage .....	39
S3.	DISCHARGE LIMITS .....	40
	In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem. ....	40
S3.A	Total Maximum Daily Loads (TMDL) .....	40
S3.B	Impaired Waterbodies .....	41
S3.C	Production Area .....	41
S3.D	Land Application Fields .....	42
S4.	MANURE POLLUTION PREVENTION .....	43
S4.A	Pollution Prevention Plan .....	43
1.	General Requirements .....	43
2.	Production Area Drawings and Maps .....	44
3.	Land Application Drawings and Maps .....	44
4.	Facility Information .....	45
5.	Update of the MPPP .....	46
a.	When the Permittee proposes changes to the facility .....	46
b.	When Ecology, WSDA, or Permittee assessments require MPPP updates .....	47
c.	When the Permittee proposes alternatives .....	48
S4.B	Production Area Run-off Controls .....	49
S4.C	Storage of Manure, Litter, and Process Wastewater .....	50
1.	Liquid Waste Storage Structures .....	50
2.	Solid Materials Storage Facilities .....	51
3.	Liquid and Solid Waste Storage Facility Effluent Limits .....	51
4.	Maintain Storage Facilities .....	53
5.	Waste Storage Pond Closure Procedures .....	53

- d. Temporary Closures ..... 53
- e. Permanent Decommissioning..... 53
- S4.D. Other Above and Below Ground Infrastructure ..... 54
- S4.E Diversion of Clean Water ..... 54
- S4.F Prevent Direct Animal Contact with Water ..... 55
- S4.G Chemical Handling ..... 55
- S4.H Livestock Mortality Management..... 55
- S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis..... 56
- S4.J Soil Sampling and Nutrient Analysis ..... 56
  - 1. Soil Sampling Depth ..... 56
  - 2. Spring Soil Sampling and Analysis..... 57
  - 3. Late Summer-Early Fall Soil Sampling and Analysis..... 57
  - 4. Sampling and Analysis Methods ..... 57
- S4.K Land Application..... 57
  - 1. Annual Field-Specific Crop Nutrient Budget ..... 58
  - 2. Application Rates ..... 59
  - 3. Application Restrictions ..... 60
  - 4. Double Cropping, Winter Cover Crops, Perennial Crops ..... 61
  - 5. Emergency Winter Land Application ..... 61
- S4.L Adaptive Management of Land Application Fields ..... 63
  - 1. Step 1: Determine Field Risk Level..... 63
  - 2. Step 2: Take Required Adaptive Management Actions ..... 63
  - 3. Step 1: Determine Field Risk Level..... 65
  - 4. Step 2: Take Required Adaptive Management Actions for Phosphorus ..... 66
  - 5. Step 3: Submit Deeper Soil Test Results ..... 66
- S4.M Irrigation Water Management ..... 36
- S4.N Field Discharge Management Practices ..... 36
- S4.O Manure Export..... 37
- S4.P Emergency Procedures ..... 37
- S4.Q Training..... 38
- S5. MONITORING ..... 38
  - S5.A. Operations and Maintenance ..... 38
  - S5.B. Manure, Litter, and Process Wastewater Monitoring..... 39

- 1. When to collect and analyze samples..... 39
- 2. How to collect and analyze samples ..... 39
- S5.C. Soil Monitoring..... 40
  - 1. When to collect and analyze soil samples ..... 40
  - 2. How to collect and analyze soil samples ..... 40
- S5.D. Groundwater Monitoring ..... 43
  - 1. Medium and Large CAFOs located within a nitrate priority area..... 43
    - a. Develop the Work Plan ..... 43
    - b. Install Groundwater Monitoring Wells ..... 43
    - c. Conduct Routine Monitoring ..... 43
  - 2. Small CAFOs and Facilities outside of a Nitrate Priority Area..... 44
    - a. Develop the Work Plan ..... 44
    - b. Implement the Work Plan..... 44
    - c. Report the Study Results ..... 44
    - d. Install Additional Groundwater Monitoring Wells ..... 45
    - e. Conduct Routine Monitoring ..... 45
  - 3. Submitting work plans and reporting results for all facilities..... 45
- S5.E. Surface Water Monitoring ..... 46
  - 2. Standard Protocol ..... 46
  - 3. Protocol when conditions are unsafe ..... 47
  - 4. Ecology Regional Office Contact Information..... 47
- S5.F. Laboratory Accreditation ..... 48
- S6. RECORD KEEPING ..... 49
  - S6.A. Operations and Maintenance Records ..... 49
  - S6.B. Land Application Records..... 49
  - S6.C. Export Records ..... 50
  - S6.D. Monitoring Records ..... 50
  - S6.E. Providing Records..... 50
  - S6.F. Records Retention ..... 50
- S7. REPORTS AND SUBMITTALS ..... 51
  - S7.A How to Submit Documents to Ecology ..... 51
  - S7.B. Submittal of MPPP ..... 51
  - S7.C. Waste Storage Structure Assessment..... 51

1. Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks ..... 51

2. Assessment for waste storage ponds without leak detection systems ..... 52

3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces ..... 52

4. Assessment for solids storage, dry stacks, and compost piles on soil pads ..... 53

S7.D. Annual Report ..... 53

S7.E. Reporting Permit Violations ..... 54

S7.F. Spills Reporting ..... 55

S8. APPENDICES ..... 55

GENERAL CONDITIONS ..... 55

G1. DISCHARGE VIOLATIONS ..... 55

G2. PROPER OPERATION AND MAINTENANCE ..... 55

G3. RIGHT OF ENTRY ..... 55

G4. PERMIT COVERAGE REVOKED ..... 55

G5. GENERAL PERMIT MODIFICATION AND REVOCATION ..... 56

G6. REPORTING A CAUSE FOR MODIFICATION ..... 56

G7. TOXIC POLLUTANTS ..... 57

G8. OTHER REQUIREMENTS OF 40 CFR ..... 57

G9. COMPLIANCE WITH OTHER LAWS AND STATUTES ..... 57

G10. ADDITIONAL MONITORING ..... 57

G11. PAYMENT OF FEES ..... 57

G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT ..... 57

G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS ..... 58

G14. SIGNATORY REQUIREMENTS ..... 58

G15. APPEALS ..... 59

G16. SEVERABILITY ..... 59

G17. DUTY TO REAPPLY ..... 59

G18. MONITORING BEYOND PERMIT REQUIREMENTS ..... 60

APPENDIX A: Definitions ..... 61

APPENDIX B: CAFO General Permit Annual Report Form ..... 69

    Permittee Information ..... 69

    Operator Information ..... 69

Facility Information ..... 69

Discharge Information ..... 70

Nutrient Source Content Analysis..... 71

Field Application Information ..... 72

    Field Soil Sample Analysis ..... 72

    Nutrient Sources Applied to Field..... 73

    Adaptive Management Risk Level..... 73

Field Nutrient Budgets ..... 74

Certification..... 74

Paper Submittal Instructions ..... 74

Questions ..... 74

APPENDIX C: Nitrate Priority Areas..... 76

**LIST OF FIGURES**

CONCENTRATED ANIMAL FEEDING OPERATION GENERAL PERMIT 1

    ADA ACCESSIBILITY 2

    TABLE OF CONTENTS 3

    LIST OF FIGURES 9

    SUMMARY OF PERMIT SUBMITTALS 15

    SPECIAL CONDITIONS 32

        S1. PERMIT COVERAGE 32

            S1.A. Facilities Required to Seek Coverage under This General Permit 32

                1. How Ecology Determines Significant Contributors of Pollutants 32

                2. Multiple Facilities with common ownership 32

                3. Permit tiers 32

                4. Facilities that become Medium or Large 32

            S1.B. Activities Covered Under This Permit 33

            S1.C. Geographic Area Covered 33

        S2. PERMIT ADMINISTRATION 35

            S2.A. How to Apply for Permit Coverage 35

                1. Submit an application 35

                2. Revise application, if needed 35

3. Publish public notice	36
S2.B. When Permit Coverage is Effective	36
S2.C. How to Transfer Permit Coverage	37
S2.D. How to Terminate Permit Coverage	38
1. Eligibility for Terminating Permit Coverage	38
2. Facility Cleaning Requirements	38
3. Requesting Termination of Permit Coverage	39
S3. DISCHARGE LIMITS	40
In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem.	40
S3.A Total Maximum Daily Loads (TMDL)	40
S3.B Impaired Waterbodies	41
S3.C Production Area	41
S3.D Land Application Fields	42
S4. MANURE POLLUTION PREVENTION	43
S4.A Pollution Prevention Plan	43
1. General Requirements	43
2. Production Area Drawings and Maps	44
3. Land Application Drawings and Maps	44
4. Facility Information	45
5. Update of the MPPP	46
a. When the Permittee proposes changes to the facility	46
b. When Ecology, WSDA, or Permittee assessments require MPPP updates	47
c. When the Permittee proposes alternatives	48
S4.B Production Area Run-off Controls	49
S4.C Storage of Manure, Litter, and Process Wastewater	50
1. Liquid Waste Storage Structures	50
2. Solid Materials Storage Facilities	51
3. Liquid and Solid Waste Storage Facility Effluent Limits	51
4. Maintain Storage Facilities	53
5. Waste Storage Pond Closure Procedures	53
d. Temporary Closures	53

e. Permanent Decommissioning	53
S4.D. Other Above and Below Ground Infrastructure	54
S4.E Diversion of Clean Water	54
S4.F Prevent Direct Animal Contact with Water	55
S4.G Chemical Handling	55
S4.H Livestock Mortality Management	55
S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis	56
S4.J Soil Sampling and Nutrient Analysis	56
1. Soil Sampling Depth	56
2. Spring Soil Sampling and Analysis	57
3. Late Summer-Early Fall Soil Sampling and Analysis	57
4. Sampling and Analysis Methods	57
S4.K Land Application	57
1. Annual Field-Specific Crop Nutrient Budget	58
2. Application Rates	59
3. Application Restrictions	60
4. Double Cropping, Winter Cover Crops, Perennial Crops	61
5. Emergency Winter Land Application	61
S4.L Adaptive Management of Land Application Fields	63
1. Step 1: Determine Field Risk Level	63
2. Step 2: Take Required Adaptive Management Actions	63
3. Step 1: Determine Field Risk Level	65
4. Step 2: Take Required Adaptive Management Actions for Phosphorus	66
5. Step 3: Submit Deeper Soil Test Results	66
S4.M Irrigation Water Management	36
S4.N Field Discharge Management Practices	36
S4.O Manure Export	37
S4.P Emergency Procedures	37
S4.Q Training	38
S5. MONITORING	38
S5.A. Operations and Maintenance	38
S5.B. Manure, Litter, and Process Wastewater Monitoring	39
1. When to collect and analyze samples	39

2. How to collect and analyze samples	39
S5.C. Soil Monitoring	40
1. When to collect and analyze soil samples	40
2. How to collect and analyze soil samples	40
S5.D. Groundwater Monitoring	43
1. Medium and Large CAFOs located within a nitrate priority area	43
a. Develop the Work Plan	43
b. Install Groundwater Monitoring Wells	43
c. Conduct Routine Monitoring	43
2. Small CAFOs and Facilities outside of a Nitrate Priority Area	44
a. Develop the Work Plan	44
b. Implement the Work Plan	44
c. Report the Study Results	44
d. Install Additional Groundwater Monitoring Wells	45
e. Conduct Routine Monitoring	45
3. Submitting work plans and reporting results for all facilities	45
S5.E. Surface Water Monitoring	46
2. Standard Protocol	46
3. Protocol when conditions are unsafe	47
4. Ecology Regional Office Contact Information	47
S5.F. Laboratory Accreditation	48
S6. RECORD KEEPING	49
S6.A. Operations and Maintenance Records	49
S6.B. Land Application Records	49
S6.C. Export Records	50
S6.D. Monitoring Records	50
S6.E. Providing Records	50
S6.F. Records Retention	50
S7. REPORTS AND SUBMITTALS	51
S7.A How to Submit Documents to Ecology	51
S7.B. Submittal of MPPP	51
S7.C. Waste Storage Structure Assessment	51

1. Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks	51
2. Assessment for waste storage ponds without leak detection systems	52
3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces	52
4. Assessment for solids storage, dry stacks, and compost piles on soil pads	53
S7.D. Annual Report	53
S7.E. Reporting Permit Violations	54
S7.F. Spills Reporting	55
S8. APPENDICES	55
GENERAL CONDITIONS	55
G1. DISCHARGE VIOLATIONS	55
G2. PROPER OPERATION AND MAINTENANCE	55
G3. RIGHT OF ENTRY	55
G4. PERMIT COVERAGE REVOKED	55
G5. GENERAL PERMIT MODIFICATION AND REVOCATION	56
G6. REPORTING A CAUSE FOR MODIFICATION	56
G7. TOXIC POLLUTANTS	57
G8. OTHER REQUIREMENTS OF 40 CFR	57
G9. COMPLIANCE WITH OTHER LAWS AND STATUTES	57
G10. ADDITIONAL MONITORING	57
G11. PAYMENT OF FEES	57
G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT	57
G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS	58
G14. SIGNATORY REQUIREMENTS	58
G15. APPEALS	59
G16. SEVERABILITY	59
G17. DUTY TO REAPPLY	59
G18. MONITORING BEYOND PERMIT REQUIREMENTS	60
APPENDIX A: Definitions	61
APPENDIX B: CAFO General Permit Annual Report Form	69
Permittee Information	69
Operator Information	69

Facility Information	69
Discharge Information	70
Nutrient Source Content Analysis	71
Field Application Information	72
Field Soil Sample Analysis	72
Nutrient Sources Applied to Field	73
Adaptive Management Risk Level	73
Field Nutrient Budgets	74
Certification	74
Paper Submittal Instructions	74
Questions	74
APPENDIX C: Nitrate Priority Areas	76

## SUMMARY OF PERMIT SUBMITTALS

Refer to the Special and General Conditions for details on permit report and submittal requirements. The text of this permit contains words and phrases in ***bold and italics***. These words and phrases are the first usage in the permit and are defined in Appendix A.

**Table 1 Summary of Permit Reports and Submittals**

Permit Section	Forms & Reports	Description	Frequency	First Due Date
S2.A	Permit Application (i.e. Notice of Intent, NOI)	Applying for permit coverage and submitting initial MPPP	One-time	As necessary
S2.D	Transfer form	Transfer Permit Coverage To a New Owner or Operator	As necessary	Prior to transfer
S2.E	Termination request form	Applying for cancellation of permit coverage	As necessary	As necessary
S4.A.5	Update the MPPP	Update the MPPP	As necessary	14 days from a change or 7 days from a notification of deficiency
S4.K.5.a	Email to Ecology	Prior to making any emergency land applications	As necessary	As necessary
S4.K.5.d	Email to Ecology	After making any emergency land applications	As necessary	Within 24 hours of the emergency land application
S4.K.5.e	Compliance Plan	Compliance Plan following emergency land applications	As necessary	Within 6 months of the emergency land application
S4.K.5.f	Time extension request	Extend deadline for compliance plans for emergency land applications	As necessary	As necessary
S4.L	Nutrient Budgets for Very High Risk Fields	Proposing a nutrient budget for the upcoming growing season	As necessary	Ecology must provide written approval prior to application
S5.D.1.a;	Groundwater Monitoring Work Plan	Monitoring Plan for Medium and Large CAFOs located in Nitrate Priority Areas	One-time; As necessary	Within 6 months of receiving permit coverage
S5.D.2.a	Groundwater Monitoring Work Plan	Groundwater evaluation study plan for Small CAFOs and all CAFOs located outside of Nitrate Priority Areas meeting certain conditions	As necessary	Within 6 months of receiving Ecology's determination

Permit Section	Forms & Reports	Description	Frequency	First Due Date
S5.D.2.c	Groundwater Evaluation Study Results	Results of groundwater evaluation study for CAFOs meeting certain conditions	As necessary	As necessary
S5.D.1.c; S5.D.2.e	Begin Groundwater Monitoring Notification	CAFOs required to monitor groundwater water	One-time; As necessary	30 days before first monitoring report
S5.E	Phone Call to Ecology	Reporting surface water discharge	As necessary	As necessary
S5.E	Reporting Results from a Surface Water Discharge	Laboratory results of water quality samples collected after a discharge	As necessary	As necessary
S6	Ecology Request for Permit Records	Providing items such as updated MPPP or land application records	As necessary	Within 14 days of Ecology's written request
S7.C	Storage Structure Assessment	Compliance reports for each solid and liquid storage structure	One-time	Within 1 years of permit coverage
S7.C	Storage Structure Repair and Improvement Plan	Plan for repairs and improvements to waste storage structures	One-time; As necessary	3 months after initial storage assessment
S7.D	Annual Report	Report of production numbers, monitoring results, and land applications	Annually	February 1, 2027
S7.E	Reporting Permit Violations	Verbal and written notifications of permit violations	Each noncompliance	Within 24 hours and in 5 days
S7.F	Spills Reporting	Verbal report of spills oil or hazardous materials	Each noncompliance	Within 24 hours
G6	Permit Modification	Significant change in production or process	As necessary	Prior to change
G17	Permit Application	Renewal of permit coverage	One-time	180 days before expiration date of this general permit

## SPECIAL CONDITIONS

### S1. PERMIT COVERAGE

#### S1.A. Facilities Required to Seek Coverage under This General Permit

This *permit* applies to lots or facilities (other than aquatic animal production facilities) defined as concentrated animal feeding operations (CAFOs) in 40 CFR 122.23. These CAFOs are presumed to discharge to surface water, or to surface and groundwater, and require coverage under this permit. The permit requires the owner or operator of a CAFO to apply for coverage under this permit.

##### 1. **sMultiple Facilities with common ownership**

Two or more CAFOs under common ownership are considered a single CAFO for the purposes of permitting if they adjoin each other or if they use a common area or system for handling *manure, litter, process wastewater, and other organic by-products*.

##### 2. **Permit tiers**

If the facility is a small CAFO (i.e., is not medium or large CAFO), it must follow all requirements of this permit except S3.

If the facility is either a medium or large CAFO as defined in Table 2, or the facility is a *significant contributor of pollutants to waters of the state* in accordance with the procedures in S1.A.1 above, it must follow all requirements in this permit.

Significant is defined as “a reasonable likelihood of more than a moderate adverse impact on environmental quality.” WAC 197-11-794 (1).

##### 3. **Facilities that become Medium or Large**

If a facility is not a medium or large CAFO as defined in Table 2 at the effective date of this permit but later meets the triggers included in Table 2, it must give notice to Ecology of an amended coverage pursuant to S.2A.2 below, within 45 days of becoming a medium or large CAFO.

**Table 2 Size of CAFO by Animal Type**

Animal Type	Number of Animals in Medium CAFO	Number of Animals in Large CAFO
Dairy Cows <sup>a</sup>	200-699	700 or more
Veal Calves	300-999	1,000 or more
Other Cattle <sup>b</sup>	300-999	1,000 or more
Swine (55 lbs. or more)	750-2,499	2,500 or more
Swine (less than 55 lbs.)	3,000-10,000	10,000 or more
Horses	150-499	500 or more
Sheep and Lambs	3,000-9,999	10,000 or more
Turkeys	16,500-54,999	55,000 or more
Laying Hens or Broilers, with liquid waste system	9,000-29,999	30,000 or more
Chickens, other than layers, with dry waste system	37,500-124,999	125,000 or more
Laying Hens, with dry waste system	25,000-81,999	82,000 or more
Ducks, with liquid waste system	10,000-29,999	30,000 or more
Ducks, with dry waste system	1,500-4,999	5,000 or more

<sup>a</sup> Milked or Dry

<sup>b</sup> Including, but not limited to Heifers, Steers, Bulls, Cow/Calf Pairs

**S1.B. Activities Covered Under This Permit**

This statewide **general permit** prohibits all discharges of process wastewater, manure, litter, feed, other organic by-products, and associated pollutants except as conditionally authorized under the terms of this permit for overflow discharges of process wastewater to surface waters due to rainfall from the **production area** in S3.C.

**S1.C. Geographic Area Covered**

This permit covers the activities listed in special condition S1.A within the State of Washington. This permit shall not issue for any CAFO proposed or constructed on or after June 1, 2026 in a designated groundwater management area, as defined by RCW 90.44.400 and implementing regulations. This permit does not apply to **Indian Country** and **trust or restricted lands** except portions of the Puyallup Reservation as noted. Puyallup Exception: Following the Puyallup Tribe of Indians

Land Claims Settlement Act of 1989, 25 U.S.C. §1773; this permit does apply to land within the Puyallup Reservation except for discharges to surface water on land held in trust by the federal government. Some conditions in this permit include separate requirements for wetter and drier climates. **Wetter climates** are defined as receiving 25 inches of precipitation or more per year, while **drier climates** are defined as receiving 25 inches of precipitation or less annually.

## S2. PERMIT ADMINISTRATION

### S2.A. How to Apply for Permit Coverage

All CAFOs seeking coverage under this permit must do the following:

#### 1. Submit an application

Submit a complete and signed **Notice of Intent** form (NOI) and a Manure Pollution Prevention Plan (MPPP) that meets the requirements of special conditions S3 through S8-and G in this permit. A Responsible Person, in accordance with General Condition G14 *Signatory Requirements*, must sign the signature page of the NOI and submit it to Ecology within 45 days of the effective date of this permit, or within 45 days of becoming a facility covered by this permit.

Submit the NOI and MPPP using Ecology's Water Quality Permitting Portal. If the **applicant** is unable to submit electronically (for example, they do not have access to the internet), contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Administrator  
PO Box 47600  
Olympia, WA 98504

Inability to submit the NOI via the Portal does not excuse the requirement that the form be submitted within 45 days of needing permit coverage; as such, it is up to a potential permittee to coordinate with Ecology with enough advance notice to meet the permit's timelines.

#### 2. Revise application, if needed

Ecology will review the NOI and MPPP for completeness and may request additional information from the applicant if it is necessary to complete the NOI and MPPP or to clarify, modify, or supplement previously submitted material. Ecology will notify the applicant of the application's status within 30 days.

If there have been any changes at a facility that require revised or modified documents during the pendency of Ecology review, the permittee must notify Ecology immediately of the changes and provide an updated NOI and MPPP within 30 days.

### 3. Publish public notice

When Ecology determines that the NOI and MPPP are complete, the applicant must publish a public notice using the template on the NOI. The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

Publish the public notice only after Ecology has made a preliminary determination and notified the applicant in writing that the **application for coverage** is complete.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received about the applicability of this permit to the operation before issuing a decision on permit coverage pursuant to special condition S2.B *When Permit Coverage is Effective*.

In addition, Ecology will post the NOI and MPPP on its website for the duration of the 30 day public comment period, including an opportunity for the public to request a hearing. Ecology will post copies of all comments received on the NOI and MPPP and any further documentation generated (including but not limited to revised MPPPs, comment responses, or new application materials). Ecology will also maintain an electronic listserv where the public can sign up for alerts about posts of NOIs and supporting material.

Ecology may, at its option, publish public notice of multiple applications for coverage under this permit at one time in the Washington State Register (WSR) which is published the first and third Wednesday of the month. If Ecology publishes public notice in the WSR, the permit coverage timeline will be longer than the timeline listed in special condition S2.B *When Permit Coverage is Effective*.

### S2.B. When Permit Coverage is Effective

Ecology will notify the applicant in writing (with a copy of the notification posted online with other application materials and comment documents) of the final decision. Once Ecology issues permit coverage, the CAFO owner or operator who applied for coverage becomes a **Permittee**.

When Ecology needs additional time to reach a decision, we will notify the applicant in writing within 30 days of receiving the application for coverage and identify the issues that the applicant must resolve before Ecology can reach a decision. Ecology may need additional time to review the application:

1. If the application is incomplete.
2. If the application requires additional site-specific information.
3. If the public requests a public hearing about the applicability or non-applicability of this permit to the operation proposed for coverage.
4. If members of the public submit comments.
5. When more information is necessary to determine whether coverage under the general permit is appropriate.

### **S2.C. How to Transfer Permit Coverage**

Coverage under this general permit shall automatically transfer to a new *Permittee*, if all of the following conditions are met:

1. The original Permittee and the new Permittee submit to Ecology a complete, written, signed agreement (Transfer of Coverage Form) containing a specific date for transfer of permit responsibility, coverage and liability. The Transfer of Coverage form is available on the [CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>5</sup>.
2. The volume and characteristics of the wastewater and management practices remain substantially unchanged.
3. Ecology does not notify the Permittee of the need to submit a new application for coverage under the general permit or for an individual permit pursuant to Chapters 173-216, 173-220, and 173-226 WAC.

The original Permittee remains responsible for, and subject to, all permit conditions and permit fees until the transfer of permit coverage is effective.

As part of the transfer, the original Permittee must supply the new Permittee with copies of all permit documents, based on current facility conditions, used to comply with this permit.

---

<sup>5</sup> <https://ecology.wa.gov/cafo>

Once the permit has been transferred, the new Permittee is required to use the existing permit documents (e.g. MPPP) provided by the original Permittee until the new Permittee updates the documents to reflect any changes to facility operation the new Permittee makes.

Ecology will post the Transfer of Coverage form immediately upon receipt to its Permitting and Reporting Information System (PARIS) database.

## **S2.D. How to Terminate Permit Coverage**

### **1. Eligibility for Terminating Permit Coverage**

A Permittee may request termination of their permit coverage when one of the following conditions is met:

- a. The Permittee demonstrates that they no longer have a discharge to surface or groundwater from their production area or land application fields, and can demonstrate that there will be no legacy discharges or discharges from any facility cleaning requirements (see S2.D.2, below). Ecology will make a determination based on the documentation provided and will confirm as a final agency action the termination of permit coverage. Such a final action, made pursuant to S2.D.4, below, will be posted by Ecology on the agency's website with the facility's other permit materials.

### **2. Facility Cleaning Requirements**

The permittee must clean, re-purpose, or decommission facility infrastructure that will no longer be used. The following facility cleaning and re-purposing requirements must be completed before the termination of permit coverage can be approved by Ecology:

- a. All manure, litter, , and process wastewater must be removed from storage, management, and other facility infrastructure and land applied in accordance with the Permittee's yearly nutrient budgets, or **exported** in accordance special condition S4.O *Manure Export* as appropriate.
- b. All manure, litter, feed, process wastewater, and other organic by-product management systems and facilities that could fill with water from precipitation must be flushed with clean water. The water from flushing must be land applied in accordance with the Permittee's yearly nutrient budgets or exported in accordance with special condition S4.O *Manure Export*.

- c. After flushing/cleaning, if the manure, litter, feed, process wastewater, and other organic by-product storage, management, and other facility infrastructure will no longer be used, the infrastructure must be modified, if necessary, so it is not a conduit for any pollutants to enter surface or groundwater.
- d. Temporary closures, permanent decommissioning, or other changes to **waste storage ponds** must follow the relevant requirements in special condition S4.C.4 *Waste Storage Pond Closure Procedures*.

### 3. Requesting Termination of Permit Coverage

The Permittee may request termination of permit coverage using the **Notice of Termination** form available on the [CAFO permit webpage](#)<sup>6</sup>. The Permittee must submit the signed form through [Ecology's Water Quality Permitting Portal](#)<sup>7</sup>.

If the Permittee is unable to submit electronically (for example, they do not have access to the internet), they must contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Administrator  
PO Box 47600  
Olympia, WA 98504

The termination of permit coverage is effective on the date 61 days after Ecology receives the complete Notice of Termination form, unless Ecology notifies the Permittee in writing that their request is denied because either the Permittee has not met the eligibility requirements or information is insufficient to make a determination.

The Permittee will continue to incur an annual permit fee (chapter 173-224 WAC) until they submit a completed Notice of Termination form signed in accordance with general condition G14 and Ecology terminates the permit coverage. The Permittee will receive a letter from Ecology notifying them that their permit coverage is terminated.

### 4. Permit Termination

Ecology will only terminate the permit after determining, in writing:

---

<sup>6</sup> <https://ecology.wa.gov/cafo>

<sup>7</sup> <https://secureaccess.wa.gov/ecy/wqwebportal>

- a) That the facility has ceased all operations, that all wastewater or manure storage structures have been closed correctly following Natural Resource Conservation Service (NRCS) Conservation Practice Standard No. 360, Closure of Waste Impoundments, **as well as ensuring that all soil testing at 45 PPM Nitrate or higher is excavated and disposed of in a manner that will not negatively affect water or air quality** and that all other remaining stockpiles of manure, litter, or process wastewater not contained in a wastewater or manure storage structure are disposed of properly, and all facility cleaning requirements (in S2.D.2, above) are completed;
- b) The facility is no longer a CAFO that discharges manure, litter, or process wastewater to waters of the United States; or
- c) The entire discharge is permanently terminated by elimination of the flow or by connection to a publicly owned treatment works (POTW).

### S3. DISCHARGE LIMITS

Discharges conditionally authorized by this permit must not cause or contribute to a violation of **water quality standards**. Discharges not in compliance with these standards are not authorized. The Permittee must also be in compliance with other discharge limits (e.g. special condition S4. Manure Pollution Prevention) in order for discharges to be conditionally authorized.

**In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must immediately take action to minimize or otherwise stop the violation, and correct the problem.**S3.A  
**Total Maximum Daily Loads (TMDL)**

Discharges conditionally authorized by this permit to waterbodies which have an EPA-approved TMDL, or are upstream from a waterbody that has an EPA-approved TMDL, must be limited and controlled in a manner that is consistent with the assumptions and requirements of a wasteload allocation for the facility for the pollutant(s) being discharged and existing dischargers must be subject to compliance schedules designed to bring the waterbody back into compliance. A Permittee's MPPP must identify the specific limitations and controls being used by the CAFO to ensure its discharges are consistent

with the wasteload allocation. Discharges not consistent with an approved TMDL are not authorized. To determine if a discharge may be to, or is upstream from, a waterbody with a TMDL in place, refer to [Ecology's list of TMDLs](#)<sup>8</sup>.

### S3.B Impaired Waterbodies

Discharges conditionally authorized by this permit to an EPA-approved 303(d)-listed waterbody (Category 5) or to a waterbody upstream from an EPA-approved 303(d)-listed waterbody (Category 5) that do not have a completed TMDL in place must not contain the pollutant(s) for which the waterbody is listed as impaired and any other pollutants which will cause or contribute to the exceedance of numeric or narrative criteria causing the impairment.

To determine if a discharge may occur to, or is upstream from, an impaired waterbody, refer to [Ecology's impaired waterbody database](#)<sup>9</sup>.

### S3.C Production Area

The Permittee is prohibited from discharging process wastewater to surface waters of the state from the production area except that process wastewater pollutants in the overflow may be discharged to surface waters of the state when the following conditions are met at facilities constructed before April 14, 2003:

1. Rainfall causes an overflow of process wastewater from a facility which is designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff and direct precipitation from a **100-year, 24-hour storm event** at the location of the facility and still have waste storage pond design **freeboard**; and
2. The design storage volume is adequate to contain all manure, litter, and process wastewater accumulated during the storage period, including, at a minimum, the following:
  - a) Double the estimated volume of manure, litter, process wastewater, and other wastes accumulated during the storage period;
  - b) The normal precipitation less evaporation during the storage period for the location of the facility;

---

<sup>8</sup> <https://ecology.wa.gov/TMDLs>

<sup>9</sup> <https://ecology.wa.gov/303d>

- c) The normal runoff during the storage period into the storage structure for the location of the facility;
- d) Direct precipitation from the 100-year 24-hour precipitation event for the location of the facility;
- e) Runoff from the 100-year 24-hour precipitation event from the Production area into the storage structure for the location of the facility;
- f) Residual solids after liquids are removed;
- g) Necessary freeboard to maintain structural integrity. After settlement, the top of the embankment shall be at least 1 foot above the surrounding grade, or greater than the minimum determined by the current NRCS Conservation Practice Standard Code 313, whichever is greater; and
- h) A minimum treatment volume, in the case of treatment lagoons.

3. The production area is designed, maintained, and operated in accordance with the MPPP and the inspection, maintenance, recordkeeping, reporting, and all other requirements of this permit.

#### **S3.D Land Application Fields**

The Permittee is prohibited from discharging manure, litter, feed, process wastewater, or other organic by-products from their land application fields to surface water or groundwater.

**S3.E Threatened and Endangered Species Habitat**  
Discharges conditionally authorized by this permit must not harm any state endangered, threatened, or sensitive species, or any federally listed threatened or endangered species. Harm is defined as killing or injuring fish or wildlife, significantly modify or degrading the species habitat, or impairing essential behavioral patterns, including, breeding, spawning, rearing, migrating, feeding or sheltering.

## S4. MANURE POLLUTION PREVENTION

### S4.A Pollution Prevention Plan

#### 1. General Requirements

All Permittees and applicants for coverage under this permit must prepare, keep up-to-date, implement, and comply with a Manure Pollution Prevention Plan (MPPP) for their CAFO. The MPPP must specify the site-specific practices and procedures that:

- Demonstrate how the CAFO will comply with the pollution prevention performance objectives in special conditions S4.A through S4.Q.
- Prevent the discharge of manure, litter, process wastewater, other organic by-products, and other sources of **pollution** from the CAFO and ensure that the facility does not discharge pollution that causes or contributes to a violation of water quality standards.
- Ensure the facility is designed, operated, and maintained to prevent all production area and land application area discharges that are not conditionally authorized in S3.C.
- Require land application of manure, litter or process wastewater in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater. Comply with all federal requirements in 40 CFR 122.42(e)(1) through(e)(5) and 40 CFR Part 412.

The MPPP must include a narrative description ([not the linear approach](#)) of how the CAFO will meet the performance objectives in special conditions S4.A through S4.Q, including drawings or diagrams of facility infrastructure. If a performance objective in special conditions S4.A through S4.Q does not apply to a facility, the Permittee or applicant must explain why the performance objective does not apply to their operation.

Some permit conditions include separate requirements for wetter and drier climates. **Wetter climates** are defined as receiving 25 inches of precipitation or more per year, while **drier climates** are defined as receiving 25 inches of precipitation or less annually.

The Permittee or applicant must prepare and submit their initial MPPP with the application for permit coverage or renewal according to procedures in special condition S2.A. *How to Apply for Permit Coverage* and general condition G17 *Duty to Reapply*.

When permit coverage is granted, the MPPP becomes an enforceable **effluent limitation** of the permit and the permittee must implement and comply with the terms of the MPPP.

## 2. Production Area Drawings and Maps

The MPPP must have map and/or aerial photos of the CAFO production area clearly indicating the location of the following items:

- a. Solid and liquid manure and process wastewater storage structures (e.g. pits, tanks), including those used for moving liquid manure and process wastewater around the facility.
- b. Composting facilities.
- c. Feed storage (e.g. silage bunker) structures.
- d. All underground piping for liquid manure and process wastewater.
- e. Electrical lines that control pumps or valves that if broken would result in uncontrolled flow of liquid manure or process wastewater.
- f. Animal housing.
- g. Areas where animal mortalities are stored or composted.
- h. Direction(s) of run-off or overland flow on the production area.
- i. Groundwater wells and monitoring wells, noting their use (e.g. drinking, livestock watering, irrigation) and well tag or ID number.

## 3. Land Application Drawings and Maps

The MPPP must have maps and/or aerial photos of the land application fields clearly indicating the following items:

- a. A unique field identifier (e.g. field name, field code, name used for WSDA Dairy Nutrient Management Program required records) for each field that will be used to reference the field on all permit records and reports.

- b. Field discharge management practice location, type, and width (special condition S4.N *Field Discharge Management Practices*).
- c. Other areas that must not have manure, litter, or process wastewater applied to them because application to those areas would result in a discharge.
- d. All tile drain inlets and outlets.
- e. All field ditches.

#### 4. Facility Information

The following documentation about the Permittee's facility must be included in the MPPP and kept up-to-date as changes are made to the facility.

- a. Information about existing site conditions (topography, drainage, soils, vegetation, etc.).
- b. The maximum number of animals the current infrastructure was designed to manage and store manure, litter, process wastewater, or other organic by-products from.
- c. Potential surface or groundwater discharge problem areas (e.g. high risk areas).
- d. Whether the facility is located within an area where there are higher risk conditions for groundwater contamination. Use Ecology's Nitrate Priority Areas Map in Appendix C to determine if the facility is within a priority area.
  - i. If the facility is located within a **Nitrate Priority Area**, the applicant must complete the requirements in S5.D *Groundwater Monitoring*.
  - ii. If a facility is located outside of a Nitrate Priority Area, the facility may be required to monitor groundwater if the groundwater impact monitoring (special condition S4.L) or the results of waste storage structure assessment (special condition S7.C) indicates that an adverse impact to groundwater may be occurring. See the requirements in S5.D *Groundwater Monitoring*.
- e. The total long-term storage capacity for all manure, litter, feed, process wastewater, and other organic by-product storage structures (e.g. waste storage pond, above ground or in-ground storage tank, bunker, concrete storage pad). This does not include structures intended to only hold manure, litter, or process wastewater, on a temporary basis while pumping from one location to another or while processing the materials, for example pits used for

pumping liquid manure from one location to another or equipment/buildings used to process feed into a mixed ration. This also does not include structures used to control clean water pursuant to special condition S4.E *Diversion of Clean Water*.

- f. Information about each storage structure. The MPPP must include:
- The total designed storage volume.
  - The number of days of storage capacity as designed and as currently maintained.
  - Design treatment volume (liquid storage structures only).
  - Volume available for solids build-up (liquid storage structures only).
  - Leak detection plan if the storage structure has a leak detection system. The plan must describe how the Permittee will test and monitor for leaks.
  - Freeboard requirements
  - Volume set aside to contain the runoff from a 100-year, 24-hour storm event

**5. Update of the MPPP**

*a. When the Permittee proposes changes to the facility*

Whenever the permittee proposes a change in design, construction, operation, or maintenance of the Permittee's facility infrastructure, the Permittee must update their MPPP and submit the updated MPPP at least 60 days prior to implementing any proposed changes.

Ecology will review the modified MPPP and may request additional information to clarify, modify, or supplement previously submitted material. If Ecology determines the changes to the modified MPPP are substantial as defined by 40 CFR 122.42 (e)(6), we will notify the Permittee of the need to publish public notice. Ecology will also publish a public notice on its website that includes the proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

When Ecology determines that the modified MPPP is complete, the Permittee must publish a public notice using the template on the Coverage Modification form. The public notice must be published once a week for two (2)

weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

*b. When Ecology, WSDA, or Permittee assessments require MPPP updates*

If Ecology or WSDA staff determine that the MPPP is, or would be, ineffective in eliminating discharges not authorized by this permit, the Permittee must submit an updated MPPP within 14 days of a notification of the deficiency by Ecology or WSDA. The Permittee must also immediately begin the process to fully implement and maintain appropriate source control and/or treatment practices, addressing the deficiencies no later than 45 days from date of notification.

If Permittee assessments per S4.K.5, S7.C, or S7.E identify deficiencies, the Permittee must update the MPPP and submit it to Ecology along with the associated repair or compliance plans according to the timelines set in the applicable special condition.

If installation of necessary infrastructure or practices is not feasible within 45 days, Ecology may approve additional time when an extension is requested by a Permittee within the initial 45-day period.

Ecology will review the modified MPPP and may request additional information to clarify, modify, or supplement previously submitted material. If Ecology determines the changes to the modified MPPP are substantial, we will notify the Permittee of the need to publish public notice. If the permittee requests a time extension for facility improvement, public noticing is required. Ecology will also publish a public notice on its website that includes the

proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

To publish a public notice, the Permittee must use the template on the Coverage Modification form. The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received on the proposed changes before issuing a decision on the coverage modification.

Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

*c. When the Permittee proposes alternatives*

Permittees proposing alternative procedures or practices under S4.J.3 *Application Restrictions* or S4.N *Field Discharge Management Practices* must submit a modified MPPP with supporting information. Ecology will review the proposal and may request additional information to clarify, modify, or supplement previously submitted material.

When Ecology determines that the modified MPPP is complete, the Permittee must publish a public notice using the template on the Coverage Modification form. Ecology will also publish a public notice on its website that includes the proposed changes and information submitted by the CAFO owner available for public review and comments, including an opportunity for requesting a hearing.

The public notice must be published once a week for two (2) weeks with at least seven (7) days between publications in a single newspaper of general circulation in the county where the operation is located.

The second publication date of the public notice starts a thirty (30)-day public comment period. At the end of the thirty (30)-day public comment period, Ecology will consider any comments received on the proposed changes before issuing a decision on the coverage modification.

Ecology will consider and respond to any comments received on the proposed changes before issuing a decision on the coverage modification and may require the CAFO owner or operator to make further revisions to the MPPP. Once the MPPP revisions are incorporated into the permit, Ecology will notify the Permittee and the public of the final decision concerning revisions to the terms and conditions of the permit.

If Ecology determines the revisions to the MPPP are not substantial, the agency will make the revised MPPP available to the public and include it in the permit record, revise the terms of the MPPP that is incorporated into the permit, and notify the Permittee and the public of any changes to the MPPP that are incorporated into the permit.

#### **S4.B Production Area Run-off Controls**

The Permittee must prevent all discharges of pollutants, manure, process wastewater, litter, feed, and organic by-products to surface water and groundwater from its production area with the exception of rainfall-caused overflow discharges of process wastewater to surface waters conditionally authorized under special condition S3.C *Production Area*. The confinement areas, and waste handling and waste storage facilities must be designed, constructed, and maintained to maintain adequate freeboard and to contain all manure, litter, feed, process wastewater, and other organic by-products, including the contaminated runoff and direct precipitation from a 100-year, 24-hour rainfall event.

The Permittee must keep manure, litter, and process wastewater from being tracked out onto public roadways. If manure, litter, process wastewater, or other sources of pollutants are tracked out onto public roadways, the Permittee must clean up the material tracked onto the roadway. Materials cleaned up on from the roadway must be disposed of appropriately and may not be placed in ditches, other conduits to surface or groundwater, or left along right-of-ways.

***Vegetated treatment areas*** may be used to treat and infiltrate run-off into the ground, provided the treatment area's hydraulic capacity is greater than design flows and the vegetation cover is suitable to the site and run-off treatment performance needs. A site is not suitable if the vegetated treatment area will cause a violation of groundwater standards. The Permittee must document the treatment design, including nutrient uptake and hydraulic capacity, and the operation and maintenance plan for all vegetated treatment areas in the MPPP.

If a discharge to surface waters occurs from the production area, including a vegetated treatment area, the discharge must be reported to Ecology within 24 hours and monitored according to S5.E *Surface Water Monitoring*.

#### **S4.C Storage of Manure, Litter, and Process Wastewater**

The Permittee must have adequate storage space for the manure, litter, process wastewater, feed, and any other sources of pollutants on-site during the **storage period** for the area where the CAFO is located in order to comply with special condition S3 *Discharge Limits*. The following are performance objectives for storage of liquid and solid materials:

##### **1. Liquid Waste Storage Structures**

Liquid waste storage structures must be designed, constructed, operated, and maintained to prevent discharges to surface water and groundwater, maintain adequate freeboard, and to contain all manure, litter, feed, process wastewater, and other organic by-products including the contaminated runoff and direct precipitation from a 100-year, 24-hour rainfall event.

The design storage volume must equal the sum of:

- a) Double the estimated volume of manure, litter, process wastewater, and other wastes accumulated during the storage period;
- b) The normal precipitation less evaporation during the storage period for the location of the facility;
- c) The normal runoff during the storage period into the storage structure for the location of the facility;
- d) Direct precipitation from the 100-year 24-hour precipitation event for the location of the facility;
- e) Runoff from the 100-year 24-hour precipitation event from the Production area into the storage structure for the location of the facility;
- f) Residual solids after liquids are removed;

- g) Necessary freeboard to maintain structural integrity. After settlement, the top of the embankment shall be at least 1 foot above the surrounding grade, or greater than the minimum determined by the current NRCS Conservation Practice Standard Code 313, whichever is greater; and
- h) A minimum treatment volume, in the case of treatment lagoons.

Liquid storage structures must be lined to prevent discharges of pollutants to groundwater.

There must be a minimum of two feet of vertical separation between the bottom of the waste storage pond (from the bottom of the liner) and the seasonal high **water table**.

Design and installation of waste storage ponds and other liquid storage structures being built, expanded, or having major refurbishment must be overseen by a licensed professional engineer.

Permittees must have a depth gauge in each liquid storage structure that clearly indicates the minimum capacity necessary to contain the contaminated runoff and direct precipitation from a 100-year, 24 hour precipitation event and still have design freeboard. The marker shall be visible from the top of the levee.

## 2. Solid Materials Storage Facilities

Permittees must design, install, implement and maintain effective pollution prevention measures to prevent the discharge of pollutants from solid manure, litter, compost, and feed storage areas. At a minimum:

- a. Locate structures on impervious surfaces (such as concrete) or soil pads with low permeability, < 10-4 cm/sec at 95% compaction.
- b. [Manure storage facilities shall be constructed on surfaces with a minimum 2% slope, to prevent ponding.](#)
- c. Direct contaminated runoff to structures designed to store liquid manure and process wastewater or through a vegetated treatment area designed and operated in accordance with S4.B *Production Area Run-off Controls*.
- d. Cover all storage areas (e.g. tarp, roof), divert clean water in accordance with special condition S4.E *Diversion of Clean Water*.

## 3. Liquid and Solid Waste Storage Facility Effluent Limits

- A. New, reconstructed, or enlarged pond designs must

1. Consist of a double liner constructed with 60-mil high density polyethylene or material of equivalent durability with a leachate collection and removal system between the two liners, or;
  2. Comply with requirements for existing liquid storage facilities if the discharger demonstrates through submittal of technical reports that the alternative design is protective of groundwater quality.
- B. Existing liquid and solid waste storage structures must be designed, constructed, operated, and maintained to implement the more restrictive of the Best Available Technology Economically Achievable to eliminate any discharges or ensure compliance with state water quality standards. To ensure the facility implements the proper standards, the permittee must:
1. Determine the Best Available Technology Economically Achievable the permittee must provide Ecology with an economic analysis based on:
    - a. An evaluation by a professional engineer of the current condition of the facility's liquid and solid waste storage structures, documenting the seepage rate and supported by the necessary information such as complete as-built plans, specifications, drawings, etc.
    - b. The cost estimates for a range of control technology, including a) two layer synthetic liners with a leak detection and capture system between the layers; b) steel and concrete above ground storage structures; c) **synthetic liner** over clay (AKA geosynthetic clay liner (GCL)); d) concrete lined lagoons; and e) other appropriate alternative designs, and
    - c. The necessary income statement data—revenue, costs, and earnings—for the most recent three years to allow for the assessment.

Based on this information, treatment technology will be deemed economically achievable if its annual cost is less than the facility's annual profits.

2. Determine, if after applying Best Available Technology Economically Achievable, there is a reasonable potential the resulting discharge may cause or contribute to a violation of water quality standards for the receiving waters or any downstream waters. If so, identify the control measures necessary to ensure compliance with water quality standards.
3. Apply the more stringent control measures.

#### 4. **Maintain Storage Facilities**

The permittee must conduct weekly visual inspections of manure, litter, process wastewater, other organic by-product, and feed storage facilities according to provisions in special condition S5.A *Operations and Maintenance*. If a storage facility is equipped with a leak detection system, the permittee must monitor for leaks according to the leak detection plan included in the MPPP.

The Permittee must prevent damage and maintain the integrity of their storage facilities by controlling vegetation and animals on the structure and by repairing structures as necessary to bring it back up to design specifications.

The Permittee must periodically measure and remove accumulated solids from liquid storage structures as necessary in order to maintain design volume. Permittee must also ensure that any liner in the liquid storage structure is not damaged during maintenance. The MPPP must specify how leaks, if using a **synthetic liner** (e.g. punctures in the plastic), will be detected and repaired.

#### 5. **Waste Storage Pond Closure Procedures**

##### *d. Temporary Closures*

If the Permittee has a waste storage pond or other liquid storage structure that is temporarily not in use, but will be used again, the pond must be maintained as though it were in use so that it remains in good working order.

##### *e. Permanent Decommissioning*

If a waste storage pond or other liquid storage structure is being decommissioned, the permittee must render the pond or other liquid storage structure unusable and minimize the risk of leftover nutrients converting to mobile forms (e.g. ammonia to nitrate) which pose a risk to groundwater by implementing the following requirements:

- i. Any manure, litter, feed, process wastewater, or other organic by-products contained in the structure must be removed and land applied in accordance with the Permittee's MPPP or exported in accordance with special condition S4.O *Manure Export*.
- ii. Soils beneath decommissioned lagoons shall be tested for nitrates. All soil with > 45 ppm nitrate shall be removed and disposed of using approved methods.

- iii. If converting the site to another use requires complete removal of the structure, high nutrient soils (45-PPM) above grade must be land applied according to the Permittee's MPPP (special condition S4.K.1 *Annual Field-Specific Crop Nutrient Budget*) or exported in accordance with special condition S4.O *Manure Export*.
- iv. If the pond or other liquid storage structure has a synthetic liner, the liner must be removed and disposed of or recycled in a lawful manner. If the liner prevented release of nutrients into soils beneath the pond or structure, special condition S4.C.4.b.ii above does not apply.
- v. After completion of special condition S4.C.4.b.i through S4.C.4.b.iii, any earthen structure must be filled with soil, made unable to contain liquid, or returned to grade matching the surrounding area. All exposed soil must be seeded with site appropriate plant species or site appropriate land management implemented to prevent erosion unless the Permittee is planning to build a structure on the site where the waste storage pond or other liquid storage structure existed within 3 months of pond decommissioning.

#### **S4.D. Other Above and Below Ground Infrastructure**

The Permittee must operate and maintain infrastructure used on-site to prevent discharges due to physical failure of the infrastructure.

Other infrastructure (such as pipes, valves, tile lines, etc.) used to manage manure, litter, feed, process wastewater, and other organic by-products must be regularly inspected according to special condition S5.A *Operations and Maintenance* and tested (if applicable) to ensure it is in proper working order. Results from inspections must be used to make repairs or replacements to infrastructure in a timely manner. Document the reasons that repairs were not completed in a timely manner in the Manure Pollution Prevention Plan (MPPP) and include a schedule of when the work will be completed.

Discharge to groundwater from backflow through wells is prohibited and must be prevented.

#### **S4.E Diversion of Clean Water**

Clean water that has not come into contact with manure, litter, feed, process wastewater, other organic by-products, or other contaminants generated by the CAFO may be diverted from the CAFO production area instead of being stored. Clean water must be diverted to a location that is able to handle the volume of clean water generated and not cause other water quality problems (e.g. erosion, sediment build-up, flooding).

If the Permittee chooses to divert clean water from storage, they must describe how the diversion will prevent contact with contaminants, the location where the diverted clean water will go, and how that location is able to handle the volume of clean water generated without causing water quality problems.

#### **S4.F Prevent Direct Animal Contact with Water**

Livestock must not be allowed to come into contact with surface waters or cause pollutants to enter surface waters. This prohibition does not apply to small amounts of standing water (e.g. puddles, saturated areas) on pastures, land application fields where livestock are temporarily housed, or in the production area as long as they are not draining to other surface waters or conduits to surface waters.

Livestock must be excluded from the field discharge management areas established according to S4.N *Field Discharge Management Practices*.

#### **S4.G Chemical Handling**

All chemicals (e.g. pesticides, cleaning agents) must be disposed of in accordance with the disposal requirements of the chemical's Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) product label or Safety Data Sheet (SDS) if it is not a FIFRA labeled product.

Excess or unused chemicals and empty chemical container wash water may not be disposed of in manure, litter, feed, process wastewater, or other organic by-product management systems, or any surface waters or conduits to surface or groundwater.

The Permittee must have and implement emergency procedures for containment and clean-up in the event of a chemical spill that could impact surface or groundwater.

#### **S4.H Livestock Mortality Management**

Mortalities must be handled such that they do not pose a threat to surface or groundwater quality. Until properly disposed of, mortalities must be stored in a location that does not allow run-off to surface waters or leaching to groundwater. All runoff from stored mortalities must be directed to liquid storage facilities. Mortalities must not be disposed of in a waste storage pond or other liquid storage structure unless it is specifically designed to handle mortalities.

Unless prohibited by local ordinances, the Permittee must follow state requirements for mortality handling including WAC 16-25-025. Examples of mortality management include composting, rendering, burial and natural decomposition. If on-site composting is used, it must be conducted compliance with chapter 70A.205 RCW and chapter 173-350 WAC.

#### **S4.I Manure, Litter, and Process Wastewater Sampling and Nutrient Analysis**

The Permittee must sample all sources of manure, litter, and process wastewater that will be land applied and analyze the samples for nutrient, including nitrogen and phosphorus, content prior to **land application**. Sampling and analysis must follow the requirements of special condition S5.B *Manure, Litter, and Process Wastewater Monitoring* and should be representative of the nutrient source as applied.

During the application season, if the permittee begins to use a new source of manure, litter, and process wastewater the Permittee must sample and analyze the new source for nutrient content prior to land applying the new source.

The Permittee must sample and analyze all sources of manure, litter, and process wastewater, at least three times, spaced evenly throughout the land application season.

The Permittee is not required to sample and analyze the commercial chemical fertilizers for nutrient content, but is required to record the amount of nutrients applied according to special condition S6.B *Land Application Records*.

#### **S4.J Soil Sampling and Nutrient Analysis**

The Permittee must sample and analyze all land application fields to which they apply manure, litter, and process wastewater for nutrient, including nitrogen and phosphorus, content at least twice each year—before land application and in the late summer or early fall.

##### **1. Soil Sampling Depth**

Soil samples must be taken at the depths specified according to annual precipitation:

- Drier climates must collect separate composite soil samples for the 0-12 inch depth, the 12-24 inch depth, and the 24-36 inch depth.
- Wetter climates must collect one composite soil sample for the 0-12 inch depth.

If the field does not have the required soil depth before refusal or groundwater is reached, the Permittee must take samples in 12-inch increments until reaching refusal or groundwater. The Permittee must indicate in its records and annual report (special conditions S6.B and S7.D) at what depth refusal or groundwater was reached.

## 2. **Spring Soil Sampling and Analysis**

Soil samples collected and analyzed early in the growing season must be considered when developing or updating the field nutrient budget in that same season. Samples must be collected and analyzed before land application begins, unless applied in accordance with special condition S4.K.4 *Double Cropping, Winter Cover Crops, Perennial Crops*.

## 3. **Late Summer-Early Fall Soil Sampling and Analysis**

Post-harvest soil samples must be taken after harvest of annual crops and before 3 inches of rainfall accumulates. Use September 1 as start date for tallying the accumulation of rainfall.

If the soil sample is taken after 3 inches of rainfall accumulates or if the field was categorized as high the previous year (special condition S4.L *Adaptive Management of Land Application Fields*), the Permittee must take an additional composite soil sample at the next vertical foot to account for nutrient leaching:

- Drier climates must collect an additional composite soil samples for the 36-48 inch depth.
- Wetter climates must collect an additional composite soil sample for the 12-24 inch depth.

## 4. **Sampling and Analysis Methods**

Soil sampling and analysis must follow the monitoring requirements of special condition S5.C *Soil Monitoring*.

### **S4.K Land Application**

The MPPP must establish protocols to land apply manure, litter, and process wastewater in accordance with site specific nutrient management practices that ensure the appropriate agricultural utilization of the nutrients, including nitrogen and phosphorus, in the manure, litter, or process wastewater. The Permittee must generate annual nutrient budgets to determine land application rates for each field where manure, litter, and process wastewater will be applied and land apply manure, litter, or process wastewater in accordance with their yearly field nutrient budgets and at the appropriate rates and times to comply with permit conditions and ensure appropriate agriculture utilization of nutrients. If the Permittee generates more manure, litter, or process wastewater than the land application fields available to the Permittee can

appropriately utilize according to their yearly field nutrient budgets, the Permittee must find other avenues of appropriately utilizing the excess manure, litter, or process wastewater (e.g. export, composting).

The Permittee's staff must have sufficient training to be able to land apply in accordance with the yearly field nutrient budgets and at appropriate rates and times to comply with permit conditions.

**1. Annual Field-Specific Crop Nutrient Budget**

The Permittee must develop a field-specific nutrient budget for each land application field they will **control** and plan to apply manure, litter, or process wastewater. The permittee shall ensure that plant-available nutrients on the land application field do not exceed nutrients, including nitrogen and phosphorus, required to reach crop's estimated yield. The yearly nutrient budget determines the maximum amount of nitrogen and phosphorus that may be land applied to the field to meet this requirement.

Annual nutrient budgets must be developed before the first land application of the growing season, and should be developed to cover the entire growing season (annual and double crop until final harvest). If the Permittee makes changes to their annual nutrient budget for a land application field they must update the nutrient budget to reflect the changes. The yearly nutrient budget must include:

- a. Current calendar year.
- b. Field ID identical to the field ID on maps in the MPPP.
- c. Field acreage.
- d. Field risk level as determined by end of season soil sample nitrate-N and phosphorus analysis values in special condition S4.L *Adaptive Management of Land Application Fields*.
- e. Adaptive management actions required by special condition S4.L *Adaptive Management of Land Application Fields*.
- f. Crop(s).
- g. Estimated planting date (or note as perennial).
- h. Estimated harvest date.

- i. Crop yield estimate for the field based upon prior years or expert guidance. Examples of sources for yield estimates include the field's 3-year average yield, a nearby similar field's 3-year average yield, land grant university guidance, commercial chemical fertilizer guides, or other national data sources.
- j. Total amount of nitrogen and phosphorus required by the crop to reach the yield estimate.
- k. Soil nitrogen and phosphorus content measured from the most recent soil sample required by special condition S4.J *Soil Sampling and Nutrient Analysis*. Nutrient budgets developed prior to a spring soil test must be updated after sample is analyzed.
- l. Estimate of nitrogen from mineralization of:
  - Soil organic matter.
  - Crop residues, including grass
  - Past applications of manure, process wastewater, or other organic by-products.
- m. Estimate of nitrogen and phosphorus from other sources (e.g. precipitation, irrigation, atmospheric deposition).
- n. Estimated loss of nitrogen due to volatilization during land application.

A nutrient budget worksheet that incorporates requirements of special condition S4.K.1 is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo-permit-webpage)<sup>10</sup>.

If the Permittee chooses to use their own form, it must account for the same parameters as the Ecology form and show the calculations used to reach the final maximum amount of nutrients that may be land applied to each field for the year.

## 2. Application Rates

Land application of manure, litter, and process wastewater must be at times and at rates which can be utilized by the crop.

---

<sup>10</sup> <https://ecology.wa.gov/cafo>

The Permittee must base their **application rates** on the most current manure, litter, and process wastewater nutrient analysis required by special condition S4.I and crop needs.

Equipment used for land application of manure and other material that can have a variable application rate (e.g. pumps, injectors, sprinklers, splash plate applicators) must be calibrated so that the Permittee has an accurate measure of how much manure is applied per unit of time or area (e.g. x gallons per hour, y gallons per acre).

The Permittee must use the applicable adaptive management actions specified in special condition S4.L *Adaptive Management of Land Application Fields* to modify their land application of nutrients.

During land application, the Permittee must not cause direct, indirect, or precipitation related discharge to surface waters and must follow the minimum field discharge management practices required by special condition S4.N *Field Discharge Management Practices*. The permittee must visually monitor land application fields for surface and tile drainage discharges when land applying manure, litter, and process wastewater. If a discharge occurs, the permittee shall follow sampling procedures in special condition S5.E *Surface Water Monitoring* and reporting requirements in special condition S7.E *Reporting Permit Violations*.

### 3. Application Restrictions

The Permittee must not land apply more nitrogen and phosphorus to a field than calculated in their yearly nutrient budget (special condition S4.K.1) for that field.

No land application of manure, litter, process wastewater, or other organic by-products may occur:

- a. To fields with a frozen surface crust (2 inches) or deeper, or if the soil is at or below zero degrees Celsius (32 degrees Fahrenheit).
- b. To fields that are snow covered.
- c. To fields with soils that are or will become **saturated** with forecasted precipitation prior to infiltration or incorporation.
- d. If the water table is within 12 inches or less of the surface.
- e. If precipitation is forecast in the next 24 hours for the facility location that will cause a discharge from the Permittee's land application fields.

- f. After October 1 and prior to **T-SUM 200** unless applied in accordance with special condition S4.K.4 *Double Cropping, Winter Cover Crops, Perennial Crops*.
- g. To fields that are bare (no perennial crop) unless the Permittee is preparing the bare field for the current year's annual crop (planting within 30 days of land application).

The Permittee may use an alternative to T-SUM 200 restriction above if the alternative demonstrates that crop growth and nutrient uptake begins before TSUM200. The alternative method must be approved by Ecology prior to utilizing the alternative to TSUM200. Submit an updated MPPP to Ecology per S4.A.5.c *When the Permittee proposes alternatives*. The alternative starting application dates must be site and crop specific. The updated MPPP must include supporting information demonstrating that the alternative method will be as effective as the T-SUM200 method in determining that crop growth and nutrient uptake is adequate to prevent discharges of excess nutrients to surface and groundwaters.

#### 4. **Double Cropping, Winter Cover Crops, Perennial Crops**

After late summer or early fall soil sampling, any land application taking place must be demonstrated to be necessary because current soil nitrogen plus estimated nitrogen mineralization will not provide the nutrients necessary for the double crop, winter cover crop, or perennial crop.

Before land application may take place for a double crop, winter cover crop, or perennial crop the Permittee must have taken fall soil samples, had the soil samples analyzed as required by special condition S4.J *Soil Sampling and Nutrient Analysis*, and shown how a land application of nitrogen is necessary to support estimated crop yield according to special condition S4.K.1 *Annual Field-Specific Crop Nutrient Budget*.

If the nutrient budget shows that soil nitrogen plus estimated nitrogen mineralization will not provide the nutrients necessary during the winter for a double crop, cover crop, or perennial crop, the Permittee may land apply manure, litter, process wastewater, or other organic by-products in compliance with the land application restrictions in special condition S4.K.1 through S4.K.3 above.

#### 5. **Emergency Winter Land Application**

Land application of manure, litter, process wastewater, or other organic by-products outside of the limits set by special condition S4.K.1 through S4.K.4 or in amounts greater than the Permittee's yearly field nutrient budgets is a violation of

this permit. Any land application outside of the permit requirements must be due to the need to protect public health and safety (e.g. to prevent waste storage pond **over-topping**).

In the event that a Permittee makes an emergency land application outside of permit requirements, the Permittee must follow the noncompliance procedure:

- a. Prior to making any emergency land applications, notify Ecology by phone or email at [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).
- b. Document the reason for emergency application and keep records of:
  - i. Dates and times of land application
  - ii. Field IDs for the fields where land application took place
  - iii. Nutrient content of applied material
  - iv. Amount of material (e.g. gallons) land applied
- c. Monitor fields and tile drain outlets for discharges to surface waters or conduits to surface waters. If a discharge occurs, collect and analyze a sample or samples representative of the discharge. Follow sample collection and analysis procedures in S5.E *Surface Water Monitoring*. Report the results to Ecology within 15 days of collecting the sample(s) using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to S7.A *How to Submit Documents to Ecology*.
- d. Within 24 hours of the application, report the information recorded in b. to Ecology via email at [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).
- e. Develop a plan to remain in compliance with the permit within 6 months of the emergency winter land application and submit that plan and an updated MPPP if necessary, to Ecology according to the procedure in special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*.
- f. Work proposed in the plan must be completed within 18 months of the emergency land application.

To request a time extension, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*, 120 days prior to the deadline. The permittee must publicly notice this request for modification of coverage following the procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. Ecology will approve or deny the request within 60 days of receipt of a complete request.

**S4.L Adaptive Management of Land Application Fields**

The Permittee must use adaptive management to prevent the build-up of excess nitrogen and phosphorus in the soil. The requirement is to reduce fall soil nitrate concentrations in land application fields to a Risk Level of Medium or less and to maintain soil phosphorous levels below 60 ppm west of the Cascades (Bray P1) and below 40 ppm east of the Cascades (Olsen (bicarbonate) extraction).

**1. Step 1: Determine Field Risk Level**

Use Table 3 below to determine land application field risk level.

- For each field in drier climates, use the fall soil test nitrate results (special condition S4.J *Soil Sampling and Nutrient Analysis*) from three feet (36 inches) to determine the field risk level.
- For each field in wetter climates, use the fall soil test nitrate results (special condition S4.J *Soil Sampling and Nutrient Analysis*) from the first foot (1-12 inches) to determine the field risk level, unless groundwater is encountered.

**Table 3 Field Risk Level**

Field Risk Level	Fall Soil Test Nitrate Range in ppm	Fall Soil Test Nitrate Range in pounds per acre
Low	Less than 15	Less than 55
Medium	15 - 30	55 - 110
High	–Greater than 30	–Greater than 110

**2. Step 2: Take Required Adaptive Management Actions**

Take the required adaptive management actions specified in the *Required Actions* column corresponding to the field risk level.

- Use Table 4 Adaptive Management Actions for areas in drier climates.

- Use Table 5 Adaptive Management Actions for areas in wetter climates.

Where the field risk level remains Medium for two consecutive years, in addition to taking the Required Actions After 1 Year column, take the actions in the Required Actions after 2 Consecutive Years column. Continue these actions until the field risk level is reduced to Low.

**Table 4 Adaptive Management Actions for areas in drier climates**

Field Risk Level	Required Actions After 1 Year	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>• No changes to current practices required.</li> </ul>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>• Reevaluate nutrient budget assumptions for estimated crop yield, nitrogen volatilization, mineralization (special condition S4.K), and other sources of nutrients (e.g. irrigation water and atmospheric/precipitation deposition).</li> <li>• Verify actual land application rates and recalibrate land application equipment if necessary.</li> </ul>	<ul style="list-style-type: none"> <li>• Continue the actions required by Medium risk level and:                             <ul style="list-style-type: none"> <li>○ Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>○ Adjust land application timing so nutrient availability aligns with peak crop uptake.</li> <li>○ Stop land application after peak crop uptake.</li> <li>○ Collect and analyze an additional late-summer/early fall soil sample at the third foot depth (25-36 inches) according to special condition S4.L.3.</li> </ul> </li> </ul>
<b>High</b>	<p>Continue the actions required by Medium risk levels and:</p> <ul style="list-style-type: none"> <li>○ Stop land application of nutrients to the field.</li> <li>○ Hire a professional/consultant to develop yearly nutrient budgets and application rates.</li> <li>○ Collect additional fall soil samples at the third, fourth, and fifth foot depth or until refusal or groundwater is reached and analyze for nitrate. Follow procedures in Step 3.</li> </ul>	<ul style="list-style-type: none"> <li>○</li> </ul>
	<ul style="list-style-type: none"> <li>○ .</li> </ul>	<ul style="list-style-type: none"> <li>○</li> <li>○</li> </ul>

**Table 5 Adaptive Management Actions for areas in wetter climates**

Field Risk Level	Required Actions	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>No changes to current practices required.</li> </ul>	<ul style="list-style-type: none"> <li>N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>Reevaluate nutrient budget assumptions for estimated crop yield, nitrogen volatilization, mineralization (special condition S4.K), and other sources of nutrients (e.g. irrigation water and atmospheric/precipitation deposition).</li> <li>Verify actual land application rates and recalibrate land application equipment if necessary.</li> </ul>	<p>Continue the actions required by Medium risk level and:</p> <ul style="list-style-type: none"> <li>Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>Adjust land application timing so nutrient availability aligns with peak crop uptake.</li> <li>Stop land application after peak crop uptake.</li> <li>Collect and analyze an additional fall soil sample at the second foot depth (12-24 inches) according to special condition S4.L.3.</li> </ul>
<b>High</b>	<p>Continue the actions in the Required Action column for Very High, High, and Medium risk levels and:</p> <ul style="list-style-type: none"> <li>Stop land application of nutrients to the field.</li> <li>Hire a professional/consultant to develop yearly nutrient budgets and application rates.</li> <li>Collect additional fall soil samples at the second, third, and fourth foot depth or until refusal or groundwater is reached and analyze for nitrate. Follow procedures in Step 3</li> </ul>	<ul style="list-style-type: none"> <li></li> </ul>
	<ul style="list-style-type: none"> <li></li> </ul>	<ul style="list-style-type: none"> <li></li> </ul>

**3. Step 1: Determine Field Risk Level**

Use Table 4 below to determine phosphorus land application field risk level.

Table 4 – Field Risk based on Soil Test Phosphorus Levels

Field Risk Level	West of Cascades Bray P1 extraction ppm	East of Cascades Olsen (bicarbonate) extraction ppm
Low	50	30
Medium	60	40
High	80	60
Very High	120	100

**4. Step 2: Take Required Adaptive Management Actions for Phosphorus**

Take the required adaptive management actions specified in the *Required Actions* column corresponding to the field risk level.

- Use Table XX Adaptive Management Actions Where the field risk level remains High or Very High for two consecutive years, in addition to taking the actions in the *Required Actions* column, take the actions in the *Required Actions Based upon Trends* column. Continue these actions until the field risk level is reduced to Medium or Low risk.

**5. Step 3: Submit Deeper Soil Test Results**

For fields in the Very High risk category for two consecutive years, the Permittee must sample and analyze soil at the depths specified in the *Required Actions Based upon Trends* column of Table 4 or Table 5.

Collect and analyze these soil samples in the fall according to timings in special condition S4.J *Soil Sampling and Nutrient Analysis*. Collect the samples according to procedures in special condition S5.C. *Soil Monitoring*. Analyze the samples for parameters in Table 9 of special condition S5.C. *Soil Monitoring*.

Submit these results to Ecology using WQWebPortal as described in special condition S7.A *How to Submit Documents to Ecology*.

**Table XX Phosphorus Adaptive Management Actions**

Field Risk Level	Required Actions After 1 Year	Required Actions After 2 Consecutive Years
<b>Low</b>	<ul style="list-style-type: none"> <li>Maintain phosphorus application rates at levels no greater than agronomic recommendations consistent with realistic yield goals and soil test phosphorus levels.</li> </ul>	<ul style="list-style-type: none"> <li>N/A</li> </ul>
<b>Medium</b>	<ul style="list-style-type: none"> <li>Reevaluate nutrient budget assumptions for estimated crop yield, soil test phosphorus, and other sources of nutrients to ensure phosphorus is not applied in excess of agronomic need</li> <li>Verify actual land application rates and recalibrate land application equipment if necessary</li> <li>Evaluate planned vs. actual application rates and make adjustments for the next application</li> <li>To increase P removal, consider increasing the amount of crop biomass removed from the field to reduce soil test phosphorus levels</li> <li>To increase P removal, consider adding winter cover crops, relay crops, or double-cropping.</li> </ul>	<p>Continue the actions required by Medium risk level and:</p> <ul style="list-style-type: none"> <li>Document reason(s) for fall soil sample analysis result and associated risk level in Annual Report (special condition S7.D).</li> <li>Apply phosphorus during late spring or summer when runoff is unlikely and incorporate phosphorus with tillage into soil.</li> <li>Increase the amount of crop biomass removed from the field and add winter cover crops, relay crops, or double-cropping</li> <li>Apply phosphorus only when: (1) soil test indicate a probable yield response to additional phosphorus,</li> </ul>
<b>High</b>	<ul style="list-style-type: none"> <li>Stop land application of phosphorus from any source to the field.</li> <li>Hire a professional/consultant to develop whole farm nutrient management and nutrient removal strategies</li> <li>Implement nutrient removal strategies</li> <li>At a minimum, Increase the amount of crop biomass removed from the field and add winter cover crops, relay crops, or double-cropping</li> </ul>	<p>Continue the actions required by High risk level and:</p> <ul style="list-style-type: none"> <li>Submit a plan to increase the level of management intensity to reduce P transport factors, see EM 8848-E • December 2003.</li> <li>Submit a plan for removal and appropriate offsite management of manure, litter, process wastewater</li> <li>Implement plans</li> </ul>
<b>Very High</b>	<ul style="list-style-type: none"> <li>No land application of phosphorus from any source to the field</li> <li>Hire a professional/consultant to develop whole farm nutrient management, field nutrient removal and transport reduction actions to reduce soil phosphorus levels and prevent phosphorous discharges from the field]</li> </ul>	<p>Continue the actions required by Very High Risk level and :</p> <ul style="list-style-type: none"> <li>Take more aggressive actions if phosphorous levels remain very high</li> </ul>

	<ul style="list-style-type: none"><li>• Submit a plan containing these actions</li><li>• Submit a plan to increase the level of management intensity to reduce P transport factors, see EM 8848-E • December 2003.</li><li>• Submit a plan for removal and appropriate offsite management of manure, litter, process wastewater</li><li>• Implement approved plans</li></ul>	
--	--	--

#### S4.M Irrigation Water Management

The Permittee must prevent the downward movement of nitrate and phosphorus by monitoring field soil moisture level and managing their irrigation water so that the amount of water applied from precipitation and irrigation does not exceed the water holding capacity of the soil beyond the crop rooting depth.

#### S4.N Field Discharge Management Practices

The MPPP must identify appropriate site-specific conservation practices to be implemented on the land application areas to prevent discharges and control runoff of pollutants to waters of the state. The Permittee must use field discharge management practices on each land application field to ensure that no discharge of manure, litter, or process wastewater occurs, as follows:

1. Use field discharge management practices to ensure that no discharge of pollutants to any down-gradient surface waters, open tile line intake structures, sinkholes, ditches, agricultural or drinking water well heads, or other conduits to surface or groundwater occurs.
2. Field discharge management practices are not considered part of the Permittee's land application area for calculating yearly field nutrient budgets and may not have manure, litter, process wastewater, or other organic by-products applied to them. Livestock must be excluded from these areas.
3. Include one or more of the following compliant field discharge management practices used singly or in combination:
  - a. Vegetated **filter strip** between land application fields or pastures and down gradient surface water conveyances. Filter strips must be at least 35 feet wide measured horizontally from the **top of the bank** on the surface water or conduit to surface water that is being protected.
  - b. Land application setback where manure, litter, or process wastewater may not be applied closer than 100 feet from the top of the bank on the surface water or conduit to surface water that is being protected.
  - c. Berms which prevent surface water discharge from the land application field and where application of manure, litter, or process wastewater is prohibited. Berms will be subject to inspection and approval by the Washington State Department of Ecology or other qualified Washington State agency upon construction and modification. Berms must be designed, installed, and maintained to perform their function considering the following factors:
    - i. Weather characteristics for the area where the facility is located such as precipitation, storm events, and volume of field run-off.
    - ii. Land application methods used by the Permittee, form of land applied manure, litter, process wastewater, or other organic by-products, timing of land application, and application rates.

- iii. Field characteristics such as soil types, infiltration rates, field slope, presence of other conduits to surface waters (e.g. drainage ditches, tile drains), crop type, cropping cycles, and flooding.
- iv. Installation timing, time from installation to full performance, and maintenance period and activities.
- d. An approved alternative management practice that provides pollutant reductions equivalent to or better than the reductions that would be achieved by the 100-foot setback. Alternative practices must be approved by Ecology prior to use. Submit an updated MPPP to Ecology according to procedures in S4.A.5.c *When the Permittee proposes alternatives*. The updated MPPP must include maps showing the field IDs and locations where the practice will be implemented and supporting information demonstrating that the practice will be as effective as the 100-foot application setback.
- e. [In areas where CAFOs discharge to surface waters, that is endangered species habitat, the CAFO shall construct riparian buffers according to recommendations from Ecology's \*Voluntary Clean Water Guidance for Agriculture, Chapter 12, Riparian Areas and Surface Water Protection\*.](#)

#### **S4.O Manure Export**

Manure is exported from the Permittee's CAFO to an unaffiliated party when the Permittee no longer has control of how the manure is used. The unaffiliated party receiving exported manure must obtain a nutrient application permit to apply manure, litter, wastewater, or processed waste from CAFOs to land. The Permittee must maintain a copy on file of the nutrient application permit for any manure recipient.

The Permittee must provide the most recent manure, litter, process wastewater, or other organic by-product nutrient analysis to the recipient as part of export. If the Permittee is exporting digestate, the nutrient analysis must be from within the last 5000 cubic yards (approximately 1,010,000 gallons) of digestate generated.

The Permittee must keep records of its manure exports as required by special condition S6.C *Export Records*.

If the Permittee has an agreement with another party (contracted composter) for the contracted composter to process (manure "composting" or drying) manure solids from the Permittee on-site, the solids which go to the contracted composter must be tracked as export by the Permittee. After the solids are under the control of the contracted composter, the Permittee is not responsible for tracking sales and movement off-site of the processed manure solids as part of export unless the solids come under the Permittee's control again.

#### **S4.P Emergency Procedures**

The Permittee must develop emergency procedures in the event of a failure in their infrastructure (e.g. burst pipe, waste storage pond embankment failure) that will

direct the Permittee's actions to prevent, control, or reduce discharges to ground and surface waters. Emergency procedures must include discharge sampling as required by this permit. The emergency procedures must include the noncompliance notification requirements required by special condition S7.E *Reporting Permit Violations* and special condition S7.F *Spills Reporting*.

#### **S4.Q Training**

Either the Permittee or at least one of the Permittee's employees must be familiar with the monitoring and inspections required by special condition S5.A *Operations and Maintenance*.

If the Permittee chooses to train their employee(s) to look for and notice problems with facility infrastructure during their daily work to meet the visual inspection/monitoring requirements of special condition S5.A *Operations and Maintenance* so that these requirements do not become a separate activity, the employee training must incorporate what to look for, who to notify (if there is a designee other than the Permittee) about problems or potential problems, and where and how to record the information at the end of shift as required by special condition S6.A *Operations and Maintenance*.

### **S5. MONITORING**

#### **S5.A. Operations and Maintenance**

The Permittee must perform the visual inspections of the facility indicated in Table 6 below, to ensure that equipment, infrastructure, and field discharge management practices are in proper working order.

**Table 6 Routine Visual Inspections**

Inspection	Frequency
Clean and wastewater lines	Daily
Clean water diversion (e.g. roof gutters)	Weekly
Storage ponds and waste handling infrastructure	Weekly
Field run-off management	Monthly

The Permittee must record the outcome of the visual inspections according to special condition S6.A *Operations and Maintenance Records*. A template for this record keeping is available on [Ecology's CAFO Permit webpage](https://ecology.wa.gov/cafo)<sup>11</sup>.

Other templates which document the required information may be used. For example, the most recent Oregon Department of Agriculture Large CAFO Record Keeping Calendar, which is available (at the time this permit was issued) under the [Resources section of the Oregon CAFO web page](http://www.oregon.gov/ODA/programs/NaturalResources/Pages/CAFO.aspx)<sup>12</sup>:

<sup>11</sup> <https://ecology.wa.gov/cafo>

<sup>12</sup> <http://www.oregon.gov/ODA/programs/NaturalResources/Pages/CAFO.aspx>

## 55.B. Manure, Litter, and Process Wastewater Monitoring

### 1. When to collect and analyze samples

The Permittee must sample the manure, litter, and process wastewater, for nutrient content, including nitrogen and phosphorus, prior to its application to land, up to three times annually as laid out in the schedule in Table 7.

During the land application season, if the Permittee begins to use a new source of nutrients for crops, the Permittee must have the new source sampled and analyzed for nutrient content, including nitrogen and phosphorus, prior to land applying the new source.

The Permittee is not required to have commercial chemical fertilizers sampled and analyzed for nutrient content, but is required to record the amount of nutrients applied in special condition S6.B *Land Application Records*.

### 2. How to collect and analyze samples

Manure, litter, process wastewater, and other organic by-product samples must be representative of the source (**composite sample**), and taken following the most recent guidance provided in either Extension Publication PNW 533<sup>13</sup> or PNW 673<sup>14</sup>. Copies of these documents are available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>15</sup>.

The permittee must use the analytical methods specified in Table 7 unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40 CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection level (DL), and quantification level (QL) on the discharge monitoring report or in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

If a waste storage structure is equipped with a leak detection system, monitor for leaks according to the leak detection plan included in the MPPP.

---

<sup>13</sup> Bary, A., Cogger, C., Sullivan, D. (2016). *Fertilizing with Manure and Other Organic Amendments*. Pacific Northwest Extension, Washington State University.

<sup>14</sup> Moore, A., de Haro-Marti, M., Chen, L. (2015). *Sampling Dairy Manure and Compost for Nutrient Analysis*. Pacific Northwest Extension, University of Idaho.

<sup>15</sup> <https://ecology.wa.gov/cafo>

**Table 7 Manure, Litter, and Process Wastewater Sampling**

Parameter	Units & Speciation (Liquid Materials)	Units & Speciation (Solid Materials)	Laboratory Method	Sampling Frequency	Sample Type
Ammonia-N (NH <sub>3</sub> -N)	Lbs/1000 gal as N, as received	Lbs/ton as N, as received	SM 4500-NH <sub>3</sub> G/H-2011	Up to 3 times per year, per source	Composite
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	Lbs/1000 gal as N, as received	Lbs/ton as N, as received	SM 4500-NO <sub>3</sub> E/F/H-2011	Up to 3 times per year, per source	Composite
Total Phosphorus <sup>a</sup>	Lbs/1000 gal as P <sub>2</sub> O <sub>5</sub> , as received	Lbs/ton as P <sub>2</sub> O <sub>5</sub> , as received	SM 4500-P E-2011	Up to 3 times per year, per source	Composite
Liner Leak <sup>b</sup>	Yes/No	NA	NA	Weekly	Visual Observation
Volume of Leaked Water	gallons/day	NA	NA	Daily, if leak detected	Measurement

<sup>a</sup> If laboratory reports results as elemental phosphorus, multiply the result by 2.29 to convert to the fertilizer form P<sub>2</sub>O<sub>5</sub>.

<sup>b</sup> If water is observed report yes, if not report no.

### S5.C. Soil Monitoring

#### 1. When to collect and analyze soil samples

The permittee must monitor soil on land application fields. Soil samples must be taken at least twice a year according to requirements in S4.J *Soil Sampling and Nutrient Analysis*.

- Collect soil samples prior to land application and analyze them for the parameters listed in Table 8.
- Collect soil samples after harvest of annual crops and before 3 inches of rainfall accumulate. Analyze them for parameters listed in Table 9.

#### 2. How to collect and analyze soil samples

Samples must be representative of the land application field (composite sample), following the most recent guidance on soil sample handling, preservation, and shipment provided in either Extension Publication PNW 570<sup>16</sup> or EM 8832<sup>17</sup>. Copies of these documents are available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>18</sup>.

<sup>16</sup> Staben, M. L., et al. (2003). *Monitoring Soil Nutrients Using a Management Unit Approach*. Pacific Northwest Extension.

<sup>17</sup> Sullivan, D., et al. (2021). *Post-Harvest Soil Nitrate Testing for Manured Cropping Systems West of the Cascades*. Pacific Northwest Extension, Oregon State University.

<sup>18</sup> <https://ecology.wa.gov/cafo>

**Table 8 Pre-Land Application Soil Monitoring**

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Ammonia-N (NH <sub>3</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 - 12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 - 12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Total Phosphorus <sup>a</sup>	ppm	Every year	Increment 1: 0 - 12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 0 - 24 inches

**Table 9 Post-Harvest Soil Monitoring**

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Ammonia-N (NH <sub>3</sub> -N)	lbs/acre or ppm as N	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches

Parameter	Units & Speciation	Sampling Frequency	Depth Increments for Areas with Annual Precipitation of 25 inches or Less	Depth Increments for Areas with Annual Precipitation greater than 25 inches
Soil Organic Matter	%	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches
Total Phosphorus <sup>a</sup>	ppm	Every year	Increment 1: 0 -12 inches Increment 2: 12-24 inches Increment 3: 24-36 inches	Increment 1: 24 inches

<sup>a</sup>The Bray-1 extraction method must be used to determine soil phosphorus for soils below pH 7. The Olsen bicarbonate extraction method must be used for soils at or above pH 7.

## 55.D. Groundwater Monitoring

### 1. Medium and Large CAFOs located within a nitrate priority area

Medium and large CAFOs located within a ***nitrate priority area*** categorized as moderate, moderately high, high, or very high priority must install a representative groundwater monitoring network and conduct monitoring according to the procedures below. A map of the nitrate priority areas is provided in Appendix C.

All production areas and land application fields must be monitored. If the CAFO facility is not co-located, establish separate groundwater monitoring networks for each area. Land application fields with similar management practices and site conditions including but not limited to soil type and hydrogeology, may be grouped together, so long as representative samples can be obtained.

Each groundwater monitoring network must have a sufficient number of wells downgradient of the CAFO facility to ensure a high probability of detecting contamination when it is present. At least one well must be upgradient of the CAFO facility monitored by the network and additional wells must be installed if required to provide representative data. Groundwater monitoring must be conducted in the uppermost saturated zone.

#### *a. Develop the Work Plan*

Within 6 months of receiving permit coverage, the Permittee must submit a work plan to Ecology for installing a groundwater quality monitoring network, in accordance with WAC 173-200-080. The work plan must conform to *Guidelines for Preparation of Engineering Reports for Industrial Wastewater Land Application Systems* (Ecology Publication #93-36) and the *Implementation Guidance for the Groundwater Quality Standards* (Ecology Publication #96-02). The work plan must include well siting, quality control protocols, a sampling plan, and sampling protocols.

#### *b. Install Groundwater Monitoring Wells*

The Permittee must complete construction of the groundwater monitoring network within ninety (90) days after approval of the work plan by Ecology. The Permittee must construct wells in accordance with Chapter 173-160 WAC. Report to Ecology the tag numbers, latitude and longitude (NAD83/WGS84 datum), and top-of-casing elevations (NAVD88 datum) of each monitoring well.

#### *c. Conduct Routine Monitoring*

After the groundwater monitoring network is in place, the Permittee must notify Ecology and monitor the parameters in Table 10 according to the approved work plan. Notify Ecology at least 30 days prior to monitoring.

The Permittee must use the analytical methods specified below unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40

CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection level (DL), and quantification level (QL) in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

## 2. **Small CAFOs and Facilities outside of a Nitrate Priority Area**

All small CAFOs and CAFOs located outside a nitrate priority area must install groundwater monitoring network and conduct monitoring according to the procedures below. A map of the nitrate priority areas is provided in Appendix C.

All production areas and land application fields must be monitored. If the CAFO facility is not co-located, establish separate groundwater monitoring networks for each area. Land application fields with similar management practices and site conditions including but not limited to soil type and hydrogeology, may be grouped together, so long as representative samples can be obtained.

Each groundwater monitoring network must have a sufficient number of wells downgradient of the CAFO facility to ensure a high probability of detecting contamination when it is present. At least one well must be upgradient of the CAFO facility monitored by the network. Groundwater monitoring must be conducted in the uppermost saturated zone.

### *a. Develop the Work Plan*

Within 12 months of receiving permit coverage, the Permittee must submit a work plan to Ecology for a groundwater quality evaluation study at the site specified in the determination, in accordance with WAC 173-200-080. The work plan must conform to *Guidelines for Preparation of Engineering Reports for Industrial Wastewater Land Application Systems* (Ecology Publication #93-36) and the *Implementation Guidance for the Groundwater Quality Standards* (Ecology Publication #96-02). The work plan must include well siting, quality control protocols, a sampling plan, and sampling protocols.

### *b. Implement the Work Plan*

Upon approval of the work plan by Ecology, the Permittee must conduct a groundwater evaluation study to determine site-specific hydrogeologic conditions.

### *c. Report the Study Results*

After the first full year of monitoring, the Permittee must submit a report summarizing the results of the groundwater evaluation study, interpretations of the data, conclusions, and recommendations. Submit this report with the annual report required in S7.D.

*d. Install Additional Groundwater Monitoring Wells*

If the groundwater study recommends installation of additional wells, the Permittee must complete construction of the groundwater monitoring network within ninety (90) days after approval of the groundwater evaluation study by Ecology. The Permittee must construct wells in accordance with Chapter 173-160 WAC. Report to Ecology the tag numbers, latitude and longitude (NAD83/WGS84 datum), and top-of-casing elevations (NAVD88 datum) of each monitoring well.

*e. Conduct Routine Monitoring*

After the recommended groundwater monitoring network is in place, the Permittee must notify Ecology and monitor the parameters in Table 10 according to the approved groundwater evaluation study. Notify Ecology at least 30 days prior to monitoring.

The Permittee must use the analytical methods specified below unless a different method used is sufficiently sensitive and produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40 CFR Part 136. If the Permittee uses an alternative method, not specified in the permit and as allowed above, it must report the test method, detection limit (DL), and quantification limit (QL) in the required report. If the Permittee is unable to obtain the required DL and QL in its effluent due to matrix effects, the Permittee must submit a matrix-specific detection limit (MDL) and a QL to Ecology with appropriate laboratory documentation.

**3. Submitting work plans and reporting results for all facilities**

Work plans and groundwater evaluation study must be submitted to Ecology according to deadlines specified above. Routine monitoring results must be submitted to Ecology with the annual report required in S7.D. Each document must be submitted using WQWebPortal as described in special condition S7.D *Annual Report* and must include the certification statement and signature required by general condition G14.

**Table 10 Groundwater monitoring**

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency <sup>a</sup>	Sample Type
Measured Depth to Groundwater	Feet (nearest 0.01 ft)	NA	At least quarterly	Field Measurement
pH	Standard Units	NA	At least quarterly	Field Measurement
Conductivity	Micromho/cm	NA	At least quarterly	Field Measurement
Temperature	Degrees C	NA	At least quarterly	Field Measurement

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency <sup>a</sup>	Sample Type
Dissolved Oxygen	mg/L	NA	At least quarterly	Field Measurement
Total Nitrogen (TN)	mg/L as N	NA	At least quarterly	Calculated
<a href="#">Nitrate - N</a>	<a href="#">mg/L</a>	<a href="#">U.S. EPA Method 300</a>	<a href="#">At least quarterly</a>	<a href="#">Grab</a>
<a href="#">Nitrite - N</a>	<a href="#">mg/L</a>	<a href="#">U.S. EPA Method 300</a>	<a href="#">At least quarterly</a>	<a href="#">Grab</a>
Total Kjeldahl Nitrogen (TKN)	mg/L as N	SM4500-N <sub>org</sub> B/C and SM4500NH <sub>3</sub> -B/C/D/EF/G/H	At least quarterly	Grab
<i>Escherichia Coli</i> (E. coli)	CFU or MPN per 100 mL	SM 9221B, 9221F, 9223B, EPA 1603	At least quarterly	Grab

<sup>a</sup> Unless groundwater evaluation study recommends more frequently monitoring

### S5.E. Surface Water Monitoring

1. Permittees shall develop and submit as part of their Manure Pollution Prevention Plan a site specific surface water monitoring plan that provides data adequate to representatively quantify and document the concentration of pollutants in any discharges from the facility to surface waters of the state. At a minimum, permittees shall analyze all upstream and downstream samples for ammonia, nitrate, TKN, total nitrogen, total phosphorus, fecal coliform (fresh and marine waters), and enterococcus (marine and shellfish consumption waters).

#### 2. Standard Protocol

If any discharge of pollutants occurs from the production area to surface water or a prohibited discharge occurs from land application areas to surface water, the permittee must:

- a. Record the date and time the discharge was identified, the date and time the discharge is halted, and an estimate of the volume of the discharge.
- b. Collect a minimum of one grab sample from the point of overflow or discharge while discharging. The sample(s) collected must be representative of the discharge. Analyze the sample(s) for the parameters listed in Table 11.
- c. Notify the appropriate Ecology regional office in person or by phone, within 24 hours of detecting the discharge.

- d. Submit the results from the above actions to Ecology using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to *S7.A How to Submit Documents to Ecology*.
- e. Follow reporting requirements in special condition *S7.E Reporting Permit Violations*.

### 3. Protocol when conditions are unsafe

If conditions are not safe for sampling, the permittee must provide documentation of why samples could not be collected and analyzed. For example, the permittee may be unable to collect samples during dangerous weather conditions (such as local flooding, high winds, hurricane, tornadoes, electrical storms, etc.).

- a. Record the date and time the discharge was identified, the date and time the discharge is halted, and an estimate of the volume of the discharge.
- b. Notify the appropriate Ecology regional office by phone, within 24 hours of detecting the discharge.
- c. Once dangerous conditions have passed, collect a minimum of one sample from the point of overflow or discharge.
- d. Submit the results from the above actions to Ecology using the Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to *S7.A How to Submit Documents to Ecology*.
- e. If the discharge is unauthorized, follow reporting requirements in special condition *S7.E Reporting Permit Violations*.

### 4. Ecology Regional Office Contact Information

**Central Region** at (509) 575-2490 for Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, or Yakima County

**Eastern Region** at (509) 329-3400 for Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, or Whitman County

**Northwest Region** at (425) 649-7000 for Island, King, Kitsap, San Juan, Skagit, Snohomish, or Whatcom County

**Southwest Region** at (360) 407-6300 for Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Lewis, Mason, Pacific, Pierce, Skamania, Thurston, or Wahkiakum County

**Table 11 Surface Water Monitoring**

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency	Sample Type
<i>Escherichia Coli</i> (E. coli), for discharges to freshwater	CFU or MPN per 100 mL	EPA 1603	1/event	Grab

Parameter	Units & Speciation	Laboratory Method	Sampling Frequency	Sample Type
Enterococci, for discharges to marine water	CFU or MPN per 100 mL	EPA 1600	1/event	Grab
Fecal Coliform Bacteria, for discharges to marine water	CFU or MPN per 100 mL	SM 9222D	1/event	Grab
Total Nitrogen (TN)	mg/L as N	NA	1/event	Calculated
Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N)	mg/L as N	SM4500-NO <sub>3</sub> -E/F/H	1/event	Grab
Total Kjeldahl Nitrogen (TKN)	mg/L as N	SM4500-N <sub>org</sub> B/C and SM4500NH <sub>3</sub> -B/C/D/EF/G/H	1/event	Grab
Total Phosphorus	mg/L	EPA 365.1	1/event	Grab
Volume of discharged water	Gallons/day	NA	Daily, as needed	Measured

#### S5.F. Laboratory Accreditation

The Permittee must ensure that all monitoring data required by Ecology for permit specified parameters is prepared by a laboratory registered or accredited under the provisions of chapter 173-50 WAC, *Accreditation of Environmental Laboratories*.

Soils data are process control parameters, which do not require preparation by an accredited laboratory. However, the Permittee must obtain this data from a reputable agricultural test lab that is an active participant in a nationally recognized agricultural laboratory proficiency testing program, such as the North American Proficiency Testing Program (NAPT). You can find more information on the [NAPT website](http://www.naptprogram.org/)<sup>19</sup>.

<sup>19</sup> <http://www.naptprogram.org/>

## S6. RECORD KEEPING

### S6.A. Operations and Maintenance Records

The Permittee must record the outcome of the visual inspections/monitoring required by special condition S5.A *Operations and Maintenance*. A template for this record keeping is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>20</sup>.

### S6.B. Land Application Records

The Permittee must keep the following records of land application for each field where manure, litter, process wastewater, or other organic by-products were applied:

1. Dates of all applications.
2. The field name consistent with the MPPP field map and field specific nutrient budget.
3. Method of land application.
4. Crops planted and estimated crop yield field
5. Soil test results for each field
6. Application rate, including commercial/chemical fertilizer, in pounds, gallons, tons, or ft<sup>3</sup> per acre.
7. The total nitrogen applied (ammonia-N (NH<sub>3</sub>-N), ammonium-N (NH<sub>4</sub>-N), nitrate (NO<sub>3</sub>-N), and organic nitrogen) in pounds per acre.
8. Total phosphorus applied in pounds per acre.
9. Weather 24 hours before land application.
10. Weather during land application.
11. Weather 24 hours after land application.
12. Total amount of irrigation water applied to each field in acre-feet and fractions thereof.

A template for this record keeping is available on [Ecology's CAFO permit webpage](https://ecology.wa.gov/cafo)<sup>21</sup>.

Upon determination that a high late summer or early fall soil nitrate test is due to crop failure or other unusual environmental conditions, the Permittee must keep records of how the determination was made, including any data, measurements, or best professional judgment by technical assistance providers.

---

<sup>20</sup> <https://ecology.wa.gov/cafo>

<sup>21</sup> <https://ecology.wa.gov/cafo>

**S6.C. Export Records**

The Permittee must record the information listed below each time it exports manure, litter, process wastewater, or other organic by-products. A template for this record keeping is available on [Ecology's CAFO permit webpage](#)<sup>22</sup>.

1. Amount of manure, litter, process wastewater, or other organic by-products exported in gallons for liquid/slurry and tons for solids
2. Name of entity manure was exported to
3. Date export took place

The permittee must provide the most recent manure, litter, process wastewater, or other organic by-product nutrient analysis to the recipient as required by special condition S4.O *Manure Export*.

**S6.D. Monitoring Records**

For each measurement or sample taken, the Permittee must record the following information:

1. The date, exact place, method, and time of sampling or measurement
2. The individual who performed the sampling or measurement
3. The dates the analyses were performed
4. The individual who performed the analyses
5. The analytical techniques or methods used
6. The results of all analyses

**S6.E. Providing Records**

The Permittee must provide a copy of their MPPP, records, or other documents required by this permit to Ecology or WSDA within 14 days of their request.

The Permittee must maintain a copy of their MPPP, records, or other documents required by this permit on-site and make these documents available to Ecology or WSDA during site visits.

Updated MPPP must be submitted to Ecology within the timeframe required in S4.A.5 *Update of the MPPP*.

**S6.F. Records Retention**

The Permittee must retain records for a minimum of five (5) years. Such information must include copies of all monitoring, reports, and records required by this permit, and records of all data used to complete the application for this permit.

The Permittee must keep records longer in the event of unresolved litigation regarding the discharge of pollutants by the Permittee or when requested by Ecology.

---

<sup>22</sup> <https://ecology.wa.gov/cafo>

## S7. REPORTS AND SUBMITTALS

### S7.A How to Submit Documents to Ecology

The permittee must use [Ecology's Water Quality Permitting Portal](#)<sup>23</sup> to submit all documents, data, and submittals required in this permit.

If the Permittee is unable to submit electronically (for example, they do not have access to the internet), they must contact Ecology to request an Electronic Reporting Waiver form and submit the completed form to Ecology at:

Washington State Department of Ecology  
Water Quality Program  
Attn: CAFO Permit Manager  
PO Box 47696  
Olympia, WA 98504-7696

All submittals (documents, data, reports, etc.) must be approved and signed by a responsible person in accordance with General Condition G14 (Signatory Requirements).

### S7.B. Submittal of MPPP

The Permittee must submit the CAFO's initial MPPP to Ecology with the permit application.

Updated MPPPs must be submitted to Ecology within the timeframe required in S4.A.5 *Update of the MPPP*.

### S7.C. Waste Storage Structure Assessment

The permittee must conduct and submit an assessment of the condition of each storage structure used for manure, litter, process wastewater and other organic by-products according to the procedures below.

The Permittee shall continue to address any deficiencies identified in the assessment required in the previous Concentrated Animal Feeding Operation General Permit.

#### 1. **Assessment for waste storage ponds with leak detection systems and permanent aboveground tanks**

If the waste storage pond has a leak detection system, follow the leak detection plan as written in the MPPP. See special condition S4.C.3 *Maintain Storage Facilities* for plan requirements.

If using a permanent aboveground tank, follow maintenance requirements in special condition S4.C.3 *Maintain Storage Facilities*. Conduct and document visual inspections and repairs as required in special condition S5.A *Operations and Maintenance*.

---

<sup>23</sup> <https://secureaccess.wa.gov/ecy/wqwebportal>

## 2. Assessment for waste storage ponds without leak detection systems

If a waste storage pond does not have a leak detection system in place, a **qualified expert** must assess the pond for compliance with requirements in special condition S4.C .

The Permittee must submit the results of the assessment for each waste storage pond without a leak detection system to Ecology within 1 year of permit coverage. The assessment must include the certification statement and signature required by general condition G14.

If the assessment identifies that the storage pond does not comply with the standards established in special condition S4.C or repairs are needed, the permittee must discontinue use of the waste storage pond and develop a plan for repair. The repair plan must be submitted to Ecology with an updated MPPP within 6 months in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The repair plan must include:

- a. A description of how the Permittee will ensure compliance with special condition S4.C.
- b. Timelines of when repairs will be completed.
- c. A certification statement and signature as required by general condition G14.

Ecology may require a work plan and groundwater evaluation study (special condition S5.D *Groundwater Monitoring*) if the assessment determines that:

- a. there is less than two feet of vertical separation between the bottom of the waste storage pond (inside the pond above the liner) and the seasonal high water table, or
- b. there is a reasonable potential to impact groundwater due to the design or condition of the structure.

Work proposed in the repair plan must be completed within 18 months of the completion of the waste storage pond assessment.

To request a time extension on work proposed in the repair plan, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates* , 120 days prior to the deadline. Ecology will approve or deny the request within 60 days of receipt of a complete request.

## 3. Assessment for solids storage, dry stacks, and compost piles on impervious surfaces

If the storage area is located on an impervious surface, follow maintenance requirements in special condition S4.C.3 *Maintain Storage Facilities*. Conduct and document visual inspections and repairs as required in special condition S5.A *Operations and Maintenance*.

#### 4. Assessment for solids storage, dry stacks, and compost piles on soil pads

Each solids storage area located on soil pads must be assessed for compliance with requirements in special condition S4.C through a qualified expert, or by completing the double-ring infiltrometer test (ASTM D3385-88), provided that the test is approved for the subject soil texture. The infiltrometer test procedure is available on [Ecology's CAFO Permit webpage](#)<sup>25</sup>.

The Permittee must submit the results of the assessment for each soil pad to Ecology within 1 year of permit coverage.

If the assessment identifies deficiencies, the permittee must collect soil samples at depth increments of 0-12 inch and 12-24 inches and analyze for parameters in Table 8. The permittee must develop a compliance plan to address the deficiencies. The plan must be submitted with an updated MPPP to Ecology within 6 months in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The compliance plan must include:

- a. A description of how the Permittee will ensure compliance with special condition S4.C.2 *Solid Material Storage Facilities*.
- b. Timelines of when work to address the deficiency will be completed.
- c. Results from analyzed soil samples, which must account for compaction.
- d. A certification statement and signature as required by general condition G14.

Work proposed in the compliance plan must be completed within 18 months of the completion of the solids storage assessment. To request a time extension on work proposed in the compliance plan, a Permittee shall submit a detailed explanation of why it is making the request (technical basis) to Ecology in accordance with special condition S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*, 120 days prior to the deadline. Ecology will approve or deny the request within 60 days of receipt of a complete request.

#### S7.D. Annual Report

By February 1 each year, the Permittee must submit an annual report using Ecology's Water Quality Permitting Portal – Permit Submittals application, unless Ecology grants the permittee a waiver from electronic reporting according to S7.A *How to Submit documents to Ecology*. Use the form in Appendix B if granted a waiver.

The reporting period is the previous calendar year (January 1 to December 31). Permittees must include the following with each annual report:

1. Number of animals and manure, litter, wastewater generated.
2. Discharges from production area or land application fields, if they occurred.
3. Nutrient source content results, analyzed according to S5.B.

---

<sup>25</sup> <https://ecology.wa.gov/cafo>

4. Field land application information for each field, including the location and rates of process wastewater, manure, and litter applied to land.
5. Waste and soil nutrient results, analyzed according to S5.C.
6. Yearly field-specific nutrient budgets for each field, including double crop or winter crop if applicable, developed according to S4.K.1.
7. Process wastewater, manure, and litter export information
8. Groundwater monitoring well results.
9. The certification statement and signature according to G14.

#### **S7.E. Reporting Permit Violations**

In the event the Permittee is unable to comply with any of the permit terms, conditions, or discharge limits, due to any cause, the Permittee must:

1. Immediately take action to minimize or otherwise stop the violation, and correct the problem.
2. Sample and analyzed all discharges to surface water according to procedures in special condition S5.E *Surface Water Monitoring*.
3. Notify the appropriate Ecology regional office in person or by phone, within 24 hours of when the Permittee becomes aware of the noncompliance:

**Central Region** at (509) 575-2490 for Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, or Yakima County

**Eastern Region** at (509) 329-3400 for Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, or Whitman County

**Northwest Region** at (425) 649-7000 for Island, King, Kitsap, San Juan, Skagit, Snohomish, or Whatcom County

**Southwest Region** at (360) 407-6300 for Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Lewis, Mason, Pacific, Pierce, Skamania, Thurston, or Wahkiakum County

4. Submit a written report to Ecology within 5 days using Ecology's Water Quality Permitting Portal, unless granted a waiver from electronic reporting according to S7.A *How to Submit Documents to Ecology*. The report must include:
  - a. A description of the noncompliance
  - b. A descriptions of the cause of the noncompliance
  - c. The period of noncompliance including exact dates and times
  - d. A statement about whether the noncompliance has been corrected, or if it has not been corrected how long the noncompliance is expected to last

- e. A description of the steps taken, or being taken to correct the noncompliance corrective action taken and/or planned, steps to be taken to prevent a recurrence, results of the re-sampling, and any other pertinent information.
  - f. Sample results required by special condition S5.E *Surface Water Monitoring*.
  - g. The certification statement and signature required by general condition G14.
5. The Permittee must review their MPPP for compliance with the permit and make appropriate updates within 14 days of the noncompliance to address the noncompliance and reflect any necessary changes to the facility. If the MPPP is revised, submit the updated MPPP in accordance with procedures in S4.A.5.b *When Ecology, WSDA, or Permittee assessments require MPPP updates*. The Permittee must also immediately begin the process to fully implement and maintain appropriate source control and/or treatment infrastructure or practices, addressing the deficiencies no later than 45 days from the date of noncompliance. If installation of necessary infrastructure or practices is not feasible within 45 days Ecology may approve additional time when an extension is requested by a Permittee within the initial 45-day period.

Compliance with the requirements of this special condition (special condition S7.E) does not relieve the Permittee from responsibility to maintain continuous compliance with the terms and conditions of this permit or the resulting liability for failing to comply.

#### **S7.F. Spills Reporting**

The Permittee must report spills of oil or hazardous materials (e.g. pesticides) in accordance with the requirements of RCW 90.56.280 and 173-303-145 WAC by calling the National Response Center 1-800-424-8802, and the Washington Emergency Management Division 1-800-258-5990. Permittees can obtain additional instructions on [Ecology's Report a Spill webpage](#)<sup>26</sup>.

## **S8. APPENDICES**

The attached appendices are incorporated by reference into this permit.

APPENDIX A: DEFINITIONS

APPENDIX B: ANNUAL REPORT

APPENDIX C: NITRATE PRIORITY AREAS

---

<sup>26</sup> <https://ecology.wa.gov/Footer/Report-an-environmental-issue/Report-a-spill>

## GENERAL CONDITIONS

### G1. DISCHARGE VIOLATIONS

All discharges and activities authorized by this general permit shall be consistent with the terms and conditions of this general permit. The discharge of any pollutant to surface water or groundwater, except as conditionally authorized by S3.C of this general permit, is a violation of the terms and conditions of this general permit.

### G2. PROPER OPERATION AND MAINTENANCE

The Permittee shall, at all times, properly operate and maintain all facilities or systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems, which are installed by a Permittee only when the operation is necessary to achieve compliance with the conditions of this permit.

### G3. RIGHT OF ENTRY

The Permittee shall allow an authorized representative of Ecology, upon the presentation of credentials and such other documents as may be required by law:

1. To enter upon the premises where a discharge is located or where any records shall be kept under the terms and conditions of this permit;
2. To have access to and copy at reasonable times any records that shall be kept under the terms of this permit;
3. To inspect at reasonable times any monitoring equipment or method of monitoring required in this permit;
4. To inspect at reasonable times any collection, treatment, pollution management, or discharge facilities; and
5. To sample at reasonable times any discharge of pollutants.

### G4. PERMIT COVERAGE REVOKED

Pursuant with chapter 43.21B RCW and chapter 173-226 WAC, the Director may require any discharger authorized by this permit to apply for and obtain coverage under an individual permit or another more specific and appropriate general permit. Cases where revocation of coverage may be required include, but are not limited to, the following:

1. Violation of any term or condition of this permit.
2. Obtaining coverage under this permit by misrepresentation or failure to disclose fully all relevant facts.

3. Failure or refusal of the Permittee to allow entry as required in RCW 90.48.090.
4. A determination that the permitted activity endangers human health or the environment, or contributes to water quality standards violations.
5. Nonpayment of permit fees or penalties assessed pursuant to RCW 90.48.465 and chapter 173-224 WAC.
6. Failure of the Permittee to satisfy the public notice requirements of WAC 173-226-130(5), when applicable; or Permittees who have their coverage revoked for cause according to WAC 173-226-240 may request temporary coverage under this permit during the time an individual permit is being developed, provided the request is made within ninety (90) days from the time of revocation and is submitted along with a complete individual permit application form.

## **G5. GENERAL PERMIT MODIFICATION AND REVOCATION**

This permit may be modified, revoked and reissued, or terminated in accordance with the provisions of chapter 173-226 WAC. Grounds for modification or revocation and reissuance include, but are not limited to, the following:

1. When a change which occurs in the technology or practices for control or abatement of pollutants applicable to the category of dischargers covered under this permit;
2. When effluent limitation guidelines or standards are promulgated pursuant to the FWPCA or chapter 90.48 RCW, for the category of dischargers covered under this permit;
3. When a water quality management plan containing requirements applicable to the category of dischargers covered under this permit is approved; or
4. When information is obtained which indicates that cumulative effects on the environment from dischargers covered under this permit are unacceptable.

## **G6. REPORTING A CAUSE FOR MODIFICATION**

A Permittee who knows or has reason to believe (including through the receipt of information from the public) that any activity has occurred or will occur which would constitute cause for modification or revocation under Condition G5 above, or 40 CFR 122.62 shall report such plans, or such information, to Ecology so that a decision can be made on whether action to modify coverage or revoke coverage under this permit will be required. Ecology may then require submission of a new application for coverage under this, or another general permit, or an application for an individual permit. Submission of a new application does not relieve the Permittee of the duty to comply with all the terms and conditions of the existing permit until the new application for coverage has been approved and corresponding permit has been issued.

**G7. TOXIC POLLUTANTS**

The Permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutants within the time provided in the regulations that establish those standards or prohibitions, even if this permit has not yet been modified to incorporate the requirement.

**G8. OTHER REQUIREMENTS OF 40 CFR**

All other requirements of 40 CFR 122.41 and 122.42 are incorporated in this general permit by reference.

**G9. COMPLIANCE WITH OTHER LAWS AND STATUTES**

Nothing in this permit shall be construed as excusing the Permittee from compliance with any applicable Federal, State, or local statutes, ordinances, or regulations.

**G10. ADDITIONAL MONITORING**

Ecology may establish specific monitoring requirements in addition to those contained in this permit by administrative orders or permit modification.

**G11. PAYMENT OF FEES**

The Permittee shall submit payment of fees associated with this permit as assessed by Ecology. Ecology may revoke this permit coverage or take enforcement, collection, or other actions, if the permit fees established under chapter 173-224 WAC are not paid.

**G12. REQUESTS TO BE EXCLUDED FROM COVERAGE UNDER A GENERAL PERMIT**

Any discharger authorized by this permit may request to be excluded from coverage under this general permit by applying for an individual permit. The discharger shall submit to the Director an application as described in WAC 173-220-040 or WAC 173-216-070, whichever is applicable, with reasons supporting the request. These reasons must fully document how an individual permit will apply to the applicant in a way that the general permit cannot. Ecology may make specific requests for information to support the request. The Director shall either issue an individual permit or deny the request with a statement explaining the reason for the denial. When an individual permit is issued to a discharger otherwise subject to this general permit, the applicability of this general permit to that Permittee is automatically terminated on the effective date of the individual permit.

### **G13. PENALTIES FOR VIOLATING PERMIT CONDITIONS**

Any person who is found guilty of willfully violating the terms and conditions of this permit shall be deemed guilty of a crime, and upon conviction thereof shall be punished by a fine of up to ten thousand dollars and costs of prosecution, or by imprisonment in the discretion of the court. Each day upon which a willful violation occurs may be deemed a separate and additional violation. Any person who violates the terms and conditions of a waste discharge permit shall incur, in addition to any other penalty as provided by law, a civil penalty in the amount of up to ten thousand dollars for every such violation. Each and every such violation shall be a separate and distinct offense, and in case of a continuing violation, every day's continuance shall be deemed to be a separate and distinct violation.

### **G14. SIGNATORY REQUIREMENTS**

All applications, reports, or information submitted to Ecology shall be signed and certified.

1. All permit applications shall be signed:
  - a. In the case of corporations, by a responsible corporate officer.
  - b. In the case of a partnership, by a general partner of a partnership.
  - c. In the case of sole proprietorship, by the proprietor.
  - d. In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.
2. All reports required by this permit and other information requested by Ecology shall be signed by a person described above or by a duly authorized representative of that person. A person is a duly authorized representative only if:
  - a. The authorization is made in writing by a person described above and submitted to Ecology.
  - b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility, such as the position of plant manager, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.)
3. Changes to authorization. If an authorization under paragraph B.2 above is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of paragraph B.2 above must be submitted to Ecology prior to or together with any reports, information, or applications to be signed by an authorized representative.
4. Certification. Any person signing a document under this section shall make the following certification:

*I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

## **G15. APPEALS**

The terms and conditions of this general permit are subject to appeal. There are two different appeal categories.

1. The permit terms and conditions as they apply to the appropriate class of dischargers are subject to appeal within thirty (30) days of issuance of this general permit in accordance with chapter 43.21(B) RCW and chapter 173-226 WAC; and
2. The applicability of the permit terms and conditions to an individual discharger are subject to appeal in accordance with chapter 43.21(B) RCW within thirty (30) days of the effective date of coverage of that discharger.

An appeal of the coverage of this general permit to an individual discharger is limited to the applicability or non-applicability of this permit to that same discharger. Appeal of this permit coverage of an individual discharger will not affect any other individual dischargers. If the terms and conditions of this general permit are found to be inapplicable to any discharger(s), the matter shall be remanded to Ecology for consideration of issuance of an individual permit or permits.

## **G16. SEVERABILITY**

The provisions of this permit are severable, and if any provision of this general permit or application of any provision of this general permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this general permit, shall not be affected thereby.

## **G17. DUTY TO REAPPLY**

The Permittee shall reapply for coverage under this permit at least one hundred and eighty (180) days prior to the specified expiration date of this permit. An expired permit and coverage under the permit continues in force and effect until Ecology issues a new permit (coverage) or until Ecology cancels it. Only those facilities that have reapplied for coverage under this permit are covered under the continued permit.

## **G18. MONITORING BEYOND PERMIT REQUIREMENTS**

If the Permittee performs monitoring to document compliance with this permit beyond that required by this permit, sampling and analysis must conform to the latest revision of the *Guidelines Establishing Test Procedures for the Analysis of Pollutants* contained in 40 CFR Part 136 (or as applicable in 40 CFR subchapters N [Parts 400–471] or O [Parts 501-503]).

Ecology may specify alternative methods for parameters without limits and for those parameters without an EPA approved test method in 40 CFR Part 136.

## APPENDIX A: DEFINITIONS

### 100-year, 24-hour Storm Event:

The amount of precipitation from a 24-hour storm event that has the likelihood of occurring once in a 100-year period. The amount of precipitation from a storm event of this type varies by location.

### Applicant:

The person or entity applying for permit coverage.

### Application for Coverage:

The form developed by Ecology used by a discharger to apply for coverage under a general permit. It is specific to each general permit. Also referred to as a Notice of Intent or NOI.

### Application Rate:

The rate in quantity per acre (e.g. gallons/acre, tons/acre) that manure, litter, process wastewater, other organic by-products, or other nutrients from all sources are applied to a land application field.

### Beneficial Use:

All existing and future uses of waters of the state as defined in WAC 173-200-020(4), and the use designations specified in WAC 173-201A-602. All uses have the same priority.

### Composite Sample:

A series of grab samples collected over several locations within a field or *management unit* and combined together.





Figure 1 Composite Sample

### Control:

Performing, directing, managing, overseeing, supervising, or giving instruction about any action or decision.

**Crest:**

The highest point of the structural (e.g. embankment) wall of a waste storage pond or other liquid storage structure.



**Figure 2 Crest of a waste storage structure**

**Discharge:**

The addition of any pollutant or combination of pollutants to waters of the state.

**Discharger:**

The owner or operator of any commercial or industrial operation subject to regulation under chapter 90.48 RCW or the federal Clean Water Act due to a discharge.

**Drier Climate:**

A region in the State of Washington that receives, on average, 25 inches or less of precipitation annually.

**Effluent Limitation:**

Synonymous with discharge limits. Any restriction on timing, quantities, rates, and concentrations of pollutants discharged into waters of the state.

**Export:**

The removal of manure, litter, and process wastewater from the CAFO's production system to another party that is not under the control of the Permittee.

**Feed:**


Materials used for animal nutrition or that will be processed and used for animal nutrition that are stored by the CAFO such as hay, silage, grain, vegetable leavings, or other materials used for animal nutrition.

**Filter Strip:**

A strip of dense permanent vegetative cover such as grass and shrubs which slow land application field run-off and work to filter out nutrients and other contaminants (e.g. sediment, chemicals, bacteria, pathogens).

**Freeboard:**

The vertical distance from the maximum storage level (including normal storage plus storage volume for a 100-year, 24-hour storm event) of a waste storage pond to the lowest point on the waste storage pond *crest*.



**Figure 3 Freeboard**

**General Permit:**

A permit that covers multiple dischargers of a source category within a designated geographical area in lieu of issuing individual site-specific permits to each discharger.

**Geomembrane Liner:**

A type of storage pond liner material that is a synthetic polymer such as reinforced polypropylene, high density polyethylene (HDPE), or polyvinyl chloride (PVC) and that is usually between 35 and 60 mil thick.

**Groundwater:**

Water in a saturated zone or stratum beneath the surface of land or below a surface water body. Surficially perched water is groundwater (Douma v. Ecology PCHB 00-019).

**Indian Country:**

As defined in 18 USC 1151: "Except as otherwise provided in sections 1154 and 1156 of this title, the term "Indian country", as used in this chapter, means (a) all land within the limits of any Indian reservation under the jurisdiction of the United States Government, notwithstanding the issuance of any patent, and, including rights-of-way running through the reservation, (b) all dependent Indian communities within the borders of the United States whether within the original or subsequently acquired territory thereof, and whether within or without the limits of a state, and (c) all Indian allotments, the Indian titles to which have not been extinguished, including rights-of-way running through the same."

**Land Apply/Application:**

The process of putting manure, litter, or process wastewater on to a field to provide nutrients for crop growth.

**Land Application Field:**

An area of land, including *management units*, under the control of the CAFO (excluding the production area) to which manure, litter, or process wastewater are applied as a fertilizer or soil amendment.

**Litter:**

Animal bedding, materials used in animal housing such as straw, sand, or shavings on the floor, or spilled feed that has come into contact with manure, other organic by-products, or other contaminants.

**Management Unit:**

Portions of a field or portions of multiple closely located fields which have the same or very similar soil and crop growth characteristics which allow the areas to be managed as a single land application field.

**Manure:**

Liquid and solid livestock excrement.

**Nitrate priority area:**

Area prioritized by Ecology where conditions are vulnerable to nitrate transport to groundwater and wells sampled for nitrate exceed or approach the drinking water maximum contaminant limit of 10 mg/L. Areas are based on factors such as topography, nitrate risk studies, recharge,

land use, geology, soil properties, travel time through the soil profile, nitrate concentrations, and public health exposure. Priority areas are classified as Very High (bin 1), High (bin 2), Moderately High (bin 3), Moderate (bin 4), and Moderate- Urban (bin 5). Areas classified as Low (bin 6) and Insufficient Data (bin 7) have vulnerable conditions, but little to no nitrate results above 5 mg/L.

**Notice of Intent (NOI):**

A formal application or request for coverage under a general permit pursuant to WAC 173-226-200. See also Application for Coverage.

**Notice of Termination (NOT):**

A request by the *Permittee* to Ecology to end the Permittee's permit coverage because the facility no longer requires a permit.

**Over-Top:**

The addition of manure, litter, process wastewater, and precipitation to a waste storage pond until the level of the liquid in the pond rises over the pond crest.

**Other Organic By-Product:**

Decomposable materials such as compost, digestate, crop residues, or other organic sources of nutrients that may be land applied.

**Permit:**

An authorization, license, or equivalent control document issued by Ecology to implement chapter 90.48 RCW, the federal Clean Water Act, and associated statutes by allowing discharges of pollutants to waters of the state within constraints.

**Permittee:**

The person or entity that holds a permit coverage allowing specific discharge(s) to waters of the state (surface or ground).

**Point Source:**

Any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged.

**Pollutant:**

Dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, dirt, sediment, industrial, municipal, and agricultural waste, or any other organic or inorganic matter that shall cause or tend to cause pollution when discharged into water.

**Pollution:**

Such contamination, or other alteration of the physical, chemical or biological properties, of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental or injurious to the public health, safety or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate *beneficial uses*, or to livestock, wild animals, birds, fish or other aquatic life.

**Process Wastewater:**

Any water that is used as part of the operation of a CAFO that has come into contact with animals, raw materials, products, manure, litter, feed, *other organic by-products*, or other contaminants on the facility.

**Production Area:**

The locations making up a CAFO facility that are used for animal confinement, manure, litter, feed, and process wastewater storage, product processing facilities (e.g. milking parlor, egg washing, feed mixing), and other areas used for the storage, handling, treatment, processing, or movement of raw materials, products, or wastes. This includes manure stockpiled on fields.

**Qualified Expert:**

Individuals who: (1) Have received professional training in waste storage facility design and construction and (2) Are capable of evaluating the conditions of the facility that could impact water quality at the site as required by this permit.

**Saturated Soil:**

Soil that has water filling 100% of its soil pore volume and that no longer has the capacity to retain additional water within its pore structure.

**Storage Period:**

The period of time (generally fall to early spring) during which manure, litter, and process wastewater must be stored because they may not be land applied and comply with permit requirements.

**Synthetic Liner:**


Synonymous with **geomembrane liner**.

**T-SUM 200:**

A sum of the daily heat units above zero for each day since January 1 until 200 heat units are reached. Heat units are the average of each day's low and high temperatures in degrees Celsius.

**Top of the Bank:**

The point on the edge of a field past which the land drops quickly down into a drainage ditch, surface water, or depression in the land.



**Figure 4 Top of the Bank**

**Total Maximum Daily Load (TMDL):**

A calculation of the maximum amount of a pollutant that a water body can receive and still meet state water quality standards. Percentages of the total maximum daily load are allocated to the various pollutant sources. A TMDL is the sum of the allowable loads of a single pollutant from all contributing point and nonpoint sources. The TMDL calculations include a "margin of safety" to ensure that the water body can be protected in case there are unforeseen events or unknown sources of the pollutant. The calculation also accounts for seasonable variation in water quality.

**Trust or Restricted Lands:**

As defined in 25 USC § 2201(4): "(i) 'trust or restricted lands' means lands, title to which is held by the United States in trust for an Indian tribe or individual, or which is held by an Indian tribe or individual subject to a restriction by the United States against alienation; and (ii) 'trust or restricted interest in land' or 'trust or restricted interest in a parcel of land' means an interest in land, the title to which interest is held in trust by the United States for an Indian tribe or individual, or which is held by an Indian tribe or individual subject to a restriction by the United States against alienation."

**Vegetated Treatment Area:**

An area of permanent vegetation used to treat contaminated runoff from areas such as feedlots, feed storage, compost areas, solid manure storage areas, barnyards and other livestock holding areas.

**Waste Storage Pond:**

A structure designed for storage of liquid manure, process wastewater, or other liquids or slurries. May also be referred to as a temporary storage pond or lagoon.

**Water Table:**

The level at, and below, which the ground is completely saturated with water.

**Waters of the State:**

Includes lakes, rivers, ponds, streams, inland waters, underground waters (*groundwater*), salt waters and all other surface waters and watercourses within the jurisdiction of the state of Washington (RCW 90.48.020).

**Water Quality Standards:**

The current state and federal standards for water quality including, but not limited to:

- Surface Waters of the State of Washington (chapter 173-201A WAC).
- Ground Water Quality Standards (chapter 173-200 WAC).
- Sediment Management Standards (chapter 173-204 WAC).
- Human health based criteria in the National Toxics Rule (40 CFR § 131.36).

**Wetter Climate:**

A region in the State of Washington that receives, on average, more 25 inches of precipitation annually.



**APPENDIX B:  
CAFO GENERAL  
PERMIT ANNUAL  
REPORT FORM**

Permit No. WAG-  
Facility Name:  
Facility County:

---

Use this form to submit your annual report to Ecology. All facilities must submit a signed annual report each year on or before December 31st.

This report is for the activities conducted during calendar year 20

**Permittee Information**

Facility Name  
Responsible Person  
Email  
Phone Number

**Operator Information**

Operator Name  
Email  
Phone Number:

**Facility Information**

*Provide the maximum number of each type of animal confined at the facility during the calendar year.*

Milking Cow:  
Dry Cow:  
Calf:  
Feedlot Beef:  
Chicken - Broiler:  
Chicken - Layer:  
Swine at least 55 pounds:  
Swine smaller than 55 pounds:

Sheep and lambs:

Turkeys:

Ducks:

Other:

***How much manure, litter, process waste, process wastewater, and other organic by-products did your facility generate during the past year?***

Liquid Manure: Units:

Solid Manure Units:

Poultry Litter: Units:

Process Wastewater: Units:

Digestate: Units:

Other Organic By-products: Units:

***How much manure, litter, process waste, process wastewater, and other organic by-products did your facility export during the past year?***

Liquid Manure: Units:

Solid Manure Units:

Poultry Litter: Units:

Process Wastewater: Units:

Digestate: Units:

Other Organic By-products: Units:

***What is the total number of acres covered in your Manure Pollution Prevention Plan?***

***What is the total number of acres you applied nutrients to or are in control of for this reporting period?***

## **Discharge Information**

During the year, has manure, litter, process waste, or process wastewater discharged from your production area or land application fields? If you are covered by the Combined Permit, do not include discharges of agricultural stormwater here.

NO

YES.

If YES, provide a summary of the approximate date, time, volume and duration of the discharge(s). Summarize your response to the discharge(s) on a separate sheet of paper and attach it with your annual report.

## Nutrient Source Content Analysis

Report the results of your manure, litter, and process wastewater analyses as required in special conditions S4.I and S5.B. Results must be reported “as received” or “wet weight basis”. Print additional copies of this page if you have more nutrient sources than space provided.

Nutrient Source Name <sup>27</sup>	Sample Collection Date	Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N) concentration	Ammonia-N (NH <sub>3</sub> -N) concentration	Units for Nitrogen	Total Phosphorus concentration	Units for Phosphorus

<sup>27</sup> As documented in your Manure Pollution Prevention Plan

## Field Application Information

Fill out this page for each of the fields you applied manure nutrients to fields you control.

Field ID:

Field size, acres:

1<sup>st</sup> Crop Grown:

1<sup>st</sup> Crop Yield, include units:

2<sup>nd</sup> Crop Grown:

2<sup>nd</sup> Crop Yield, include units:

### Field Soil Sample Analysis

Sample Depth	Date sample collected	Nitrate plus Nitrite-N (NO <sub>3</sub> -N + NO <sub>2</sub> -N) concentration	Ammonia-N (NH <sub>3</sub> -N) concentration	Units for nitrogen concentrations	Unit conversion factor for nitrogen <sup>28</sup>	Phosphorus (P <sub>2</sub> O <sub>5</sub> ) as P concentration	Units for Phosphorus	Unit conversion factor for phosphorus <sup>30</sup>	Organic matter content, as percent <sup>31</sup>
0-12 inches									
13-24 inches									
25-36 inches									
0-12 inches									
13-24 inches									
25-36 inches									

<sup>28</sup> When reporting pounds per acre confirm the conversion factor used by the laboratory. Typically between 3.2 to 4.0 pounds per acre per 1 ppm nitrate-N.

<sup>30</sup> When reporting pounds per acre confirm the conversion factor used by the laboratory.

<sup>31</sup> Organic Matter analysis required every three years.

**Nutrient Sources Applied to Field**

Fill out this page for each of the fields you applied manure nutrients to fields you control. List all sources of nutrients including commercial fertilizer that were applied to this field.

Field ID:

Field Size:

Date of Application	Nutrient source name <sup>32</sup>	Total amount of nutrients applied	Units of nutrients applied	Total amount of nitrogen applied	Units of nitrogen applied	Total Amount of Phosphorus Applied	Units of Phosphorus Applied
Annual Total							

**Adaptive Management Risk Level**

If the post-harvest soil nitrate test results in a field risk level of high or very high, document the reasons for the result. High risk is soil nitrate concentrations above 31 ppm or 111 pounds per acre. Very high risk is soil nitrate concentrations above 45 ppm or 165 pounds per acre.

---

<sup>32</sup> Nutrient Source Name must match the source reported in the Nutrient Source Content Analysis section.

## Field Nutrient Budgets

Attach the final field-specific nutrient budgets prepared for each field that received manure nutrients. I have included my field-specific nutrient budgets for the year 20\_\_\_\_\_.

## Certification

A person who has signature authority must sign the Application. Signature authority is defined in General Condition 14 as:

- a. In the case of corporations, by a responsible corporate officer.
- b. In the case of a partnership, by a general partner of a partnership.
- c. In the case of sole proprietorship, by the proprietor.

In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.

*"I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."*

Printed Name:    Date:

Signature:

## Paper Submittal Instructions

Once the information in above sections is complete and the form is signed by the Legally Responsible Party, mail the form and attachments to:

Washington Department of Ecology

Water Quality Program

Attn: CAFO Permit Administrator

PO Box 47600

Olympia, WA 98504-7600

Keep a copy of the completed form and attached documents for your records.


## Questions

If you need assistance when filling out this report, please contact your CAFO permit inspector at the Washington Department of Agriculture.

If you're unable to reach your permit inspector, contact the CAFO permit administrator at (360) 407-6600 or [cafopermit@ecy.wa.gov](mailto:cafopermit@ecy.wa.gov).

### APPENDIX C: NITRATE PRIORITY AREAS

[View this map online](#)<sup>33</sup>



Credits:USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS

<sup>33</sup> <https://arcg.is/qLKqz>

APPENDIX D: 40 CFR 122.42(e)

(e) *Concentrated animal feeding operations (CAFOs)*. Any permit issued to a CAFO must include the requirements in paragraphs (e)(1) through (e)(6) of this section.

(1) *Requirement to implement a nutrient management plan*. Any permit issued to a CAFO must include a requirement to implement a nutrient management plan that, at a minimum, contains best management practices necessary to meet the requirements of this paragraph and applicable effluent limitations and standards, including those specified in 40 CFR part 412. The nutrient management plan must, to the extent applicable:

(i) Ensure adequate storage of manure, litter, and process wastewater, including procedures to ensure proper operation and maintenance of the storage facilities;

(ii) Ensure proper management of mortalities (*i.e.*, dead animals) to ensure that they are not disposed of in a liquid manure, storm water, or process wastewater storage or treatment system that is not specifically designed to treat animal mortalities;

(iii) Ensure that clean water is diverted, as appropriate, from the production area;

(iv) Prevent direct contact of confined animals with waters of the United States;

(v) Ensure that chemicals and other contaminants handled on-site are not disposed of in any manure, litter, process wastewater, or storm water storage or treatment system unless specifically designed to treat such chemicals and other contaminants;

(vi) Identify appropriate site specific conservation practices to be implemented, including as appropriate buffers or equivalent practices, to control runoff of pollutants to waters of the United States;

(vii) Identify protocols for appropriate testing of manure, litter, process wastewater, and soil;

(viii) Establish protocols to land apply manure, litter or process wastewater in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater; and

(ix) Identify specific records that will be maintained to document the implementation and management of the minimum elements described in paragraphs (e)(1)(i) through (e)(1)(viii) of this section.

**(2) Recordkeeping requirements.**

(i) The permittee must create, maintain for five years, and make available to the Director, upon request, the following records:

(A) All applicable records identified pursuant paragraph (e)(1)(ix) of this section;

(B) In addition, all CAFOs subject to 40 CFR part 412 must comply with record keeping requirements as specified in § 412.37(b) and (c) and § 412.47(b) and (c).

(ii) A copy of the CAFO's site-specific nutrient management plan must be maintained on site and made available to the Director upon request.

**(3) Requirements relating to transfer of manure or process wastewater to other persons.** Prior to transferring manure, litter or process wastewater to other persons, Large CAFOs must provide the recipient of the manure, litter or process wastewater with the most current nutrient analysis. The analysis provided must be consistent with the requirements of 40 CFR part 412. Large CAFOs must retain for five years records of the date, recipient name and address, and approximate amount of manure, litter or process wastewater transferred to another person.

**(4) Annual reporting requirements for CAFOs.** The permittee must submit an annual report to the Director. As of December 21, 2025 or an EPA-approved alternative date (see 40 CFR 127.24(e) or (f)), all annual reports submitted in compliance with this section must be submitted electronically by the permittee to the Director or initial recipient, as defined in 40 CFR 127.2(b), in compliance with this section and 40 CFR part 3 (including, in all cases, subpart D to part 3), § 122.22, and 40 CFR part 127. 40 CFR part 127 is not intended to undo existing requirements for electronic reporting. Prior to this date, and independent of 40 CFR part 127, the permittee may be required to report electronically if specified by a particular permit or if required to do so by state law. The annual report must include:

(i) The number and type of animals, whether in open confinement or housed under roof (beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, ducks, turkeys, other);

(ii) Estimated amount of total manure, litter and process wastewater generated by the CAFO in the previous 12 months (tons/gallons);

(iii) Estimated amount of total manure, litter and process wastewater transferred to other person by the CAFO in the previous 12 months (tons/gallons);

(iv) Total number of acres for land application covered by the nutrient management plan developed in accordance with paragraph (e)(1) of this section;

(v) Total number of acres under control of the CAFO that were used for land application of manure, litter and process wastewater in the previous 12 months;

(vi) Summary of all manure, litter and process wastewater discharges from the production area that have occurred in the previous 12 months, including, for each discharge, the date of discovery, duration of discharge, and approximate volume; and

(vii) A statement indicating whether the current version of the CAFO's nutrient management plan was developed or approved by a certified nutrient management planner; and

(viii) The actual crop(s) planted and actual yield(s) for each field, the actual nitrogen and phosphorus content of the manure, litter, and process wastewater, the results of calculations conducted in accordance with paragraphs (e)(5)(i)(B) and (e)(5)(ii)(D) of this section, and the amount of manure, litter, and process wastewater applied to each field during the previous 12 months; and, for any CAFO that implements a nutrient management plan that addresses rates of application in accordance with paragraph (e)(5)(ii) of this section, the results of any soil testing for nitrogen and phosphorus taken during the preceding 12 months, the data used in calculations conducted in accordance with paragraph (e)(5)(ii)(D) of this section, and the amount of any supplemental fertilizer applied during the previous 12 months.

(5) **Terms of the nutrient management plan.** Any permit issued to a CAFO must require compliance with the terms of the CAFO's site-specific nutrient management plan. The terms of the nutrient management plan are the information, protocols, best management practices, and other conditions in the nutrient management plan determined by the Director to be necessary to meet the requirements of paragraph (e)(1) of this section. The terms of the nutrient management plan, with respect to protocols for land application of manure, litter, or process wastewater required by paragraph (e)(1)(viii) of this section and, as applicable, 40 CFR 412.4(c), must include the fields available for land application; field-specific rates of application properly developed, as specified in paragraphs (e)(5)(i) through (ii) of this section, to ensure appropriate agricultural utilization of the nutrients in the manure, litter,

or process wastewater; and any timing limitations identified in the nutrient management plan concerning land application on the fields available for land application. The terms must address rates of application using one of the following two approaches, unless the Director specifies that only one of these approaches may be used:

(i) **Linear approach.** An approach that expresses rates of application as pounds of nitrogen and phosphorus, according to the following specifications:

(A) The terms include maximum application rates from manure, litter, and process wastewater for each year of permit coverage, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Director, in pounds per acre, per year, for each field to be used for land application, and certain factors necessary to determine such rates. At a minimum, the factors that are terms must include: The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field; the crops to be planted in each field or any other uses of a field such as pasture or fallow fields; the realistic yield goal for each crop or use identified for each field; the nitrogen and phosphorus recommendations from sources specified by the Director for each crop or use identified for each field; credits for all nitrogen in the field that will be plant available; consideration of multi-year phosphorus application; and accounting for all other additions of plant available nitrogen and phosphorus to the field. In addition, the terms include the form and source of manure, litter, and process wastewater to be land-applied; the timing and method of land application; and the methodology by which the nutrient management plan accounts for the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied.

(B) Large CAFOs that use this approach must calculate the maximum amount of manure, litter, and process wastewater to be land applied at least once each year using the results of the most recent representative manure, litter, and process wastewater tests for nitrogen and phosphorus taken within 12 months of the date of land application; or

(ii) **Narrative rate approach.** An approach that expresses rates of application as a narrative rate of application that results in the amount, in tons or gallons, of manure, litter, and process wastewater to be land applied, according to the following specifications:

(A) The terms include maximum amounts of nitrogen and phosphorus derived from all sources of nutrients, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Director, in pounds per acre, for each field, and certain factors necessary to determine such amounts. At a minimum, the factors that are terms must include: the outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field; the crops to be planted in each field or any other uses such as pasture or fallow fields (including alternative crops identified in accordance

with paragraph (e)(5)(ii)(B) of this section); the realistic yield goal for each crop or use identified for each field; and the nitrogen and phosphorus recommendations from sources specified by the Director for each crop or use identified for each field. In addition, the terms include the methodology by which the nutrient management plan accounts for the following factors when calculating the amounts of manure, litter, and process wastewater to be land applied: Results of soil tests conducted in accordance with protocols identified in the nutrient management plan, as required by paragraph (e)(1)(vii) of this section; credits for all nitrogen in the field that will be plant available; the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied; consideration of multi-year phosphorus application; accounting for all other additions of plant available nitrogen and phosphorus to the field; the form and source of manure, litter, and process wastewater; the timing and method of land application; and volatilization of nitrogen and mineralization of organic nitrogen.

(B) The terms of the nutrient management plan include alternative crops identified in the CAFO's nutrient management plan that are not in the planned crop rotation. Where a CAFO includes alternative crops in its nutrient management plan, the crops must be listed by field, in addition to the crops identified in the planned crop rotation for that field, and the nutrient management plan must include realistic crop yield goals and the nitrogen and phosphorus recommendations from sources specified by the Director for each crop. Maximum amounts of nitrogen and phosphorus from all sources of nutrients and the amounts of manure, litter, and process wastewater to be applied must be determined in accordance with the methodology described in paragraph (e)(5)(ii)(A) of this section.

(C) For CAFOs using this approach, the following projections must be included in the nutrient management plan submitted to the Director, but are not terms of the nutrient management plan: The CAFO's planned crop rotations for each field for the period of permit coverage; the projected amount of manure, litter, or process wastewater to be applied; projected credits for all nitrogen in the field that will be plant available; consideration of multi-year phosphorus application; accounting for all other additions of plant available nitrogen and phosphorus to the field; and the predicted form, source, and method of application of manure, litter, and process wastewater for each crop. Timing of application for each field, insofar as it concerns the calculation of rates of application, is not a term of the nutrient management plan.

(D) CAFOs that use this approach must calculate maximum amounts of manure, litter, and process wastewater to be land applied at least once each year using the methodology required in paragraph (e)(5)(ii)(A) of this section before land applying manure, litter, and process wastewater and must rely on the following data:

(1) A field-specific determination of soil levels of nitrogen and phosphorus, including, for nitrogen, a concurrent determination of nitrogen that will be plant available consistent with the methodology required by paragraph (e)(5)(ii)(A) of

this section, and for phosphorus, the results of the most recent soil test conducted in accordance with soil testing requirements approved by the Director; and

(2) The results of most recent representative manure, litter, and process wastewater tests for nitrogen and phosphorus taken within 12 months of the date of land application, in order to determine the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied.

(6) **Changes to a nutrient management plan.** Any permit issued to a CAFO must require the following procedures to apply when a CAFO owner or operator makes changes to the CAFO's nutrient management plan previously submitted to the Director:

(i) The CAFO owner or operator must provide the Director with the most current version of the CAFO's nutrient management plan and identify changes from the previous version, except that the results of calculations made in accordance with the requirements of paragraphs (e)(5)(i)(B) and (e)(5)(ii)(D) of this section are not subject to the requirements of paragraph (e)(6) of this section.

(ii) The Director must review the revised nutrient management plan to ensure that it meets the requirements of this section and applicable effluent limitations and standards, including those specified in 40 CFR part 412, and must determine whether the changes to the nutrient management plan necessitate revision to the terms of the nutrient management plan incorporated into the permit issued to the CAFO. If revision to the terms of the nutrient management plan is not necessary, the Director must notify the CAFO owner or operator and upon such notification the CAFO may implement the revised nutrient management plan. If revision to the terms of the nutrient management plan is necessary, the Director must determine whether such changes are substantial changes as described in paragraph (e)(6)(iii) of this section.

(A) If the Director determines that the changes to the terms of the nutrient management plan are not substantial, the Director must make the revised nutrient management plan publicly available and include it in the permit record, revise the terms of the nutrient management plan incorporated into the permit, and notify the owner or operator and inform the public of any changes to the terms of the nutrient management plan that are incorporated into the permit.

(B) If the Director determines that the changes to the terms of the nutrient management plan are substantial, the Director must notify the public and make the proposed changes and the information submitted by the CAFO owner or operator available for public review and comment. The process for public comments, hearing requests, and the hearing process if a hearing is held must follow the procedures applicable to draft permits set forth in 40 CFR 124.11 through 124.13. The Director may establish, either by regulation or in the CAFO's permit, an appropriate period of time for the public to comment and request a hearing on

the proposed changes that differs from the time period specified in 40 CFR 124.10. The Director must respond to all significant comments received during the comment period as provided in 40 CFR 124.17, and require the CAFO owner or operator to further revise the nutrient management plan if necessary, in order to approve the revision to the terms of the nutrient management plan incorporated into the CAFO's permit. Once the Director incorporates the revised terms of the nutrient management plan into the permit, the Director must notify the owner or operator and inform the public of the final decision concerning revisions to the terms and conditions of the permit.

(iii) Substantial changes to the terms of a nutrient management plan incorporated as terms and conditions of a permit include, but are not limited to:

(A) Addition of new land application areas not previously included in the CAFO's nutrient management plan. Except that if the land application area that is being added to the nutrient management plan is covered by terms of a nutrient management plan incorporated into an existing NPDES permit in accordance with the requirements of paragraph (e)(5) of this section, and the CAFO owner or operator applies manure, litter, or process wastewater on the newly added land application area in accordance with the existing field-specific permit terms applicable to the newly added land application area, such addition of new land would be a change to the new CAFO owner or operator's nutrient management plan but not a substantial change for purposes of this section;

(B) Any changes to the field-specific maximum annual rates for land application, as set forth in paragraphs (e)(5)(i) of this section, and to the maximum amounts of nitrogen and phosphorus derived from all sources for each crop, as set forth in paragraph (e)(5)(ii) of this section;

(C) Addition of any crop or other uses not included in the terms of the CAFO's nutrient management plan and corresponding field-specific rates of application expressed in accordance with paragraph (e)(5) of this section; and

(D) Changes to site-specific components of the CAFO's nutrient management plan, where such changes are likely to increase the risk of nitrogen and phosphorus transport to waters of the U.S.

(iv) **For EPA-issued permits only.** Upon incorporation of the revised terms of the nutrient management plan into the permit, 40 CFR 124.19 specifies procedures for appeal of the permit decision. In addition to the procedures specified at 40 CFR 124.19, a person must have submitted comments or participated in the public hearing in order to appeal the permit decision.

(f) **Public notification requirements for CSO discharges to the Great Lakes Basin.** Any permit issued authorizing the discharge of a combined sewer overflow (CSO) to the Great Lakes Basin must:

(1) Require implementation of the public notification requirements in § 122.38(a);

(2) Specify the information that must be included on discharge point signage, which, at a minimum, must include those elements in § 122.38(a)(1)(ii);

(3) Specify discharge points and public access areas where signs are required pursuant to § 122.38(a)(1)(i);

(4) Specify the timing and minimum information required for providing initial and supplemental notification to:

(i) Local public health department and other potentially affected entities under § 122.38(a)(2); and

(ii) The public under § 122.38(a)(3).

(5) Specify the location of CSO discharges that must be monitored for volume and discharge duration and the location of CSO discharges where CSO volume and duration may be estimated; and

(6) Require submittal of an annual notice in accordance with § 122.38(b);

(7) Specify protocols for making the annual notice under § 122.38(b) available to the public.

[48 FR 14153, Apr. 1, 1983, as amended at 49 FR 38049, Sept. 26, 1984; 50 FR 4514, Jan. 31, 1985; 55 FR 48073, Nov. 16, 1990; 57 FR 60448, Dec. 18, 1992; 68 FR 7268, Feb. 12, 2003; 71 FR 6984, Feb. 10, 2006; 72 FR 40250, July 24, 2007; 73 FR 70483, Nov. 20, 2008; 80 FR 64098, Oct. 22, 2015; 83 FR 732, Jan. 8, 2018; 85 FR 69197, Nov. 2, 2020]