Mary Ann Pease

"Getting it right is so very important here in Alaska with any new energy solution. The Westinghouse eVinciTM microreactor will create competitive and resilient power with superior reliability and minimal maintenance, particularly for energy consumers in remote locations. Its small size allows for standard transportation methods and rapid, on-site deployment in contrast to large, centralized stations. Having a secure, reliable energy source for rural applications is critical here in Alaska. Zero emissions is another huge benefit of the Clean energy microreactor.



The eVinci micro-reactor is leading the way towards a sustainable, clean energy future.

eVinci™ **Micro-Reactor**

Delivering the **next generation** of nuclear reactor technology for decentralized energy applications





www.westinghousenuclear.com

Westinghouse

a trademark or registered trademark of Westinghouse Electric Company LLC, its affiliates and/or its subsidiaries in the United States of America and may be registered in mes may be trademarks of their respective owners. This document may contain technical data subject to the export control laws of the United States. In the event this docu this information is document from (or any other medium), including any attachments and exhibits hereits, shale not be exported, released or disclosed to foreign persons w s. Recipient shall include this notice with any reproduced or excerpted portion of this document, or any document derived from, based on, incorporating, using or relyit Reserved. Non-Proprietary Class 2022 Westinghouse Electric Company LLC. All Rights Reserved. ntain such info nce of this doc nent does a ns whether in the United States or Abroad by r ance with all U.S. export co ment that this info

www.westinghousenuclear.com



Heat Pipe Technology

Heat from TRISO Fuel

The Westinghouse Advantage

The eVinci micro-reactor's innovative design combines new technologies with 60+ years of Westinghouse commercial nuclear and engineering experience. It is a cost-competitive and resilient source of power that provides superior reliability with minimal maintenance requirements.

A single eVinci reactor can operate in a cogeneration mode producing 5MW of electricity while simultaneously providing heat and is designed to be operational for 8+ years without the need for refueling. The unit can also operate in a high temperature heat only mode supporting industrial processes. Its compact design also enables easy transportability and rapid (30-days), onsite deployment.

eVinci Micro-Reactor

Construction costs and risks are greatly reduced compared to larger power plants and reactors that require permanent installation. Transportability also eliminates the need for spent fuel storage or handling on site and greatly simplifies the effort to return a site to green field if desired.

Multiple units can be deployed simultaneously to fulfill the energy needs of each unique application. The eVinci micro-reactor can also be integrated to complement existing power sources and energy storage systems. It is also a great resource for enabling renewable deployments where intermittent power is unacceptable.

Safe, Reliable Technology

The key benefits of the eVinci micro-reactor are attributed to its advanced heat pipe technology. The heat pipes enable high-temperature, passive-heat transfer, eliminating the complexity of a forced flow reactor coolant system.

The heat pipes passively transfer heat with high efficiency, eliminating the need for high pressure operation. Few moving parts and low pressures make the eVinci reactor a highly reliable system requiring very little maintenance

Heat removal

Westinghouse has decades of nuclear instrumentation and control experience that supports safe and automatic eVinci micro-reactor operation while including remote monitoring.

The eVinci micro-reactor is a safe, simple, and cost-competitive solution for clean energy generation and offers many benefits that can help countries achieve net zero goals all over the world.

 Heat Pipes
 Fuel
 Shut Down Rod
 Primary Heat Exchanger
 Graphite Core Block
 Control Drum