



305 East Luverne Street, PO Box 659 • Luverne, MN 56156 • P 507.449.2388 • F 507.449.5034 • www.CityOfLuverne.org

December 10, 2024


Dear MPCA,

My name is Jill Wolf, and I am writing on behalf of the City of Luverne to provide comments on the Minnesota Pollution Control Agency's ("MPCA") proposed PFAS in biosolids strategy. The City of Luverne is the owner and operator of a wastewater treatment facility with authorization to land apply our biosolids. Our biosolids are heavily regulated by EPA and MPCA and the land application of those biosolids is safe and environmentally beneficial. The City of Luverne supports efforts to identify, reduce, and eliminate sources of PFAS to POTWs, but we are concerned that MPCA's proposed strategy is moving faster than what is currently allowed for by law and supported by final risk assessment data. However, as a local government entity, we also recognize that PFAS presents an important problem that needs to be strategically addressed in a manner that prioritizes public health without imposing undue burdens on municipal wastewater treatment facilities. As a result, we recommend the following key changes to the proposed biosolids strategy:

- The levels of PFOA and PFOS for the four tiers should be adjusted as follows: Tier 1 (≤ 20 $\mu\text{g/kg}$), Tier 2 (21-50 $\mu\text{g/kg}$), Tier 3 (51-125 $\mu\text{g/kg}$), and Tier 4 (≥ 125 $\mu\text{g/kg}$). We believe this slight adjustment will provide some additional flexibility and certainty—especially for those facilities that find themselves in tiers 1 and 2.
- The ban on land application of biosolids in the tier 4 category should be adjusted to a ban on new application sites only—with the potential to include additional requirements such as reduced application rates, and/or other risk mitigation strategies. A land application ban in the tier 4 category is premature both legally and scientifically without risk assessment data demonstrating that such an approach is necessary to protect human health. Outright bans on the land application or other beneficial reuse of biosolids—like what was enacted in Maine—have proven to be disastrous. The only exception to this should be in the unlikely event that the MPCA identifies, on a case-by-case basis, PFOA or PFOS in such high levels that there is an immediate and substantial threat to public health.
- MPCA's proposal to require a reduced application rate of 1.5 dry tons/acre in the tier 3 category is too rigid and it is not tied to any data demonstrating that it is necessary to protect human health. This reduced application rate is used in both the Wisconsin and Michigan strategies, but it is arbitrary and not based on risk assessment data for protecting human health and the environment and could cause significant problems for POTWs and farmers. To address these concerns, we suggest using a stated range from 1.5 to 3.5 dry/tons per acre and keeping the existing "or an alternative risk mitigation strategy."

- The strategy should be voluntary, unless PFAS biosolids sampling indicates that there is an immediate threat to public health on a case-by-case basis.
- To the extent available under law, MPCA should provide participants in the strategy liability assurances from future MPCA enforcement action related to the land application of biosolids.

Sincerely,

DocuSigned by:

E570AB4F8451454...
Jill Wolf
City Administrator

Certificate Of Completion

Envelope Id: 438F3602-AB8E-433B-9745-9A3DADF19FC4

Status: Completed

Subject: Complete with Docusign: MPCA PFAS Letter

Source Envelope:

Document Pages: 2

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Mandy Van Grootheest

AutoNav: Enabled

PO Box 659

Envelopeld Stamping: Enabled

305 E Luverne

Time Zone: (UTC-06:00) Central Time (US & Canada)

Luverne, MN 56156

mvangrootheest@cityofluverne.org

IP Address: 75.76.131.96

Record Tracking

Status: Original

Holder: Mandy Van Grootheest

Location: DocuSign

12/10/2024 11:04:00 AM

mvangrootheest@cityofluverne.org

Signer Events

Jill Wolf


jwolf@cityofluverne.org

City Administrator

City of Luverne

Security Level: Email, Account Authentication
(None)

Signature

DocuSigned by:

E570AB4F8451454...

Signature Adoption: Uploaded Signature Image

Using IP Address: 216.147.127.11

Signed using mobile

Timestamp

Sent: 12/10/2024 11:05:32 AM

Viewed: 12/11/2024 6:55:40 AM

Signed: 12/11/2024 6:55:47 AM

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent

Hashed/Encrypted

12/10/2024 11:05:32 AM

Certified Delivered

Security Checked

12/11/2024 6:55:40 AM

Signing Complete

Security Checked

12/11/2024 6:55:47 AM

Completed

Security Checked

12/11/2024 6:55:47 AM

Payment Events

Status

Timestamps