



---

**SHPO No 2025-1816 Dayton Transfer Station Upgrade Project**

---

**From** GraggJohnson, Kelly (ADM) <kelly.graggjohnson@state.mn.us>

**Date** Tue 10/14/2025 9:14 PM

**To** Koski, Laura Joreen <Laura.Koski@hdrinc.com>

**CAUTION: [EXTERNAL] This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Laura – Thanks for submitting information on this proposed project. We understand that you are assisting Curbside Waste, Inc. in preparing an EAW for this project. Since there is no ground disturbance associated with the project, archaeological resources will not be affected by this project. Based on the documentation provided, we agree that there are **no properties** listed in the National or State Registers of Historic Places, or within the Historic Sites Network, that will be affected by this project.

Please note that these comments do not address the requirements of Section 106 of the National Historic Preservation Act of 1966 and 36 CFR § 800. If this project is considered for federal financial assistance, or requires a federal permit or license, then review and consultation with our office will need to be initiated by the lead federal agency. Be advised that comments and recommendations provided by our office for this state-level review may differ from findings and determinations made by the federal agency as part of review and consultation under Section 106.

Please let me know if you have any questions.

Thanks,

Kelly



**Kelly Gragg-Johnson** (she/her/hers) | **Environmental Review Specialist**

50 Sherburne Avenue, Suite 203

Saint Paul, MN 55155

(651) 201-3285 | [kelly.graggjohnson@state.mn.us](mailto:kelly.graggjohnson@state.mn.us)

-

---

**From:** Koski, Laura Joreen <Laura.Koski@hdrinc.com>

**Sent:** Friday, September 26, 2025 4:11 PM

**To:** MN\_ADM\_ENV Review SHPO <ENReviewSHPO@state.mn.us>

**Cc:** Wandrie, Lucas <Lucas.Wandrie@hdrinc.com>; Matt Herman <matt@curbsidewaste.com>

**Subject:** Dayton Transfer Station Upgrade Project for Review

**This message may be from an external email source.**

Do not select links or open attachments unless verified. Report all suspicious emails to Minnesota IT Services Security Operations Center.

---

Hello,

Please find attached a project introduction and review request letter for the Dayton Transfer Station capacity upgrade proposed by Curbside Waste, Inc. Attached to this letter are a project location map, project layout drawing, and a Phase I Archaeological Survey report that had previously been completed for this same property but a different project back in 2021.

We look forward to hearing back from SHPO regarding this project.

Laura Koski, M.S., RPA  
*Senior Cultural Resources Project Manager*

HDR  
1601 Utica Avenue South, Suite 600  
St. Louis Park, MN 55416-3400  
**M** 612.323.6147  
[laura.koski@hdrinc.com](mailto:laura.koski@hdrinc.com)

[hdrinc.com/follow-us](https://hdrinc.com/follow-us)



---

**RE: Project Review Request - Dayton Transfer Station Upgrade**

---

**From** Koski, Laura Joreen <Laura.Koski@hdrinc.com>

**Date** Tue 12/30/2025 10:55 AM

**To** MIAC.culturalresources <MIAC.culturalresources@state.mn.us>

**Cc** Matt Herman <matt@curbsidewaste.com>; Wandrie, Lucas <Lucas.Wandrie@hdrinc.com>; Bring, Jennifer <Jennifer.Bring@hdrinc.com>; Miller, Saleh <Saleh.Miller@hdrinc.com>; Klennert, Jennefer <Jennefer.Klennert@hdrinc.com>

Hello,

Checking in again on that status of this project review request submitted on September 29, 2025. To repeat the below:

The submittal includes an EAW, and the MPCA requires a written response from MIAC on the project pursuant to MIAC's responsibilities as a RGU under the Minnesota Environmental Policy Act (MS 116D, Rules 4410.1500).

As a quick update – the EAW was submitted to the MPCA on October 2<sup>nd</sup> to begin their review process. The MPCA has requested a letter from MIAC in order to move the EAW forward.

Please reach out if I can help provide any additional information to facilitate this review.

**Laura Koski**, M.S., RPA

**M** 612.323.6147

[hdrinc.com/follow-us](https://hdrinc.com/follow-us)

---

**From:** Koski, Laura Joreen

**Sent:** Wednesday, November 26, 2025 10:41 AM

**To:** MIAC (miac.culturalresources@state.mn.us) <miac.culturalresources@state.mn.us>

**Cc:** matt@curbsidewaste.com; Wandrie, Lucas <Lucas.Wandrie@hdrinc.com>; Bring, Jennifer <Jennifer.Bring@hdrinc.com>; Miller, Saleh <Saleh.Miller@hdrinc.com>; Klennert, Jennefer <Jennefer.Klennert@hdrinc.com>

**Subject:** FW: Project Review Request - Dayton Transfer Station Upgrade

Hello Again,

We would like to check in on the status of this project review request submitted back on September 29, 2025. The submittal includes an EAW, and the MPCA requires a written response from MIAC on the project pursuant to MIAC's responsibilities as a RGU under the Minnesota Environmental Policy Act (MS 116D, Rules 4410.1500).

As a quick update – the EAW was submitted to the MPCA on October 2<sup>nd</sup> to begin their review process. The MPCA has requested a letter from MIAC in order to move the EAW forward.

Please reach out if I can help provide any additional information to facilitate this review.

**Laura Koski**, M.S., RPA

M 612.323.6147

[hdrinc.com/follow-us](http://hdrinc.com/follow-us)

---

**From:** Koski, Laura Joreen

**Sent:** Monday, September 29, 2025 10:17 AM

**To:** MIAC ([miac.culturalresources@state.mn.us](mailto:miac.culturalresources@state.mn.us)) <[miac.culturalresources@state.mn.us](mailto:miac.culturalresources@state.mn.us)>

**Cc:** [matt@curbsidewaste.com](mailto:matt@curbsidewaste.com); Wandrie, Lucas <[Lucas.Wandrie@hdrinc.com](mailto:Lucas.Wandrie@hdrinc.com)>

**Subject:** Project Review Request - Dayton Transfer Station Upgrade

Hello,

Please find attached a project review request form and associated materials for the Dayton Transfer Station capacity upgrade proposed by Curbside Waste, Inc. Attached to this request form are a project introduction letter, project location map, project layout drawing, and a Phase I Archaeological Survey report that had previously been completed for this same property but a different project back in 2021.

We look forward to hearing back from MIAC regarding this project.

**Laura Koski**, M.S., RPA

*Senior Cultural Resources Project Manager*

**HDR**

1601 Utica Avenue South, Suite 600

St. Louis Park, MN 55416-3400

M 612.323.6147

[laura.koski@hdrinc.com](mailto:laura.koski@hdrinc.com)

[hdrinc.com/follow-us](http://hdrinc.com/follow-us)



---

**RE: Project Review Request - Dayton Transfer Station Upgrade**

---

**From** Koski, Laura Joreen <Laura.Koski@hdrinc.com>

**Date** Tue 12/30/2025 10:55 AM

**To** MIAC.culturalresources <MIAC.culturalresources@state.mn.us>

**Cc** Matt Herman <matt@curbsidewaste.com>; Wandrie, Lucas <Lucas.Wandrie@hdrinc.com>; Bring, Jennifer <Jennifer.Bring@hdrinc.com>; Miller, Saleh <Saleh.Miller@hdrinc.com>; Klennert, Jennefer <Jennefer.Klennert@hdrinc.com>

Hello,

Checking in again on that status of this project review request submitted on September 29, 2025. To repeat the below:

The submittal includes an EAW, and the MPCA requires a written response from MIAC on the project pursuant to MIAC's responsibilities as a RGU under the Minnesota Environmental Policy Act (MS 116D, Rules 4410.1500).

As a quick update – the EAW was submitted to the MPCA on October 2<sup>nd</sup> to begin their review process. The MPCA has requested a letter from MIAC in order to move the EAW forward.

Please reach out if I can help provide any additional information to facilitate this review.

**Laura Koski**, M.S., RPA

**M** 612.323.6147

[hdrinc.com/follow-us](https://hdrinc.com/follow-us)

---

**From:** Koski, Laura Joreen

**Sent:** Wednesday, November 26, 2025 10:41 AM

**To:** MIAC (miac.culturalresources@state.mn.us) <miac.culturalresources@state.mn.us>

**Cc:** matt@curbsidewaste.com; Wandrie, Lucas <Lucas.Wandrie@hdrinc.com>; Bring, Jennifer <Jennifer.Bring@hdrinc.com>; Miller, Saleh <Saleh.Miller@hdrinc.com>; Klennert, Jennefer <Jennefer.Klennert@hdrinc.com>

**Subject:** FW: Project Review Request - Dayton Transfer Station Upgrade

Hello Again,

We would like to check in on the status of this project review request submitted back on September 29, 2025. The submittal includes an EAW, and the MPCA requires a written response from MIAC on the project pursuant to MIAC's responsibilities as a RGU under the Minnesota Environmental Policy Act (MS 116D, Rules 4410.1500).

As a quick update – the EAW was submitted to the MPCA on October 2<sup>nd</sup> to begin their review process. The MPCA has requested a letter from MIAC in order to move the EAW forward.

Please reach out if I can help provide any additional information to facilitate this review.

**Laura Koski**, M.S., RPA

M 612.323.6147

[hdrinc.com/follow-us](http://hdrinc.com/follow-us)

---

**From:** Koski, Laura Joreen

**Sent:** Monday, September 29, 2025 10:17 AM

**To:** MIAC ([miac.culturalresources@state.mn.us](mailto:miac.culturalresources@state.mn.us)) <[miac.culturalresources@state.mn.us](mailto:miac.culturalresources@state.mn.us)>

**Cc:** [matt@curbsidewaste.com](mailto:matt@curbsidewaste.com); Wandrie, Lucas <[Lucas.Wandrie@hdrinc.com](mailto:Lucas.Wandrie@hdrinc.com)>

**Subject:** Project Review Request - Dayton Transfer Station Upgrade

Hello,

Please find attached a project review request form and associated materials for the Dayton Transfer Station capacity upgrade proposed by Curbside Waste, Inc. Attached to this request form are a project introduction letter, project location map, project layout drawing, and a Phase I Archaeological Survey report that had previously been completed for this same property but a different project back in 2021.

We look forward to hearing back from MIAC regarding this project.

**Laura Koski**, M.S., RPA

*Senior Cultural Resources Project Manager*

**HDR**

1601 Utica Avenue South, Suite 600

St. Louis Park, MN 55416-3400

M 612.323.6147

[laura.koski@hdrinc.com](mailto:laura.koski@hdrinc.com)

[hdrinc.com/follow-us](http://hdrinc.com/follow-us)

Vehicle Emissions	Trips/Day	Number of Travel Days	Average Trip Distance Per Vehicle	Total Miles Per Year	Estimated Gas Mileage	Estimated Unleaded Fuel Consumption Per Year (Gallons)	Estimated Diesel Fuel Consumption Per Year (Gallons)	kg CO2 per gallon (2025 GHG Emissions Factors Hub)	Annual kg CO2	kg to Short Ton Conversion	Short Tons CO2
Commercial Vehicles	45	307	30	414450	4.5	N/A	92100.0	10.21	940341.0	0.001	940.3
Commercial Vehicles (Yard Waste)	11	204	30	67320	4.5	N/A	14960.0	10.21	152741.6	0.001	152.7
Semi-Tractor Trailer	8	307	30	73680	6.0		12260.0	10.21	125378.8	0.001	125.4
Personal Vehicles	80	307	30	736800	24.7	29830.0	N/A	8.78	261907.0	0.001	261.9
<b>Total</b>	<b>144</b>	<b>1125</b>	<b>N/A</b>	<b>1292250</b>	<b>N/A</b>	<b>29830.0</b>	<b>107060.0</b>	<b>N/A</b>	<b>1480368.4</b>	<b>N/A</b>	<b>1480.4</b>

Stationary Natural Gas Combustion	Recorded Natural Gas Usage for 2024 in therms (Center Point Energy Bill)	CO2 per therm	Project Observed CO2 in Metric Tons/Mcf	Metric Tons to Short Tons Conversion	Project Observed CO2 in Short Tons/Mcf
Natural Gas Usage in Facility Buildings	16,750	0.0053	88.8	1.1	97.7

Offsite Electricity Production	Recorded Electricity Usage for 2024 in kilowatt hours (Xcel Energy Bill)	Recorded Kilowatt Hours to Megawatt Hours	Metric Tons CO2/Megawatt Hours (MROW 2025)	Metric Tons to Short Tons	Short Tons CO2/Megawatt Hours	Short Tons CO2 Based on Observed Megawatt Hours
Electricity Usage in Facility Buildings	120,000	120	0.000439736	1.1	0.000483709	52.8

Waste Management	Daily Mixed Waste Generated (lbs)	Number of Operational Days	Annual Mixed Waste Generated in lbs	Lbs to Short Tons	Annual Generated Mixed Waste in Short Tons	Metric Tons CO2e/Short Ton Material (Mixed MSW Landfilled)	Metric Tons to Short Tons	Short Tons CO2
Estimated Mixed Solid Waste Generated At The Facility	75	307	23025	0.0005	11.5	0.58	1.1	7.3