

General information

Public comment period begins: May 28, 2026
Public comment period ends: July 27, 2026
Current permit issued: September 12, 2017
Current permit expiration date: August 31, 2022

The Minnesota Pollution Control Agency (MPCA) Commissioner has made a preliminary determination to reissue this permit for a term of approximately five years.

Name and address of Permittee:	Facility name and location:	MPCA contact person:
City of Grey Eagle PO Box 116 Grey Eagle, MN 56336-0116	Grey Eagle Wastewater Treatment Facility 202 S Woodman St Grey Eagle, MN 56336 Todd County T127N, R32W, Section 7	Jon Kolstad Municipal Division Minnesota Pollution Control Agency 7678 College Rd, Ste 105 Baxter, MN 56425 Phone: 218-316-3924 Email: jon.kolstad@state.mn.us

File manager phone: 651-757-2728 or
844-828-0942

A draft permit and supporting documentation are available for review on the MPCA Public Notices webpage at <https://www.pca.state.mn.us/get-engaged/public-comments>. Additional materials relating to the issuance of this permit are available for inspection by appointment at any MPCA office (<https://www.pca.state.mn.us/about-mpca/contact-us>) between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday. The MPCA will mail or email a copy of the draft permit upon request. Comments, petitions, and other requests must be received at the MPCA in writing on or before the public comment period end date and U.S. Mail comments must be received by 4:30 p.m.

Watershed: Sauk River

Receiving water: Trace - Class 2B, 3, 4A, 4B, 5, 6 water

Description of Grey Eagle Wastewater Treatment Facility

The existing facility has a controlled discharge from SD001 to Trace Lake. This is a Class D facility.

The facility is designed to treat

- an average wet weather (AWW) flow of 0.093 million gallons per day (mgd)
- an average dry weather (ADW) flow of 0.036 million gallons per day (mgd)
- a peak hourly wet weather (PHWW) flow of 0.321 million gallons per day (mgd)
- five-day carbonaceous biochemical oxygen demand (CBOD₅) of 205 pounds per day (lbs/d)

The facility consists of a lift station, a three cell stabilization pond system and approximately 928 feet of 12-inch outfall sewer. The two primary ponds have surface areas of 4.66 acres each at the 4-foot operating level. The secondary pond has a surface area of 3.49 acres at the 4-foot operating level. The detention time for the facility is 180 days at the average wet weather design flow. The facility uses alum prior to each spring/fall discharge to reduce the phosphorus content. Alum is distributed by an outboard boat equipped with chemical storage tanks

The preliminary determination to reissue this Wastewater permit is tentative.

Procedure for public participation

As stated in Minn. R. chs. 7000 and 7001, there are three formal procedures for public participation in the MPCA's consideration of this matter. Interested persons may:

- 1) Submit written comments on the draft permit.
- 2) Petition the MPCA to hold a public informational meeting.
- 3) Petition the MPCA to hold a contested case hearing.

Submitting written comments

Comments may be submitted:

- 1) Online at <https://mpca.commentinput.com/comment/search>; or
- 2) By U.S. postal mail to the following address:
Jon Kolstad
Minnesota Pollution Control Agency
7678 College Rd, Ste 105
Baxter, MN 56425

Submitted comments or petitions must state:

- 1) Your interest in the permit application or the draft permit.
- 2) The action you wish the MPCA to take, including specific references to the section of the draft permit you believe should be changed.
- 3) The reasons supporting your position, stated with sufficient specificity as to allow the MPCA to investigate the merits of the position.

Public informational meeting

A public informational meeting is an informal meeting during which interested persons can ask questions concerning the proposed facility. MPCA staff will be present to provide information. If an interested person would like the MPCA to hold a public informational meeting, the person should include all information identified above and in addition include a statement of the reasons the person desires the MPCA to hold a public informational meeting and the issues that the person would like the agency to address at the public informational meeting.

Contested Case Hearing

A contested case hearing is a formal proceeding before an administrative law judge empowered to advise the MPCA regarding issues of fact. As described in Minn. R. 7000.1800, persons who submit petitions for a contested case hearing must also state the issues they propose to address in a contested case hearing, the specific relief requested or resolution of the matter, and the reasons (which may be in the form of proposed findings) supporting an MPCA decision to hold a contested case hearing. Failure to comply with these rules exactly may result in a denial of the request. To the extent known, the petitioner may also submit a list of prospective witnesses to be called at a hearing, a proposed list of publications, references, or studies to be introduced at a hearing and the approximate time required for the petitioner to present the matter at a hearing. The decision whether to hold a contested case hearing will be made under Minn. R. 7000.1900.