

- [50] Clark ES. The molecular conformations of polytetrafluoroethylene: forms II and IV. *Polymer* 1999;40:4659–65. [https://doi.org/10.1016/S0032-3861\(99\)00109-3](https://doi.org/10.1016/S0032-3861(99)00109-3).
- [51] Ebnesajjad S. *Fluoroplastics, Volume 1: Non-Melt Processible Fluoroplastics*. 1st ed. Norwich: Plastic Design Library; 2000. <https://doi.org/10.1016/B978-188420784-6.50016-1>.
- [52] Weeks J. Order—disorder transitions in polytetrafluoroethylene. *Polymer* 1980;21:325–31. [https://doi.org/10.1016/0032-3861\(80\)90276-1](https://doi.org/10.1016/0032-3861(80)90276-1).
- [53] Eby RK, Clark ES, Farmer BL, Piermarini GJ, Block S. Crystal structure of poly(tetrafluoroethylene) homo- and copolymers in the high pressure phase. *Polymer* 1990;31:2227–37. [https://doi.org/10.1016/0032-3861\(90\)90307-K](https://doi.org/10.1016/0032-3861(90)90307-K).
- [54] Young RJ. Deformation mechanisms in polytetrafluoroethylene. *Polymer* 1975;16:450–8. [https://doi.org/10.1016/0032-3861\(75\)90256-6](https://doi.org/10.1016/0032-3861(75)90256-6).
- [55] Rahl FJ, Evanco MA, Fredericks RJ, Reimschuessel AC. Studies of the morphology of emulsion-grade polytetrafluoroethylene. *J Polym Sci A-2 Polym Phys* 1972;10:1337–49. <https://doi.org/10.1002/pol.1972.160100712>.
- [56] Oshima A, Ikeda S, Seguchi T, Tabata Y. Change of molecular motion of polytetrafluoroethylene (PTFE) by radiation induced crosslinking. *Radiat Phys Chem* 1997;49:581–8. [https://doi.org/10.1016/S0969-806X\(96\)00189-2](https://doi.org/10.1016/S0969-806X(96)00189-2).
- [57] Oshima A, Ikeda S, Seguchi T, Tabata Y. Improvement of radiation resistance for polytetrafluoroethylene (PTFE) by radiation crosslinking. *Radiat Phys Chem* 1997;49:279–84. [https://doi.org/10.1016/S0969-806X\(96\)00138-7](https://doi.org/10.1016/S0969-806X(96)00138-7).
- [58] Calleja G, Jourdan A, Ameduri B, Habas J-P. Where is the glass transition temperature of poly(tetrafluoroethylene)? A new approach by dynamic rheometry and mechanical tests. *Eur Polym J* 2013;49:2214–22. <https://doi.org/10.1016/j.eurpolymj.2013.04.028>.
- [59] Starkweather HW. The effect of heating rate on the melting of polytetrafluoroethylene. *J Polym Sci Polym Phys Ed* 1985;23:1177–85. <https://doi.org/10.1002/pol.1985.180230609>.
- [60] Huang X, Martinez-Vega J, Malec D. Dielectric breakdown and morphological evolution of PTFE during thermal-oxidative ageing at temperatures lower and higher than the melting temperature. 2013 IEEE conference on Electrical Insulation and Dielectric Phenomena (CEIDP), Shenzhen, China: IEEE; 2013, p. 148–51.
- [61] Starkweather HW. Melting and crystalline transitions in normal perfluoroalkanes and poly(tetrafluoroethylene). *Macromolecules* 1986;19:1131–4. <https://doi.org/10.1021/ma00158a034>.
- [62] Tuminello WH, Dee GT. Thermodynamics of poly(tetrafluoroethylene) solubility. *Macromolecules* 1994;27:669–76. <https://doi.org/10.1021/ma00081a008>.
- [63] Pucciariello R, Villani V. Melting and crystallization behavior of poly(tetrafluoroethylene) by temperature modulated calorimetry. *Polymer* 2004;45:2031–9. <https://doi.org/10.1016/j.polymer.2004.01.019>.

- [64] Furukawa GT, Mccoskey RE, King GJ. Calorimetric properties of polytetrafluoroethylene (teflon) from 0-degrees to 365-degrees-K. J Res Natl Bur Stan 1952;49:273. <https://doi.org/10.6028/jres.049.029>.
- [65] Fai Lau S, Wesson JP, Wunderlich B. Glass transition of polytetrafluoroethylene. Macromolecules 1984;17:1102–4. <https://doi.org/10.1021/ma00135a024>.
- [66] Ferry L, Vigier G, Vassoille R, Bessede JL. Study of polytetrafluoroethylene crystallization. Acta Polymerica 1995;46:300–6. <https://doi.org/10.1002/actp.1995.010460403>.
- [67] Wang XQ, Chen DR, Han JC, Du SY. Crystallization behavior of polytetrafluoroethylene (PTFE). J of Applied Polymer Sci 2002;83:990–6. <https://doi.org/10.1002/app.2279>.
- [68] Durrell WS, Stump EC, Schuman PD. The glass transition temperature of polytetrafluoroethylene. J Polym Sci B Polym Lett 1965;3:831–3. <https://doi.org/10.1002/pol.1965.110031008>.
- [69] McCrum NG. An internal friction study of polytetrafluoroethylene. J Polym Sci 1959;34:355–69. <https://doi.org/10.1002/pol.1959.1203412728>.
- [70] Starkweather HW. The effect of absorbed chemicals on the internal motions in poly (tetrafluoroethylene). Macromolecules 1984;17:1178–80.
- [71] Wortmann F-J. Analysing the relaxation behaviour of poly(tetrafluoroethylene) in the α -transition region by applying a two-component model. Polymer 1996;37:2471–6. [https://doi.org/10.1016/0032-3861\(96\)85361-4](https://doi.org/10.1016/0032-3861(96)85361-4).
- [72] Tobolsky AV, Katz D, Takahashi M. Rheology of polytetrafluoroethylene. J Polym Sci A Gen Pap 1963;1:483–9. <https://doi.org/10.1002/pol.1963.100010142>.
- [73] Araki Y. Stress relaxation of polytetrafluoroethylene in the vicinity of its glass transition temperature at about 130°C. J Appl Polym Sci 1965;9:1515–24. <https://doi.org/10.1002/app.1965.070090426>.
- [74] Woodward A, Sauer J. Mechanical relaxation phenomena. Phys Chem Org Solid State 1965;2:637–723.
- [75] Rae PJ, Dattelbaum DM. The properties of poly(tetrafluoroethylene) (PTFE) in compression. Polymer 2004;45:7615–25. <https://doi.org/10.1016/j.polymer.2004.08.064>.
- [76] Araki Y. Thermal expansion coefficient of polytetrafluoroethylene in the vicinity of its glass transition at about 400°K. J Appl Polym Sci 1965;9:421–7. <https://doi.org/10.1002/app.1965.070090203>.
- [77] Sauer BB, Avakian P, Starkweather HW. Cooperative relaxations in semicrystalline fluoropolymers studied by thermally stimulated currents and ac dielectric. J Polym Sci B Polym Phys 1996;34:517–26. [https://doi.org/10.1002/\(SICI\)1099-0488\(199602\)34:3%3C517::AID-POLB10%3E3.0.CO;2-L](https://doi.org/10.1002/(SICI)1099-0488(199602)34:3%3C517::AID-POLB10%3E3.0.CO;2-L).
- [78] Fai Lau S, Suzuki H, Wunderlich B. The thermodynamic properties of polytetrafluoroethylene. J Polym Sci Polym Phys Ed 1984;22:379–405. <https://doi.org/10.1002/pol.1984.180220305>.

- [79] Marchionni G, Ajroldi G, Righetti M, Pezzin G. Molecular interactions in perfluorinated and hydrogenated compounds: linear paraffins and ethers. *Macromolecules* 1993;26:1751–7.
- [80] Kvacheva L, Perepechko I. Acoustical investigation of relaxation processes in polytetrafluoroethylene. *Sov Phys Acoust-USSR* 1973;18:343–6.
- [81] Fossati P, Sanguineti A, De Angelis MG, Baschetti MG, Doghieri F, Sarti GC. Gas solubility and permeability in MFA. *J Polym Sci B Polym Phys* 2007;45:1637–52. <https://doi.org/10.1002/polb.21144>.
- [82] Chen Y-C, Lin H-C, Lee Y-D. The Effects of Filler Content and Size on the Properties of PTFE/SiO₂ Composites. *J Polym Res* 2003;10:247–58. <https://doi.org/10.1023/B:JPOL.0000004620.71900.16>.
- [83] Tóth LF, De Baets P, Szebényi G. Thermal, Viscoelastic, Mechanical and Wear Behaviour of Nanoparticle Filled Polytetrafluoroethylene: A Comparison. *Polymers* 2020;12:1940. <https://doi.org/10.3390/polym12091940>.
- [84] Price D, Jarratt M. Thermal conductivity of PTFE and PTFE composites. *Thermochim Acta* 2002;392:231–6. [https://doi.org/10.1016/S0040-6031\(02\)00105-3](https://doi.org/10.1016/S0040-6031(02)00105-3).
- [85] Giri A, Hopkins PE. Achieving a better heat conductor. *Nat Mater* 2020;19:482–4. <https://doi.org/10.1038/s41563-020-0658-z>.
- [86] Pan C, Kou K, Zhang Y, Li Z, Wu G. Enhanced through-plane thermal conductivity of PTFE composites with hybrid fillers of hexagonal boron nitride platelets and aluminum nitride particles. *Compos B: Eng* 2018;153:1–8. <https://doi.org/10.1016/j.compositesb.2018.07.019>.
- [87] Hooshangi Z, Feghhi SAH, Saeedzadeh R. The effects of low earth orbit atomic oxygen on the properties of Polytetrafluoroethylene. *Acta Astronaut* 2016;119:233–40. <https://doi.org/10.1016/j.actaastro.2015.11.031>.
- [88] Cheng Z-L, Chang X-Y, Liu Z, Qin D-Z, Zhu A-P. High-performance PTFE nanocomposites based on halloysite nanotubes. *Clay Miner* 2017;52:427–38. <https://doi.org/10.1180/claymin.2017.052.4.02>.
- [89] Yuan Y, Li Z, Cao L, Tang B, Zhang S. Modification of Si₃N₄ ceramic powders and fabrication of Si₃N₄/PTFE composite substrate with high thermal conductivity. *Ceram Int* 2019;45:16569–76. <https://doi.org/10.1016/j.ceramint.2019.05.194>.
- [90] Conesa J, Font R. Polytetrafluoroethylene decomposition in air and nitrogen. *Polym Eng Sci* 2001;41:2137–47. <https://doi.org/10.1002/pen.10908>.
- [91] Hondred PR, Yoon S, Bowler N, Kessler MR. Degradation kinetics of polytetrafluoroethylene and poly(ethylene-alt-tetrafluoroethylene). *High Perform Polym* 2013;25:535–42. <https://doi.org/10.1177/0954008312473491>.
- [92] Abiodun S, Krishnamoorti R, Bhowmick AK. Thermal degradation of polytetrafluoroethylene, modified polytetrafluoroethylene, and their nanocomposites with boron nitride nanobarbs: Lifetime predictions and kinetic analysis. *J Appl Polym Sci* 2025;142:e56452. <https://doi.org/10.1002/app.56452>.

- [93] Huang XL, Martinez-Vega J, Malec D. Morphological Evolution of Polytetrafluoroethylene in Extreme Temperature Conditions for Aerospace Applications. *J Appl Polym Sci* 2014;131:39841. <https://doi.org/10.1002/app.39841>.
- [94] Odochian L, Moldoveanu C, Mocanu AM, Carja G. Contributions to the thermal degradation mechanism under nitrogen atmosphere of PTFE by TG-FTIR analysis. Influence of the additive nature. *Thermochim Acta* 2011;526:205–12. <https://doi.org/10.1016/j.tca.2011.09.019>.
- [95] Schierholz K, Lappan U, Lunkwitz K. Electron beam irradiation of polytetrafluoroethylene in air: investigations on the thermal behaviour. *Nucl Instrum Methods Phys Res, Sect B* 1999;151:232–7. [https://doi.org/10.1016/S0168-583X\(99\)00090-7](https://doi.org/10.1016/S0168-583X(99)00090-7).
- [96] Lappan U, Geissler U, Häussler L, Jehnichen D, Pompe G, Lunkwitz K. Radiation-induced branching and crosslinking of poly(tetrafluoroethylene) (PTFE). *Nucl Instrum Methods Phys Res, Sect B* 2001;185:178–83. [https://doi.org/10.1016/S0168-583X\(01\)00751-0](https://doi.org/10.1016/S0168-583X(01)00751-0).
- [97] Puts GJ, Crouse PL. The influence of inorganic materials on the pyrolysis of polytetrafluoroethylene. Part 1: The sulfates and fluorides of Al, Zn, Cu, Ni, Co, Fe and Mn. *J Fluor Chem* 2014;168:260–7. <https://doi.org/10.1016/j.jfluchem.2014.05.004>.
- [98] Puts GJ, Crouse PL. The influence of inorganic materials on the pyrolysis of polytetrafluoroethylene. Part 2: The common oxides of Al, Ga, In, Zn, Cu, Ni, Co, Fe, Mn, Cr, V, Zr and La. *J Fluor Chem* 2014;168:9–15. <https://doi.org/10.1016/j.jfluchem.2014.08.012>.
- [99] van der Walt IJ, Neomagus HWJP, Nel JT, Bruinsma OSL, Crouse PL. A kinetic expression for the pyrolytic decomposition of polytetrafluoroethylene. *J Fluor Chem* 2008;129:314–8. <https://doi.org/10.1016/j.jfluchem.2008.01.003>.
- [100] Ajroldi G, Garbuglio C, Ragazzini M. Some rheological properties of molten polytetrafluoroethylene. *J Appl Polym Sci* 1970;14:79–88. <https://doi.org/10.1002/app.1970.070140109>.
- [101] Blumm J, Lindemann A, Meyer M, Strasser C. Characterization of PTFE Using Advanced Thermal Analysis Techniques. *Int J Thermophys* 2010;31:1919–27. <https://doi.org/10.1007/s10765-008-0512-z>.
- [102] Bunn C, Cobbold A, Palmer R. The fine structure of polytetrafluoroethylene. *J Polym Sci* 1958;28:365–76. <https://doi.org/10.1002/pol.1958.1202811712>.
- [103] Starkweather Jr. HW. A comparison of the rheological properties of polytetrafluoroethylene below its melting point with certain low-molecular smectic states. *J Polym Sci B Polym Phys* 1979;17:73–9. <https://doi.org/10.1002/pol.1979.180170106>.
- [104] Ohzawa Y, Wada Y. Mechanical Relaxations and Transitions in Polytetrafluoroethylene. *Jpn J Appl Phys* 1964;3:436. <https://doi.org/10.1143/JJAP.3.436>.
- [105] Ochoa I, Hatzikiriakos S. Paste extrusion of polytetrafluoroethylene (PTFE): Surface tension and viscosity effects. *Powder Technol* 2005;153:108–18. <https://doi.org/10.1016/j.powtec.2005.02.007>.

- [106] Ariawan A, Ebnesajjad S, Hatzikiriakos S. Paste extrusion of polytetrafluoroethylene (PTFE) fine powder resins. *Can J Chem Eng* 2002;80:1153–65.
- [107] Gray R, McCrum N. Origin of the γ relaxations in polyethylene and polytetrafluoroethylene. *J Polym Sci, A-2, Polym Phys* 1969;7:1329–55. <https://doi.org/10.1002/pol.1969.160070804>.
- [108] Sasuga T, Takehisa M. Dynamic viscoelastic properties of unsintered polytetrafluoroethylene. *J Polym Sci Polym Phys Ed* 1974;12:1889–98. <https://doi.org/10.1002/pol.1974.180120912>.
- [109] Sasuga T, Takehisa M. Viscoelastic properties of low molecular weight sintered polytetrafluoroethylene. *J Polym Sci Polym Phys Ed* 1974;12:2577–8. <https://doi.org/10.1002/pol.1974.180121215>.
- [110] Takenaga M, Yamagata K, Kasai A, Ariyama T. Annealing effects on the viscoelastic anomaly between the β and γ processes for as-polymerized polytetrafluoroethylene. *J Appl Polym Sci* 1990;39:1689–98. <https://doi.org/10.1002/app.1990.070390807>.
- [111] Hu T-Y. Characterization of the crystallinity of polytetrafluoroethylene by X-ray and IR spectroscopy, differential scanning calorimetry, viscoelastic spectroscopy and the use of a density gradient tube. *Wear* 1982;82:369–76. [https://doi.org/10.1016/0043-1648\(82\)90229-0](https://doi.org/10.1016/0043-1648(82)90229-0).
- [112] Dlubek G, Sen Gupta A, Pionteck J, Häßler R, Krause-Rehberg R, Kaspar H, et al. Glass transition and free volume in the mobile (MAF) and rigid (RAF) amorphous fractions of semicrystalline PTFE: a positron lifetime and PVT study. *Polymer* 2005;46:6075–89. <https://doi.org/10.1016/j.polymer.2005.04.090>.
- [113] Mnif R, Ben Jemaa MC, Kacem NH, Elleuch R. Impact of Viscoelasticity on the Tribological Behavior of PTFE Composites for Valve Seals Application. *Tribol Trans* 2013;56:879–86. <https://doi.org/10.1080/10402004.2013.801099>.
- [114] Tan B, Stephens LS. Evaluation of viscoelastic characteristics of PTFE-Based materials. *Tribol Int* 2019;140:105870. <https://doi.org/10.1016/j.triboint.2019.105870>.
- [115] Zhang Y, Xu S, Zhang Q, Zhou Y. Experimental and Theoretical Research on the Stress-Relaxation Behaviors of PTFE Coated Fabrics under Different Temperatures. *Adv Mater Sci Eng* 2015;2015:1–12. <https://doi.org/10.1155/2015/319473>.
- [116] Wang R, Xu G, He Y. Characterization of tensile properties and viscoelasticity of PTFE woven fabrics at elevated temperature. *Text Res J* 2019;89:1065–72. <https://doi.org/10.1177/0040517518760760>.
- [117] Forsythe JS, Hill DJT. The radiation chemistry of fluoropolymers. *Prog Polym Sci* 2000;25:101–36. [https://doi.org/10.1016/S0079-6700\(00\)00008-3](https://doi.org/10.1016/S0079-6700(00)00008-3).
- [118] Matveev VK, Klinshpont ER, Surnin VA, Kiryukhin VP, Milinchuk VK. On the effect of radiation-chemical and radiation-physical transformations in polytetrafluoroethylene on its dielectric properties. *Polym Sci USSR* 1990;32:648–51. [https://doi.org/10.1016/0032-3950\(90\)90152-V](https://doi.org/10.1016/0032-3950(90)90152-V).

- [119] Vavlekas D, Ansari M, Hao H, Fremy F, McCoy JL, Hatzikiriakos SG. Zero Poisson's ratio PTFE in uniaxial extension. *Polym Test* 2016;55:143–51. <https://doi.org/10.1016/j.polymertesting.2016.08.014>.
- [120] Briscoe BJ, Mahgerefteh H, Suga S. The effect of gamma irradiation on the pressure dependence of the room temperature transition in PTFE. *Polymer* 2003;44:783–91. [https://doi.org/10.1016/S0032-3861\(02\)00776-0](https://doi.org/10.1016/S0032-3861(02)00776-0).
- [121] Klinedinst KA, Vogel WM, Stonehart P. Rheological characterization and thermal degradation of PTFE: Part 2 The interaction between PTFE and carbon black. *J Mater Sci* 1976;11:794–800. <https://doi.org/10.1007/BF00542293>.
- [122] Klinedinst KA, Vogel WM, Stonehart P. The interaction between PTFE and porous metals and metal blacks ? rheological characterization and thermal degradation of the polymer. *J Mater Sci* 1976;11:209–14. <https://doi.org/10.1007/BF00551429>.
- [123] Schmidt GA, Lin Y, Xu Y, Wang D, Yilmaz G, Turng L. Viscosity characterization and flow simulation and visualization of polytetrafluoroethylene paste extrusion using a green and biofriendly lubricant. *Polym Eng Sci* 2021;61:1050–65. <https://doi.org/10.1002/pen.25632>.
- [124] Ndayishimiye A, Tsuji K, Wang K, Bang SH, Randall CA. Sintering mechanisms and dielectric properties of cold sintered (1-x) SiO₂ - x PTFE composites. *J Eur Ceram Soc* 2019;39:4743–51. <https://doi.org/10.1016/j.jeurceramsoc.2019.07.048>.
- [125] Kong Y, Liu Z, Meng Y, Sui X, Chen R, Chen Y, et al. Fabrication and the film-forming mechanism of thin polytetrafluoroethylene films with enhanced dielectric and mechanical properties. *Polymer* 2023;281:126118. <https://doi.org/10.1016/j.polymer.2023.126118>.
- [126] Chao M, Guo C, Feng A, Huang Z, Yang Q, Wu G. Improved Thermal Conductivity and Mechanical Property of PTFE Reinforced with Al₂ O₃. *NANO* 2019;14:1950064. <https://doi.org/10.1142/S1793292019500644>.
- [127] Ochoa I, Hatzikiriakos SG, Mitsoulis E. Paste extrusion of polytetrafluoroethylene: Temperature, blending and processing aid effects. *Int Polym Process* 2006;21:497–503. <https://doi.org/10.3139/217.0028>.
- [128] Patil PD, Isaias O, Stamboulides C, Hatzikiriakos SG, Polastri F, Kapeliouchko V. Paste extrusion of polytetrafluoroethylene (PTFE) powders through tubular and annular dies at high reduction ratios. *J Appl Polym Sci* 2008;108:1055–63. <https://doi.org/10.1002/app.27681>.
- [129] Egres RG, Farnsworth TR. ePTFE-reinforced perfluoroelastomers. WO03095552, 2003.
- [130] Ferry JD, Myers HS. Viscoelastic Properties of Polymers. *J Electrochem Soc* 1961;108:142C. <https://doi.org/10.1149/1.2428174>.
- [131] Shaw MT, MacKnight WJ. Introduction to Polymer Viscoelasticity. 1st ed. New York: Wiley; 2005. <https://doi.org/10.1002/0471741833>.
- [132] Martins SA, Dias FW, Nunes LS, Borges LA, D'Almeida JR. Mechanical Characterization of Silica Reinforced-PTFE Matrix Composites. *Procedia Eng* 2011;10:2651–6. <https://doi.org/10.1016/j.proeng.2011.04.442>.

- [133] Shi Y, Hu Y, Shen J, Guo S. Optimized microporous structure of ePTFE membranes by controlling the particle size of PTFE fine powders for achieving high oil-water separation performances. *J Membr Sci* 2021;629:119294. <https://doi.org/10.1016/j.memsci.2021.119294>.
- [134] Rae PJ, Brown EN. The properties of poly(tetrafluoroethylene) (PTFE) in tension. *Polymer* 2005;46:8128–40. <https://doi.org/10.1016/j.polymer.2005.06.120>.
- [135] Koo GP, Andrews RD. Mechanical behavior of polytetrafluoroethylene around the room-temperature first-order transition. *Polym Eng Sci* 1969;9:268–76. <https://doi.org/10.1002/pen.760090406>.
- [136] Nunes LCS, Dias FWR, Da Costa Mattos HS. Mechanical behavior of polytetrafluoroethylene in tensile loading under different strain rates. *Polym Test* 2011;30:791–6. <https://doi.org/10.1016/j.polymertesting.2011.07.004>.
- [137] Jordan JL, Siviour CR, Foley JR, Brown EN. Compressive properties of extruded polytetrafluoroethylene. *Polymer* 2007;48:4184–95. <https://doi.org/10.1016/j.polymer.2007.05.038>.
- [138] Speerschneider CJ, Li CH. A Correlation of Mechanical Properties and Microstructure of Polytetrafluoroethylene at Various Temperatures. *J Appl Phys* 1963;34:3004–7. <https://doi.org/10.1063/1.1729110>.
- [139] Brown EN, Rae PJ, Orlor EB, Gray GT, Dattelbaum DM. The effect of crystallinity on the fracture of polytetrafluoroethylene (PTFE). *Mater Sci Eng C* 2006;26:1338–43. <https://doi.org/10.1016/j.msec.2005.08.009>.
- [140] Włochowicz A, Śacigała R. Effect of molecular weight on the mechanical properties of polytetrafluoroethylene (PTFE). *Br Polym J* 1989;21:205–7. <https://doi.org/10.1002/pi.4980210305>.
- [141] Barylski A, Swinarew AS, Aniołek K, Kaptacz S, Gabor J, Stanula A, et al. Tribological and Mechanical Behavior of Graphite Composites of Polytetrafluoroethylene (PTFE) Irradiated by the Electron Beam. *Polymers* 2020;12:1676. <https://doi.org/10.3390/polym12081676>.
- [142] Uehara H, Arase Y, Suzuki K, Yukawa Y, Higuchi Y, Matsuoka Y, et al. Highly Transparent and Robust Poly(tetrafluoroethylene) Membrane Prepared by Biaxial Melt-Drawing. *Macromol Mater Eng* 2014;299:669–73. <https://doi.org/10.1002/mame.201300310>.
- [143] Sasikala TS, Sebastian MT. Mechanical, thermal and microwave dielectric properties of Mg₂SiO₄ filled Polytetrafluoroethylene composites. *Ceram Int* 2016;42:7551–63. <https://doi.org/10.1016/j.ceramint.2016.01.162>.
- [144] Deshwal D, Belgamwar SU, Bekinal SI, Doddamani M. Role of reinforcement on the tribological properties of polytetrafluoroethylene composites: A comprehensive review. *Polym Compos* 2024;45:14475–97. <https://doi.org/10.1002/pc.28802>.
- [145] Zimmermann-Ptacek J, Muggli M, Wildhack S, Hintzer K, Gerdes T, Willert-Porada M, et al. Thermal, dielectric, and mechanical properties of h-BN-filled PTFE composites. *J Appl Polym Sci* 2018;135. <https://doi.org/10.1002/app.46859>.

- [146] Pan C, Kou K, Wu G, Zhang Y, Wang Y. Fabrication and characterization of AlN/PTFE composites with low dielectric constant and high thermal stability for electronic packaging. *J Mater Sci: Mater Electron* 2016;27:286–92. <https://doi.org/10.1007/s10854-015-3752-2>.
- [147] Riul C, Tita V, De Carvalho J, Canto RB. Processing and mechanical properties evaluation of glass fiber-reinforced PTFE laminates. *Compos Sci Technol* 2012;72:1451–8. <https://doi.org/10.1016/j.compscitech.2012.05.021>.
- [148] Bandaru AK, Kadiyala AK, Weaver PM, O' Higgins RM. Mechanical and abrasive wear response of PTFE coated glass fabric composites. *Wear* 2020;450–451:203267. <https://doi.org/10.1016/j.wear.2020.203267>.
- [149] Mazur K, Gądek-Moszczak A, Liber-Kneć A, Kuciel S. Mechanical Behavior and Morphological Study of Polytetrafluoroethylene (PTFE) Composites under Static and Cyclic Loading Condition. *Materials* 2021;14:1712. <https://doi.org/10.3390/ma14071712>.
- [150] Kuzharov AS. Polytetrafluoroethylene fiber-based composite antifriction coatings. *Ind Eng Chem Res* 1993;32:763–73. <https://doi.org/10.1021/ie00017a001>.
- [151] Lu X, Wong KC, Wong PC, Mitchell KAR, Cotter J, Eadie DT. Surface characterization of polytetrafluoroethylene (PTFE) transfer films during rolling-sliding tribology tests using X-ray photoelectron spectroscopy. *Wear* 2006;261:1155–62. <https://doi.org/10.1016/j.wear.2006.03.020>.
- [152] Liu X, Li T, Liu X, Lv R. Study on tribological properties of polytetrafluoroethylene drawn uniaxially at different temperature. *Macromol Mater Eng* 2005;290:172–8. <https://doi.org/10.1002/mame.200400213>.
- [153] Jang I, Burris DL, Dickrell PL, Barry PR, Santos C, Perry SS, et al. Sliding orientation effects on the tribological properties of polytetrafluoroethylene. *J Appl Phys* 2007;102:123509. <https://doi.org/10.1063/1.2821743>.
- [154] Barry PR, Chiu PY, Perry SS, Sawyer WG, Phillpot SR, Sinnott SB. The effect of normal load on polytetrafluoroethylene tribology. *J Phys Condens Matter* 2009;21:144201. <https://doi.org/10.1088/0953-8984/21/14/144201>.
- [155] Cai P, Zhao M, Zhao B, Zhao G, Zheng F, Ni L. Tribological properties of oriented polytetrafluoroethylene at room temperature and cryogenic temperature. *Polym Eng Sci* 2022;62:3935–44. <https://doi.org/10.1002/pen.26155>.
- [156] Unal H, Sen U, Mimaroglu A. An approach to friction and wear properties of polytetrafluoroethylene composite. *Mater Des* 2006;27:694–9. <https://doi.org/10.1016/j.matdes.2004.12.013>.
- [157] Unal H, Yetgin SH, Mimaroglu A, Sumer M. The Effect of Test Parameters on Friction and Wear Performance of PTFE and PTFE Composites. *J Reinf Plast Compos* 2010;29:1978–86. <https://doi.org/10.1177/0731684409340708>.
- [158] Wieleba W. The role of internal friction in the process of energy dissipation during PTFE composite sliding against steel. *Wear* 2005;258:870–6. <https://doi.org/10.1016/j.wear.2004.09.076>.

- [159] Burris DL, Perry SS, Sawyer WG. Macroscopic evidence of thermally activated friction with polytetrafluoroethylene. *Tribol Lett* 2007;27:323–8. <https://doi.org/10.1007/s11249-007-9237-6>.
- [160] Burris DL. Investigation of the Tribological Behavior of Polytetrafluoroethylene at Cryogenic Temperatures. *Tribol Trans* 2008;51:92–100. <https://doi.org/10.1080/10402000701660618>.
- [161] Babuska TF, Pitenis AA, Jones MR, Nation BL, Sawyer WG, Argibay N. Temperature-Dependent Friction and Wear Behavior of PTFE and MoS₂. *Tribol Lett* 2016;63:15. <https://doi.org/10.1007/s11249-016-0702-y>.
- [162] Meter KEV, Pitenis AA, Harris KL, Sawyer WG, Krick BA. Contact pressure dependent mechanisms of ultralow wear PTFE composites. *Wear* 2023;522:204715. <https://doi.org/10.1016/j.wear.2023.204715>.
- [163] Johansson P, Marklund P, Bjorling M, Shi Y. Mechanisms behind the environmental sensitivity of carbon fiber reinforced polytetrafluoroethylene (PTFE). *Friction* 2024;12:997–1015. <https://doi.org/10.1007/s40544-023-0824-9>.
- [164] Liu B, Liang J, Peng Z, Wang X. Proton irradiation effects on the structural and tribological properties of polytetrafluoroethylene. *Chin J Polym Sci* 2016;34:1448–55. <https://doi.org/10.1007/s10118-016-1862-9>.
- [165] Shindalkar SS, Humbe SS, Joshi GM, Kumar CR. Engineering properties of Teflon derived blends and composites: a review. *Polym-Plast Technol Mat* 2022;61:1973–87. <https://doi.org/10.1080/25740881.2022.2086815>.
- [166] Sujuan Y, Xingrong Z. Tribological Properties of PTFE and PTFE Composites at Different Temperatures. *Tribol Trans* 2014;57:382–6. <https://doi.org/10.1080/10402004.2013.812759>.
- [167] Khedkar J, Negulescu I, Meletis E. Sliding wear behavior of PTFE composites. *Wear* 2002;252:361–9. [https://doi.org/10.1016/S0043-1648\(01\)00859-6](https://doi.org/10.1016/S0043-1648(01)00859-6).
- [168] Aderikha VN, Shapovalov VA. Tribological Behavior of Polytetrafluoroethylene-Silica Composites. *J Frict Wear* 2011;32:124–32. <https://doi.org/10.3103/S1068366611020024>.
- [169] Vasilev AP, Struchkova TS, Okhlopkova AA, Dyakonov AA, Alekseev AG. Effect of Carbon and Basalt Fibers with Ultrafine PTFE on the Mechanical and Tribological Properties of Polytetrafluoroethylene. In: Gorkunov E, Panin V, Irschik H, editors. *Mechanics, Resource and Diagnostics of Materials and Structures (MRDMS-2020): Proceeding of the 14th International Conference on Mechanics, Resource and Diagnostics of Materials and Structures*, 2020. <https://doi.org/10.1063/5.0036648>.
- [170] Deleanu L, Georgescu C. Water lubrication of PTFE composites. *Ind Lubr Tribol* 2015;67:1–8. <https://doi.org/10.1108/ilt-11-2011-0095>.
- [171] Chai L, Jiang H, Zhang B, Qiao L, Wang P, Weng L, et al. Influence of the gamma irradiation dose on tribological property of polytetrafluoroethylene. *Tribol Int* 2020;144:106094. <https://doi.org/10.1016/j.triboint.2019.106094>.

- [172] Bruk MA. Radiation-thermal crosslinking of polytetrafluoroethylene. *High Energy Chem* 2006;40:357–69. <https://doi.org/10.1134/S0018143906060014>.
- [173] Tang Z, Wang M, Zhao Y, Wu G. Tribological properties of radiation cross-linked polytetrafluoroethylene sheets. *Wear* 2010;269:485–90. <https://doi.org/10.1016/j.wear.2010.05.001>.
- [174] Wang Y, Tang S, Qiu X, Tang W, Gu A, Luo B, et al. Enhancement of tribological properties of polytetrafluoroethylene with low molecular weight polytetrafluoroethylene. *Mater Today Commun* 2025;49:113722. <https://doi.org/10.1016/j.mtcomm.2025.113722>.
- [175] McCook N, Burris D, Bourne G, Steffens J, Hanrahan J, Sawyer W. Wear resistant solid lubricant coating made from PTFE and epoxy. *Tribol Lett* 2005;18:119–24. <https://doi.org/10.1007/s11249-004-1766-7>.
- [176] Ying L, Wu Y, Nie C, Wu C, Wang G. Improvement of the Tribological Properties and Corrosion Resistance of Epoxy–PTFE Composite Coating by Nanoparticle Modification. *Coatings* 2020;11:10. <https://doi.org/10.3390/coatings11010010>.
- [177] Wang S, Song W, An L, Xia Z, Zhang S. Fabrication and Tribology Properties of PTFE-Coated Cemented Carbide Under Dry Friction Conditions. *Lubricants* 2024;12:363. <https://doi.org/10.3390/lubricants12110363>.
- [178] Zheng Q, Chhattal M, Bai C, Zheng Z, Qiao D, Gong Z, et al. Superlubricity of PTFE triggered by green ionic liquids. *Appl Surf Sci* 2023;614:156241. <https://doi.org/10.1016/j.apsusc.2022.156241>.
- [179] Liu X-X, Li T-S, Liu X-J, Lv R-G, Cong P-H. An investigation on the friction of oriented polytetrafluoroethylene (PTFE). *Wear* 2007;262:1414–8. <https://doi.org/10.1016/j.wear.2007.01.021>.
- [180] Shah QMdZ, Chowdhury MA, Kowser MdA. Fretting & friction induced fatigue failure: damage criterion of polytetrafluoroethylene. *Heliyon* 2020;6:e04066. <https://doi.org/10.1016/j.heliyon.2020.e04066>.
- [181] Xing L, Zhang Q, Fu Q, Yu J, Huang X. Preparation and properties of polytetrafluoroethylene superhydrophobic surface. *Colloids Surf A: Physicochem Eng Asp* 2023;670:131574. <https://doi.org/10.1016/j.colsurfa.2023.131574>.
- [182] Bennett MK, Zisman WA. Relation of Wettability by Aqueous Solutions to the Surface Constitution of Low-energy Solids. *J Phys Chem* 1959;63:1241–6. <https://doi.org/10.1021/j150578a006>.
- [183] Zhang J, Li J, Han Y. Superhydrophobic PTFE Surfaces by Extension. *Macromol Rapid Commun* 2004;25:1105–8. <https://doi.org/10.1002/marc.200400065>.
- [184] Veeramasuneni S, Drelich J, Miller JD, Yamauchi G. Hydrophobicity of ion-plated PTFE coatings. *Prog Org Coat* 1997;31:265–70. [https://doi.org/10.1016/S0300-9440\(97\)00085-4](https://doi.org/10.1016/S0300-9440(97)00085-4).
- [185] Dettre RH, Johnson RE. Surface tensions of perfluoroalkanes and polytetrafluoroethylene. *J Colloid Interf Sci* 1969;31:568–9. [https://doi.org/10.1016/0021-9797\(69\)90058-7](https://doi.org/10.1016/0021-9797(69)90058-7).

- [186] Szymczyk K, González-Martín ML, Bruque JM, Jańczuk B. Effect of two hydrocarbon and one fluorocarbon surfactant mixtures on the surface tension and wettability of polymers. *J Colloid Interf Sci* 2014;417:180–7. <https://doi.org/10.1016/j.jcis.2013.11.033>.
- [187] Sajid M, Ilyas M. PTFE-coated non-stick cookware and toxicity concerns: a perspective. *Environ Sci Pollut Res* 2017;24:23436–40. <https://doi.org/10.1007/s11356-017-0095-y>.
- [188] Autumn K. Mechanisms of Adhesion in Geckos. *Integr Comp Biol* 2002;42:1081–90. <https://doi.org/10.1093/icb/42.6.1081>.
- [189] Pugmire DL, Wetteland CJ, Duncan WS, Lakis RE, Schwartz DS. Cross-linking of polytetrafluoroethylene during room-temperature irradiation. *Polym Degrad Stab* 2009;94:1533–41. <https://doi.org/10.1016/j.polymdegradstab.2009.04.024>.
- [190] Hopp B, Geretovszky Zs, Bertóti I, Boyd IW. Comparative tensile strength study of the adhesion improvement of PTFE by UV photon assisted surface processing. *Appl Surf Sci* 2002;186:80–4. [https://doi.org/10.1016/S0169-4332\(01\)00753-X](https://doi.org/10.1016/S0169-4332(01)00753-X).
- [191] Baumgärtner K-M, Schneider J, Schulz A, Feichtinger J, Walker M. Short-time plasma pre-treatment of polytetrafluoroethylene for improved adhesion. *Surf Coat Technol* 2001;142–144:501–6. [https://doi.org/10.1016/S0257-8972\(01\)01209-9](https://doi.org/10.1016/S0257-8972(01)01209-9).
- [192] Shi T, Shao M, Zhang H, Yang Q, Shen X. Surface modification of porous poly(tetrafluoroethylene) film via cold plasma treatment. *Appl Surf Sci* 2011;258:1474–9. <https://doi.org/10.1016/j.apsusc.2011.09.110>.
- [193] Sarani A, De Geyter N, Nikiforov AY, Morent R, Leys C, Hubert J, et al. Surface modification of PTFE using an atmospheric pressure plasma jet in argon and argon+CO₂. *Surf Coat Technol* 2012;206:2226–32. <https://doi.org/10.1016/j.surfcoat.2011.09.070>.
- [194] Fu C, Liu S, Gong T, Gu A, Yu Z. Investigation on surface structure of potassium permanganate/nitric acid treated poly(tetrafluoroethylene). *Appl Surf Sci* 2014;317:771–5. <https://doi.org/10.1016/j.apsusc.2014.08.176>.
- [195] Wang C, Chen J-R. Studies on surface graft polymerization of acrylic acid onto PTFE film by remote argon plasma initiation. *Appl Surf Sci* 2007;253:4599–606. <https://doi.org/10.1016/j.apsusc.2006.10.014>.
- [196] Lee S, Park J-S, Lee TR. The Wettability of Fluoropolymer Surfaces: Influence of Surface Dipoles. *Langmuir* 2008;24:4817–26. <https://doi.org/10.1021/la700902h>.
- [197] Calleja G, Houdayer A, Etienne-Calas S, Bourgogne D, Flaud V, Silly G, et al. Conversion of poly(ethylene-alt-tetrafluoroethylene) copolymers into polytetrafluoroethylene by direct fluorination: A convenient approach to access new properties at the ETFE surface. *J Polym Sci A Polym Chem* 2011;49:1517–27. <https://doi.org/10.1002/pola.24588>.
- [198] Murase M, Nakamura D. Hansen Solubility Parameters for Directly Dealing with Surface and Interfacial Phenomena. *Langmuir* 2023;39:10475–84. <https://doi.org/10.1021/acs.langmuir.3c00913>.
- [199] Hansen CM. Hansen Solubility Parameters: A User's Handbook. 2nd ed. Boca Raton: CRC Press; 2007.

- [200] Owens DK, Wendt RC. Estimation of the surface free energy of polymers. *J Appl Polym Sci* 1969;13:1741–7. <https://doi.org/10.1002/app.1969.070130815>.
- [201] Adamec V. Dielectric loss factor of polytetrafluoroethylene under irradiation. *Nature* 1963;200:1196. <https://doi.org/10.1038/2001196a0>.
- [202] Robertson T, Morrison D. Electrical properties of RF sputtered PTFE. *Thin Solid Films* 1975;27:19–37. [https://doi.org/10.1016/0040-6090\(75\)90004-8](https://doi.org/10.1016/0040-6090(75)90004-8).
- [203] Rosenmayer C, Bartz J, Hammes J. Adhesion and dielectric strength of ultra-low dielectric constant PTFE thin films. In: Case C, Kohl P, Kikkawa T, Lee W, editors. *Low-Dielectric Constant Materials III*, Mat Res Soc; 1997, p. 231–6.
- [204] Wei W, Kai Y, Jiazhen D, Fuping L, Jiefeng G. A Comparative Analysis of Characteristics of PPS and PTFE under Electrical-thermal Aging in Mineral Oil. 2013 IEEE Conference on Electrical Insulation and Dielectric Phenomena (CEIDP), IEEE; 2013, p. 168–71.
- [205] He L, Xu P, Zhang Y, Chai S, Xie Z, Dou Z, et al. Polytetrafluoroethylene composites for high-frequency microwave applications: Balancing thermal conductivity, adhesion and dielectric properties. *Compos Sci Technol* 2025;261:111012. <https://doi.org/10.1016/j.compscitech.2024.111012>.
- [206] McNicol A, Dowson D, Davies M. The effect of humidity and electrical fields upon the wear of high-density polyethylene and polytetrafluoroethylene. *Wear* 1995;181:603–12.
- [207] Nishi Y, Iizuka S, Faudree MC, Oyama R. Electrical Conductivity Enhancement of PTFE (Teflon) Induced by Homogeneous Low Voltage Electron Beam Irradiation (HLEBI). *Mater Trans* 2012;53:940–5. <https://doi.org/10.2320/matertrans.M2011273>.
- [208] Li L, Bowler N, Kessler MR, Yoon SH. Dielectric Response of PTFE and ETFE Wiring Insulation to Thermal Exposure. *IEEE Trans Dielectr Electr Insul* 2010;17:1234–41. <https://doi.org/10.1109/TDEI.2010.5539695>.
- [209] Yelton E. Properties of polytetrafluoroethylene of interest to the electric industries. *Trans Electrochem Soc* 1946;90:331–40. <https://doi.org/10.1149/1.3071750>.
- [210] Mergos JA, Athanassopoulou MD, Argyropoulos TG, Dervos CT, Vassiliou P. The Effect of Accelerated UV-Ageing on the Dielectric Properties of PVC, PTFE and HDPE. *Proceedings of the 2010 IEEE International Conference on Solid Dielectrics (ICSD 2010)*, IEEE; Dielect & Elect Insulation Soc (DEIS); Univ Potsdam, Inst Phys & Astronomy, Applied Condensed-Matter Phys; 2010.
- [211] Bordzilovskii S, Karakhanov S. Electric resistance of polytetrafluoroethylene under shock compression. *Combust Explos Shock Waves* 2002;38:722–7. <https://doi.org/10.1023/A:1021108815344>.
- [212] Yin Z, Sima W, Sun P, Shao Q, Xu H. Surface Electrical Performance of Polytetrafluoroethylene and Epoxy Resin under Arc Ablation. 2018 IEEE International Conference on High Voltage Engineering and Application (ICHVE), IEEE; Natl Tech Univ Athens; IEEE Dielectr & Elect Insulat Soc; Testing Res & Stand Ctr; High Volt; Raycap; Protasis; CABLEL; Megger; AKTOR; Inst Engn & Technol; SKT Testing; ADMIE SA; 2018.

- [213] Chen Y-C, Lin H-C, Lee Y-D. The Effects of Phenyltrimethoxysilane Coupling Agents on the Properties of PTFE/Silica Composites. *J Polym Res* 2004;11:1–7. <https://doi.org/10.1023/B:JPOL.0000021757.94577.a3>.
- [214] Luo F, Tang B, Fang Z, Yuan Y, Li H, Zhang S. Effects of coupling agent on dielectric properties of PTFE based and Li₂Mg₃TiO₆ filled composites. *Ceram Int* 2019;45:20458–64. <https://doi.org/10.1016/j.ceramint.2019.07.023>.
- [215] Han K, Zhou J, Li Q, Shen J, Qi Y, Yao X, et al. Effect of filler structure on the dielectric and thermal properties of SiO₂/PTFE composites. *J Mater Sci: Mater Electron* 2020;31:9196–202. <https://doi.org/10.1007/s10854-020-03449-w>.
- [216] Yu Y, Hou D, Zhou J, Shen J, Zhang P, Chen W, et al. Improved dispersion and interfacial interaction of SiO₂@polydopamine fillers in polytetrafluoroethylene composites for reduced thermal expansion and suppressed dielectric deterioration. *Ceram Int* 2023;49:21492–501. <https://doi.org/10.1016/j.ceramint.2023.03.282>.
- [217] Zhang D-N, Kou K-C, Gao P, Hou M, Chao M. Preparation and characterization of PTFE-g-GMA modified PTFE/SiO₂ organic–inorganic hybrids. *J Polym Res* 2012;19:9873. <https://doi.org/10.1007/s10965-012-9873-x>.
- [218] Wang Y, Yang Z, Wang H, Li E, Yuan Y. Investigation of PTFE-based ultra-low dielectric constant composite substrates with hollow silica ceramics. *J Mater Sci: Mater Electron* 2022;33:4550–8. <https://doi.org/10.1007/s10854-021-07646-z>.
- [219] Jin W, Li A, Li Y, Yu Y, Shen J, Zhou J, et al. Enhancing high-frequency dielectric and mechanical properties of SiO₂/PTFE composites from the interface fluorination. *Ceram Int* 2022;48:28512–8. <https://doi.org/10.1016/j.ceramint.2022.06.165>.
- [220] Wang H, Yang H, Wang Q, Tong J, Wen J, Zhang Q. Surface-modified Li₃Mg₂NbO₆ ceramic particles and hexagonal boron nitride sheets filled PTFE composites with high through-plane thermal conductivity and extremely low dielectric loss. *Compos Commun* 2020;22:100523. <https://doi.org/10.1016/j.coco.2020.100523>.
- [221] Huang A, Liu F, Cui Z, Wang H, Song X, Geng L, et al. Novel PTFE/CNT composite nanofiber membranes with enhanced mechanical, crystalline, conductive, and dielectric properties fabricated by emulsion electrospinning and sintering. *Compos Sci Technol* 2021;214:108980. <https://doi.org/10.1016/j.compscitech.2021.108980>.
- [222] Harris IA, Lim MX, Jaeger HM. Temperature dependence of nylon and PTFE triboelectrification. *Phys Rev Mater* 2019;3:85603. <https://doi.org/10.1103/PhysRevMaterials.3.085603>.
- [223] Yablokov MYu, Shevchenko VG, Gilman AB, Kuznetsov AA. Dielectric Properties of Polytetrafluoroethylene Films Modified by Direct Current Discharge. *High Energy Chem* 2014;48:282–6. <https://doi.org/10.1134/S0018143914040134>.
- [224] Li X, Shen J, Zhou J, Zhu C, Chen W. Enhancing the dielectric and thermal properties of polytetrafluoroethylene-based composites through designing and constructing a novel interfacial structure. *Heliyon* 2024;10:e25442. <https://doi.org/10.1016/j.heliyon.2024.e25442>.

- [225] Wu C, Li Q, Hong Y, Feng B, Hu W, Sun L. Development of a High-Frequency Polytetrafluoroethylene (PTFE)-Based Laminate With An Ultra-Low Dielectric Constant by Combination of Ceramic Hollow Spheres and PTFE Resin. *ChemistrySelect* 2024;9:e202303461. <https://doi.org/10.1002/slct.202303461>.
- [226] Bouharras FE, Raihane M, Lopez G, Ameduri B. Fluoropolymers for Automotive and Aerospace Industries. In: Hadjichristidis N, Gnanou Y, Matyjaszewski K, Muthukumar M, editors. *Macromolecular Engineering : From Precise Synthesis to Macroscopic Materials and Applications*. 2nd ed., New York: Wiley; 2022, p. 1371–402.
- [227] Mohan P. A Critical Review: The Modification, Properties, and Applications of Epoxy Resins. *Polym-Plast Technol Eng* 2013;52:107–25. <https://doi.org/10.1080/03602559.2012.727057>.
- [228] Li H, Aguirre-Villegas HA, Allen RD, Bai X, Benson CH, Beckham GT, et al. Expanding plastics recycling technologies: chemical aspects, technology status and challenges. *Green Chem* 2022;24:8899–9002. <https://doi.org/10.1039/D2GC02588D>.
- [229] Polytetrafluoroethylene (PTFE) Market Size. <https://www.mordorintelligence.com/industry-reports/polytetrafluoroethylene-ptfe-market> (accessed on November, 2025) .
- [230] Morita K, Gonzales J, Sakaue H. Effect of PTFE Particle Size on Superhydrophobic Coating for Supercooled Water Prevention. *Coatings* 2018;8:426. <https://doi.org/10.3390/coatings8120426>.
- [231] Sonnendecker A, Viljoen D, Ameduri B, Crouse P. Fluoropolymer-based architectural textiles: production, processing, and characterization. In: Ameduri B, Fomin S, editors. *Fascinating Fluoropolymers and Their Applications*, Oxford: Elsevier; 2020, p. 337–99.
- [232] Schlipf M. Fluoropolymers–Indispensable in key technologies, presented at CRC 1349 Fluorine-Specific Interactions: Fundamentals and Applications, Freie University, Berlin, 7-8 April 2025 .
- [233] Ayanleye O, Hammed V, Akinrotimi O, Bankole AA. Utilization of polytetrafluoroethylene (PTFE) for insulating aerospace cables. *Int J Adv Res Eng Technol* 2024;15:57–64. <https://doi.org/10.34218/IJARET.15.4.006>.
- [234] Raut A, Nunez EE, Sellers R, Rahman MS, Polycarpou AA. The effect of reinforcing fillers on the tribological performance of PTFE composites for a sustainable environment. *Wear* 2024;556–557:205524. <https://doi.org/10.1016/j.wear.2024.205524>.
- [235] Ahmed AA, Qahtan TF, Afzal N, Rashid M, Thalluri LN, Mohamed Ali MS. Low-pressure air plasma-treated polytetrafluoroethylene surface for efficient triboelectric nanogenerator. *Mater Today Sustain* 2023;21:100330. <https://doi.org/10.1016/j.mtsust.2023.100330>.
- [236] Qiang R, He Y, Yang Z, Luo H, Gao J, Long H. Hydrophilic modification of polytetrafluoroethylene particles and corrosion resistance of electroplated composite coatings. *Results Surf Interfaces* 2025;20:100573. <https://doi.org/10.1016/j.rsurfi.2025.100573>.
- [237] Zhu X, Zhang H, Liang Y, Zhang Y, Luo Q, Bi C, et al. Challenging reinforced composite polymer electrolyte membranes based on disulfonated poly(arylene ether sulfone)-

- impregnated expanded PTFE for fuel cell applications. *J Mater Chem* 2007;17:386–97. <https://doi.org/10.1039/B611690F>.
- [238] Lee JH, Lee KA, Kim KW, Kim SH, Shin Y, Yeo SY, et al. Overcoming Thickness–Durability Trade-Off in PEM Fuel Cells via Stretched PTFE Nanofiber-Reinforced Composite Membranes. *Adv Energy Mater* 2025:e03151. <https://doi.org/10.1002/aenm.202503151>.
- [239] Yan Z, Colletta M, Venkatesh A, Yang Y, Hitt JL, McNeill JM, et al. Managing gas and ion transport in a PTFE fiber-based architecture for alkaline fuel cells. *Cell Rep Phys Sci* 2022;3:100912. <https://doi.org/10.1016/j.xcrp.2022.100912>.
- [240] Dong Y, Feng C, Xie H, He Y, Costa CM, Lanceros-Méndez S, et al. A composite proton exchange membrane with a three-dimensionally-reinforced hydrogen bonding network for durable hydrogen fuel cells. *Inorg Chem Front* 2024;11:4459–68. <https://doi.org/10.1039/D4QI01074D>.
- [241] Guo Q, Huang Y, Xu M, Huang Q, Cheng J, Yu S, et al. PTFE porous membrane technology: A comprehensive review. *J Membr Sci* 2022;664:121115. <https://doi.org/10.1016/j.memsci.2022.121115>.
- [242] Zhong X, Han J, Chen L, Liu W, Jiao F, Zhu H, et al. Binding mechanisms of PVDF in lithium ion batteries. *Appl Surf Sci* 2021;553:149564. <https://doi.org/10.1016/j.apsusc.2021.149564>.
- [243] Lee K-H, Shim H, Lee SH, Kim H-J, Park C, Choi J, et al. Dual-fibrous PTFE structure enabling uniform and thick dry electrodes for high-energy-density and long-lasting batteries. *Energy Environ Sci* 2025;18:8446–61. <https://doi.org/10.1039/D5EE03240G>.
- [244] Zhang X, Xie Y, Cao H, Nawaz F, Zhang Y. A novel process for recycling and resynthesizing LiNi_{1/3}Co_{1/3}Mn_{1/3}O₂ from the cathode scraps intended for lithium-ion batteries. *Waste Manag* 2014;34:1715–24. <https://doi.org/10.1016/j.wasman.2014.05.023>.
- [245] Zhao J, Liao L, Shi F, Lei T, Chen G, Pei A, et al. Surface Fluorination of Reactive Battery Anode Materials for Enhanced Stability. *J Am Chem Soc* 2017;139:11550–8. <https://doi.org/10.1021/jacs.7b05251>.
- [246] Bunner M. Fluoropolymer Lining Systems: an Economical Alternative. *Corrosion* 1999, San Antonio, TX: NACE International; 1999, p. 1–7. <https://doi.org/10.5006/C1999-99404>.
- [247] Zhou Y. Material Foundation for Future 5G Technology. *Acc Mater Res* 2021;2:306–10. <https://doi.org/10.1021/accountsmr.0c00087>.
- [248] Lee YS, Choi H, Kim B, Kang C, Maeng I, Oh SJ, et al. Low-Loss Polytetrafluoroethylene Hexagonal Porous Fiber for Terahertz Pulse Transmission in the 6G Mobile Communication Window. *IEEE Trans Microwave Theory Techn* 2021;69:4623–30. <https://doi.org/10.1109/TMTT.2021.3092761>.
- [249] Zhang Y, Yin M-J, Ouyang X, Zhang AP, Tam H-Y. 3D μ -printing of polytetrafluoroethylene microstructures: A route to superhydrophobic surfaces and devices. *Appl Mater Today* 2020;19:100580. <https://doi.org/10.1016/j.apmt.2020.100580>.

- [250] Nieswic N, Barberat S, Mama L, Fabre D, Alamertery A, Brossier T, et al. From PTFE Latex to Three Dimensional-Printed Vascular Grafts Fabricated by DLP 3D Printing. *Adv Eng Mater* 2025;28:e202501566. <https://doi.org/10.1002/adem.202501566>.
- [251] Scully JM, Maalihan RD, Caldoni EB. Fluoropolymers in additive manufacturing: From chemical foundations to emerging strategies. *J Fluor Chem* 2026;291:110562. <https://doi.org/10.1016/j.jfluchem.2026.110562>.
- [252] Phillips L, Godden HJ, Kendrick J, Fox NR, Valavanis A, Burnett AD, et al. Stereolithography 3D printing of PTFE-filled photopolymer composites with enhanced THz transparency. *Addit Manuf* 2026;115:105057. <https://doi.org/10.1016/j.addma.2025.105057>.
- [253] Améduri B, Hori H. Recycling and the end of life assessment of fluoropolymers: recent developments, challenges and future trends. *Chem Soc Rev* 2023;52:4208–47. <https://doi.org/10.1039/D2CS00763K>.
- [254] Cousins IT, De Witt JC, Glüge J, Goldenman G, Herzke D, Lohmann R, et al. Finding essentiality feasible: common questions and misinterpretations concerning the “essential-use” concept. *Environ Sci: Processes Impacts* 2021;23:1079–87. <https://doi.org/10.1039/D1EM00180A>.
- [255] Roina Y, Auber F, Hocquet D, Herlem G. ePTFE-based biomedical devices: An overview of surgical efficiency. *J Biomed Mater Res* 2022;110:302–20. <https://doi.org/10.1002/jbm.b.34928>.
- [256] Friesen CM, Pulfer J. Fluoropolymers in Medical Applications: Recent Progress and Development. *Chem Rev* 2025;125:7389–489. <https://doi.org/10.1021/acs.chemrev.4c00996>.
- [257] Roina Y, Auber F, Hocquet D, Herlem G. ePTFE functionalization for medical applications. *Mater Today Chem* 2021;20:100412. <https://doi.org/10.1016/j.mtchem.2020.100412>.
- [258] Wang Z, Buser AM, Cousins IT, Demattio S, Drost W, Johansson O, et al. A New OECD Definition for Per- and Polyfluoroalkyl Substances. *Environ Sci Technol* 2021;55:15575–8. <https://doi.org/10.1021/acs.est.1c06896>.
- [259] Buck RC, Korzeniowski SH, Laganis E, Adamsky F. Identification and classification of commercially relevant per- and poly-fluoroalkyl substances (PFAS). *Integr Environ Assess Manag* 2021;17:1045–55. <https://doi.org/10.1002/ieam.4450>.
- [260] Henry BJ, Timmer N. Environmental fate and behavior studies of a polymeric PFAS, polytetrafluoroethylene (PTFE) – results and application to risk assessment. *Chemosphere* 2025;385:144569. <https://doi.org/10.1016/j.chemosphere.2025.144569>.
- [261] Zheng S, Sarker P, Gursoy D, Wei T, Hsiao BS. Molecular Mechanisms of Perfluoroalkyl Substances Integration into Phospholipid Membranes. *Langmuir* 2025;41:9369–76. <https://doi.org/10.1021/acs.langmuir.5c00124>.
- [262] Tuminello WH. Solubility of Poly(Tetrafluoroethylene) and its Copolymers. In: Hougham G, Cassidy PE, Johns K, Davidson T, editors. *Fluoropolymers 2*, Boston: Kluwer Academic Publishers; 2002, p. 137–43. https://doi.org/10.1007/0-306-46919-7_8.

- [263] Korzeniowski SH, Buck RC, Newkold RM, Kassmi AE, Laganis E, Matsuoka Y, et al. A critical review of the application of polymer of low concern regulatory criteria to fluoropolymers II: Fluoroplastics and fluoroelastomers. *Integr Environ Assess Manag* 2023;19:326–54. <https://doi.org/10.1002/ieam.4646>.
- [264] Sales, J., Hernandez, F., Kapoor, D., Van den Noort, M. Fluoropolymers: the safe science that society needs. *Internat Chem Regul Rev* 2022;5:13–23.
- [265] Teng H. Overview of the Development of the Fluoropolymer Industry. *Appl Sci* 2012;2:496–512. <https://doi.org/10.3390/app2020496>.
- [266] Henry B. Summary of the PTFE studies performed with independent laboratories to investigate persistence, degradation, transformation to or release of substances of concern. <https://www.gore.com/sites/default/files/2025-02/Summary-of-CRL-and-ALS-Studies-on-PTFE.pdf>, 2022.
- [267] Health Canada. https://publications.gc.ca/collections/collection_2025/eccc/En84-395-2025-eng.pdf (accessed on October, 2025).
- [268] Yu W, Chen L, Zhang X, Lu R, Zhu X, Lu F. Sustainable recycling and upgrading of waste polytetrafluoroethylene: Current progress and prospect. *Resour Conserv Recycl* 2025;215:108143. <https://doi.org/10.1016/j.resconrec.2025.108143>.
- [269] Sherrell PC, Šutka A, Timusk M, Šutka A. Alternatives to Fluoropolymers for Motion-Based Energy Harvesting: Perspectives on Piezoelectricity, Triboelectricity, Ferroelectrets, and Flexoelectricity. *Small* 2024;20:2311570. <https://doi.org/10.1002/sml.202311570>.
- [270] Organization for Economic Cooperation (OECD), New PFAS Definition. <https://www.cancer-environnement.fr/app/uploads/2025/03/OCDE-2021.-Reconciling-Terminology-of-the-Universe-of-Per-and-Polyfluoroalkyl-Substances.pdf> (accessed on November, 2025).
- [271] Wang Q, Bian Y, Dhawan G, Zhang W, Sorochinsky AE, Makarem A, et al. FDA approved fluorine-containing drugs in 2023. *Chin Chem Lett* 2024;35:109780. <https://doi.org/10.1016/j.ccl.2024.109780>.
- [272] Johnson W, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC, et al. Safety Assessment of Polyfluorinated Polymers as Used in Cosmetics. *Int J Toxicol* 2023;42:144S–161S. <https://doi.org/10.1177/10915818231208647>.
- [273] Clayton JW. Toxicology of the fluoroalkenes: Review and research needs. *Environ Health Perspect* 1977;21:255–67. <https://doi.org/10.1289/ehp.7721255>.
- [274] Sachan R, Sachan A, Lu J, Erdmann D, Zhang JY, Narayan RJ. 3D Printing of Polytetrafluoroethylene Hollow Needles for Medical Applications. *JOM* 2021;73:3798–803. <https://doi.org/10.1007/s11837-021-04978-3>.
- [275] Concha VOC, Timóteo L, Duarte LAN, Bahú JO, Munoz FL, Silva AP, et al. Properties, characterization and biomedical applications of polyvinylidene fluoride (PVDF): a review. *J Mater Sci* 2024;59:14185–204. <https://doi.org/10.1007/s10853-024-10046-3>.
- [276] Chon M-K, Shin D-H, Jung S-J, Park H-J, Kim J-H. A Percutaneous Catheter Solution as a Spacer for Regurgitant Heart Valve Disease. *Coatings* 2021;11:926–32. <https://doi.org/10.3390/coatings11080926>.

- [277] Derad L, Thaler M, Wiktor K, Bregulla R, Bader C. Impact of the European proposal to restrict PFAS on modern medical technology and treatment options: A European regulatory risk for the resetting of gold standards in medical technology. *Current Directions in Biomedical Engineering* 2024;10:175–8. <https://doi.org/10.1515/cdbme-2024-2042>.
- [278] FDA Approval PTFE Sealing Material. <https://www.parjetseals.com/en-US/newsc75-fda-approval-ptfe-sealing-material> (accessed on November 13th, 2025).
- [279] Schrenk D, Bodin L, Chipman JK, del Mazo J, Grasl-Kraupp B, Hogstrand C, et al. Risk to human health related to the presence of perfluoroalkyl substances in food (EFSA Panel on Contaminants in the Food Chain (EFSA CONTAM Panel)). *EFSA J* 2020;18:6223. <https://doi.org/10.2903/j.efsa.2020.6223>.
- [280] Environmental Working Group (EWG). <https://www.ewg.org/news-insights/news/2024/02/forever-chemicals-top-3-ways-lower-your-exposure> (accessed on October, 2025).
- [281] Naftalovich R, Naftalovich D, Greenway FL. Polytetrafluoroethylene Ingestion as a Way to Increase Food Volume and Hence Satiety Without Increasing Calorie Content. *J Diabetes Sci Technol* 2016;10:971–6. <https://doi.org/10.1177/1932296815626726>.
- [282] [ECHA] European Chemicals Agency, 2023. Annex XV restriction report: proposal for a restriction: substance Name(s): per- and polyfluoroalkyl substances (PFASs) (see comment 6167; reference 50d3d582-d7e1-4877-bbf4-2101a2a07b1c). <https://echa.europa.eu/documents/10162/f605d4b5-7c17-7414-8823-b49b9fd43aea> (accessed on October, 2025).
- [283] Dolatabad AA, Zhang X, Mai J, Kubátová A, Cao J, Xiao F. Thermal decomposition of fluoropolymers: Stability, decomposition products, and possible PFAS release. *J Hazard Mater* 2025;496:139322. <https://doi.org/10.1016/j.jhazmat.2025.139322>.
- [284] Lee S, Kang K-K, Sung S-E, Choi J-H, Sung M, Seong K-Y, et al. In Vivo Toxicity and Pharmacokinetics of Polytetrafluoroethylene Microplastics in ICR Mice. *Polymers* 2022;14:2220. <https://doi.org/10.3390/polym14112220>.
- [285] K C PB, Maharjan A, Acharya M, Lee D, Kusma S, Gautam R, et al. Polytetrafluoroethylene microplastic particles mediated oxidative stress, inflammation, and intracellular signaling pathway alteration in human derived cell lines. *Sci Total Environ* 2023;897:165295. <https://doi.org/10.1016/j.scitotenv.2023.165295>.
- [286] Alaraby M, Abass D, Velázquez A, Hernández A, Marcos R. Polytetrafluoroethylene microplastic properties, pollution, toxicity and analysis: a review. *Environ Chem Lett* 2025. <https://doi.org/10.1007/s10311-025-01885-w>.
- [287] Puts G, Crouse P, Ameduri B. Thermal Degradation and Pyrolysis of Polytetrafluoroethylene. In: Smith DW, Iacono ST, Iyer SS, editors. *Handbook of Fluoropolymer Science and Technology*. 1st ed., New York: Wiley; 2014, p. 81–104.
- [288] Eck M, Mecking S. Closed-Loop Recyclable and Nonpersistent Polyethylene-like Polyesters. *Acc Chem Res* 2024;57:971–80. <https://doi.org/10.1021/acs.accounts.3c00811>.

- [289] Rosenboom J-G, Langer R, Traverso G. Bioplastics for a circular economy. *Nat Rev Mater* 2022;7:117–37. <https://doi.org/10.1038/s41578-021-00407-8>.
- [290] He P, Chen L, Shao L, Zhang H, Lü F. Municipal solid waste (MSW) landfill: A source of microplastics? Evidence of microplastics in landfill leachate. *Water Res* 2019;159:38–45. <https://doi.org/10.1016/j.watres.2019.04.060>.
- [291] Cole M, Gomiero A, Jaén-Gil A, Haave M, Lusher A. Microplastic and PTFE contamination of food from cookware. *Sci Total Environ* 2024;929:172577. <https://doi.org/10.1016/j.scitotenv.2024.172577>.
- [292] Tyrrell ND. A Proposal That Would Ban Manufacture, Supply, and Use of All Fluoropolymers and Most Fluorinated Reagents within the Entire EU. *Org Process Res Dev* 2023;27:1422–6. <https://doi.org/10.1021/acs.oprd.3c00199>.
- [293] Barhoumi B, Sander SG, Tolosa I. A review on per- and polyfluorinated alkyl substances (PFASs) in microplastic and food-contact materials. *Environ Res* 2022;206:112595. <https://doi.org/10.1016/j.envres.2021.112595>.
- [294] Park T-J, Lee S-H, Lee M-S, Lee J-K, Lee S-H, Zoh K-D. Occurrence of microplastics in the Han River and riverine fish in South Korea. *Sci Total Environ* 2020;708:134535. <https://doi.org/10.1016/j.scitotenv.2019.134535>.
- [295] Gelman F, Muszyńska M, Karasiński J, Lev O, Halicz L. Detection of PTFE microparticles by ICP-qMS operated in single-particle mode. *J Anal At Spectrom* 2022;37:2282–5. <https://doi.org/10.1039/D2JA00215A>.
- [296] Gonzalez De Vega R, Moro TT, Grüner B, De Andrade Maranhão T, Huber MJ, Ivleva NP, et al. Studying the degradation of bulk PTFE into microparticles *via* SP ICP-MS: a systematically developed method for the detection of F-containing particles. *J Anal At Spectrom* 2024;39:2030–7. <https://doi.org/10.1039/D4JA00101J>.
- [297] Xu Q, Chen X, Wang S, Guo C, Niu Y, Zuo R, et al. The Recycling of Waste Per-Fluorinated Sulfonic Acid for Reformulation and Membrane Application in Iron-Chromium Redox Flow Batteries. *Energies* 2022;15:8717. <https://doi.org/10.3390/en15228717>.
- [298] Yingnakorn T, Hartley J, Keal ME, Gordon R, Florido DM, Abbott AP, et al. Catalyst coated membranes for fuel cell and water electrolyser delamination induced by organic solution soaking and water ultrasonication. *RSC Sustainability* 2025;3:1900–8. <https://doi.org/10.1039/D4SU00795F>.
- [299] Wang J, Lin Z, He X, Song M, Westerhoff P, Doudrick K, et al. Critical Review of Thermal Decomposition of Per- and Polyfluoroalkyl Substances: Mechanisms and Implications for Thermal Treatment Processes. *Environ Sci Technol* 2022;56:5355–70. <https://doi.org/10.1021/acs.est.2c02251>.
- [300] Evich MG, Davis MJB, McCord JP, Acrey B, Awkerman JA, Knappe DRU, et al. Per- and polyfluoroalkyl substances in the environment. *Science* 2022;375:eabg9065. <https://doi.org/10.1126/science.abg9065>.
- [301] Longendyke GK, Katel S, Wang Y. PFAS fate and destruction mechanisms during thermal treatment: a comprehensive review. *Environ Sci: Processes Impacts* 2022;24:196–208. <https://doi.org/10.1039/D1EM00465D>.