



09/04/2026

Kayla Trout
Weaver Compressor Station
455 Race Track Road
Washington, PA 15301

Facility ID: 0370000228
Permit Number: P0135565
County: Richland

RE: DRAFT AIR POLLUTION TITLE V PERMIT

Permit Type: Renewal

Dear Permit Holder:

A draft of the OAC Chapter 3745-77 Title V permit for the referenced facility has been issued. The purpose of this draft is to solicit public comments. A public notice will appear in the Ohio Environmental Protection Agency (EPA) Weekly Review and Public Notices website, [Weekly Review and Public Notices](#). A copy of the public notice, the Statement of Basis, and the draft permit are enclosed. This permit can be accessed electronically on the Ohio EPA document search website here: [eDocument Search](#). Comments will be accepted as a marked-up copy of the draft permit or in narrative format. Any comments must be sent to the following:

Andrea Moore
Permit Review/Development Section
Ohio EPA, DAPC
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049

and

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Rd.
Bowling Green, OH 43402

Comments and/or a request for a public hearing will be accepted within 30 days of the date the notice is published on the Ohio EPA Weekly Review and Public Notices website, [Weekly Review and Public Notices | Ohio Environmental Protection Agency](#). You will be notified if a public hearing is scheduled. A decision on processing the Title V permit will be made after consideration of comments received and oral testimony if a public hearing is conducted. You will then be provided with a Preliminary Proposed Title V permit and another opportunity to comment prior to the 45-day Proposed Title V permit submittal to U.S. EPA Region 5. The permit will be issued final after U.S. EPA review is completed and no objections to the final issuance have been received. If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461.

Sincerely,

Robert Hodanbosi
Chief, Division of Air Pollution Control

cc: U.S. EPA Region 5 - Via E-Mail Notification
Ohio EPA-NWDO

Public Notice

The following matters are the subject of this public notice by the Ohio Environmental Protection Agency. The complete public notice, including any additional instructions for submitting comments, requesting information, a public hearing, or filing an appeal may be obtained at: [Weekly Review and Public Notices | Ohio Environmental Protection Agency](#) or Hearing Clerk, Ohio EPA, 50 W. Town St., Columbus, Ohio 43215. Phone: 614-644-3037 Email: HClerk@epa.ohio.gov

Draft Title V Permit Renewal

Weaver Compressor Station
2873 Pleasant Valley Rd
Lucas, OH 44843

ID#:	P0135565
Date of Action:	09/04/2026
Permit Desc:	Title V renewal for the operations at a natural gas compressor station.

The permit and complete instructions for requesting information or submitting comments may be obtained at: <https://ohioepa.commentinput.com> - Search by entering the permit # P0135565 in the "Search Projects" search box.

Statement of Basis* For Air Pollution Title V Permit

*As defined in OAC rule 3745-77-01(MM): “Statement of basis” or “SOB” means a statement that sets forth the legal and factual basis for the draft [Title V] permit conditions (including references to the applicable statutory or regulatory provisions).”

Completing this form is intended to satisfy those requirements.

Facility ID:	0370000228
Facility Name:	Weaver Compressor Station
Facility Description:	Natural gas transmission
Facility Address:	2873 Pleasant Valley Rd Lucas, OH 44843
Permit #:	P0135565

This facility is subject to Title V because it is major for:

☐ Lead ☐ Sulfur Dioxide ☒ Carbon Monoxide ☐ Volatile Organic Compounds ☒ Nitrogen Oxides

☐ Particulate Matter $\leq$ 10 microns ☒ Single Hazardous Air Pollutant ☒ Combined Hazardous Air Pollutants ☐ GHG

And/or subject to:

☒ Maximum Available Control Technology Standard(s) ☐ GACT standard(s) that requires a Title V permit ☐ Title IV ☐ Opt-In source

A. Permit Background

1. Has each insignificant emissions unit been reviewed to confirm it meets the definition in OAC rule 3745-77-01(V)?

Yes√ No Comments:

2. Discuss any **common control determinations** (this includes revisions to previous determinations), include justification, factors, and facts which led to the final decision.

Discussion:

3. Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document resulting from a **renewal** per OAC rule 3745-77-08(E). This includes identifying conditions from previous permits that are not included in the new permit.

PTI No.: P0140222, P0138018, P0141278	Affected EUs: T031, B008 and T024 respectively
--	--

Discussion of changes from the previous Title V: Inclusion of three new significant emission units and the removal of one from prior issuance (B003).

4. Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document resulting from a **minor modification** per OAC rules 3745-77-08(C)(1) or (2)

PTI No.:	Affected EUs:
----------	---------------

Minor Modification Description:

5. Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a **significant permit modification** per OAC rule 3745-77-08(C)(3)

PTI No.:	Affected EUs:
----------	---------------

Significant Modification Description:

6. Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a **reopening** per OAC rule 3745-77-08(D)

PTI No.:

Affected EUs:

Reopening for Cause for Description:

7. Please identify the affected emissions unit(s) and pollutant(s) for which a **Compliance Assurance Monitoring (CAM)** Plan is required per 40 CFR 64. Provide more emissions unit specific detail in Section C.

Affected EUs:

8. Please identify any federal **Consent Decree (CD)** that resulted in the addition of Title V T&Cs – include the CD Number, the CD Public Notice date (if known) and Ohio EPA Permit Number (if applicable, along with final permit issuance date) that incorporates the CD requirements.

CD No.	Public Notice Date:	PTI No.	PTI Issuance Date:
--------	---------------------------	---------	--------------------

9. Please identify any **complex or unusual rule applicability determination** that is not readily apparent in the permit T&Cs and warrants additional explanation in the Statement of Basis. If the discussion is included in a PTI Permit Strategy Write Up cite the Permit Number and copy/paste or summarize the determination here.

PTI No.	Discussion:
10. Please identify any streamlining determinations within the permit. Include an identification of the subsumed limit(s) and an explanation of how the resulting limit is equivalent to or more stringent than those subsumed. If the discussion exists in a PTI Permit Strategy Write Up, cite the Permit Number and summarize the determination here. This would also be noted for specific emissions units identified in C.	
PTI No.	Discussion:
11. Please identify any current enforcement actions to address violations at the facility resulting in a compliance plan and schedule.	
Director's Final Findings and Orders; AGO Consent Decree; or U.S. EPA Consent Decree Date:	List the Order/Injunctive Relief number from the associated enforcement document and provide a description:

B. Facility-Wide Terms and Conditions

Term and Condition (paragraph)	Basis		Comments
	SIP (3745-)	Other	
B.1.			Lists Facility wide terms and conditions that are enforceable under state law only.

B.2.	77-07(A)(13)	MACT DDDDD	Lists insignificant emissions units subject to the MACT standard for Industrial, Commercial and Institutional Boilers and Process Heaters (DDDDD).
------	--------------	---------------	--

C. Emissions Unit Terms and Conditions

Key: EU = emissions unit ID ND = negative declaration (i.e., term that indicates that a particular rule(s) is (are) not applicable to a specific emissions unit) OR = operational restriction M = monitoring requirements ENF = did noncompliance issues drive the monitoring requirements?	R = record keeping requirements Rp = reporting requirements ET = emission testing requirements (not including compliance method terms) Misc = miscellaneous requirements
---	--

Emissions Unit Table

EU(s)	Limitation	Basis	ND	OR	M	R	Rp	ET	ENF	Misc	Comments
B008 P001- P007	Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.	OAC rule 3745-17-07(A)	N	Y	Y	Y	Y	N	N	N	OR - Must use natural gas (i.e. 'inherently clean fuel' for PE) M, R, Rp – validating only natural gas (NG) as fuel source. ET - No testing normally required for opacity alone.
B008 P001	0.020 lb PE/MMBtu of actual heat input	OAC rule 3745-17-10(B)(1)	N	Y	Y	Y	Y	N	N	N	OR - Must use NG (i.e. 'inherently clean fuel' for PE) M, R, Rp – validating only NG as fuel. ET – Compliance based on AP-42 emission factor for NG.
B008	Work practice	40 CFR Part 63 Subpart DDDDD	N	Y	Y	Y	N	N	N	N	This emissions unit is subject to the initial notification requirements of 40 CFR, Part 63, Subpart DDDDD (Boiler MACT) as outlined in §63.9(b) and the work practice standards located in Table 3 as outlined in §63.7500 (i.e., it is not subject to the emission limits, performance testing, monitoring, or site-specific monitoring plan requirements of Subpart DDDDD or any other requirements in 40 CFR, Part 63, Subpart A).
P001	0.01 lb PE/hr 0.04 TPY PE	OAC 3745-31-05(A)(3)	N	Y	Y	Y	Y	N	N	N	M, R, Rp, ET - The hourly and annual emission limitations represent the PTE for this EU from the flare. Therefore, no M, R, or Rp is required. If

Emissions Unit Table

EU(s)	Limitation	Basis	ND	OR	M	R	Rp	ET	ENF	Misc	Comments
	0.25 lb SO ₂ /hr 1.10 TPY SO ₂ 0.3 lb NO _x /hr 1.31 TPY NO _x 1.63 lb CO/hr 7.14 TPY CO 3.63 lb VOC/hr 16 TPY VOC	PTI # P0125850									required, the permittee can demonstrate compliance with the hourly emission limitation through emission testing. * Compliance with the annual allowable emission limitation shall be assumed as long as compliance with the hourly allowable emission limitation is maintained.
P001	0.21 lb benzene/hr; 0.92 ton of benzene per rolling, 12- month period	OAC rule 3745-31- 05(D) PTI# P0125850 40 CFR, Part 63, Subpart HHH	N	Y	Y	Y	Y	Y	N	N	OR-Flare design and operational requirements ET-Compliance with MACT Subpart HHH

Emissions Unit Table

EU(s)	Limitation	Basis	ND	OR	M	R	Rp	ET	ENF	Misc	Comments
P003	3.64 lbs NO _x /hr; 15.94 TPY NO _x	OAC rule 3745-31- 05(A)(3) PTI# 03- 04754	N	Y	Y	Y	Y	N	N	N	OR - Must use NG (i.e. 'inherently clean fuel') M, R, Rp – validating only NG as fuel. ET – Compliance based on vendor emission factor for NG. If required, the permittee can demonstrate compliance with the hourly emission limitation through emission testing.
P003	0.310 lb PE/MMBtu actual heat input	OAC 3745- 17-11 (B)(5)(a)	N	Y	Y	Y	Y	N	N	N	OR - Must use NG (i.e. 'inherently clean fuel' for PE) M, R, Rp – validating only NG as fuel. ET – Compliance based on vendor emission factor for NG. If required, the permittee can demonstrate compliance with the hourly emission limitation through emission testing.
P007	0.040 lb PE/MMBtu actual heat input	OAC 3745- 17-11 (B)(4)	N	Y	Y	Y	Y	N	N	N	OR - Must use NG (i.e. 'inherently clean fuel' for PE) M, R, Rp – validating only NG as fuel. ET – Compliance based on AP-42 emission factor for NG.
T024	VOC shall not exceed 6.0 tons per month per rolling, 12-	OAC 3745- 31-05(F) PTI #P0141278	N	Y	Y	Y	Y	N	N	N	OR – Throughput restrictions M, R, Rp – Validating throughput compliance. ET – Compliance based on monitoring and recordkeeping requirements.

Emissions Unit Table

EU(s)	Limitation	Basis	ND	OR	M	R	Rp	ET	ENF	Misc	Comments
	month period										
Section C.6.: T031, 10,000 Gallon Pipeline Liquids Tank											
T031	VOC shall be less than 6.0 TPY Methane shall be less than 20 TPY	OAC 3745-31-05(F) PTI #P0140222	N	Y	Y	Y	Y	N	N	N	OR – Throughput restrictions M, R, Rp – Validating throughput compliance. ET – Compliance based on monitoring and recordkeeping requirements.
Section C.7.: Emissions Unit Group A - RICE Engines: P002, P004 – P006											
P002 P004 P005 P006	0.062 lb PE/MMBtu of actual heat input	OAC 3745-17-11 (B)(5)(b)	N	Y	Y	Y	Y	N	N	N	OR - Permittee shall only burn NG as fuel. M, R, Rp – validating only NG as fuel. ET – M, R, Rp are sufficient to demonstrate compliance.



**Environmental
Protection
Agency**

DRAFT

Division of Air Pollution Control
Title V Permit
for
Weaver Compressor Station

Facility ID:	0370000228
Permit Number:	P0135565
Permit Type:	Renewal
Issued:	09/04/2026
Effective:	To be entered upon final issuance
Expiration:	To be entered upon final issuance

Division of Air Pollution Control
Title V Permit
for
Weaver Compressor Station

Table of Contents

Authorization.....	15
List of Commonly Used Abbreviations	16
A. Standard Terms and Conditions.....	17
B. Facility Wide Terms and Conditions	31
C. Emissions Unit Terms and Conditions.....	33
1. B008, HEATER #2.....	34
2. P001, TEGDEHY #1	37
3. P003, RECIPENGINE/INTEGRAL COMPR #082G1.....	49
4. P007, TURBINE ENGINE/CENTRIF COMPR #08205 (Engine #5)	53
5. T024, T024.....	55
6. T031, A-22.....	58
7. Emissions Unit Group - A: P002, P004, P005 and P006.....	62

Effective Date: To be entered upon final issuance

Authorization

Facility ID:	0370000228
Facility Description:	Weaver Compressor Station
Application Number(s):	A0081224, A0082036, A0075864
Permit Number:	P0135565
Permit Description:	Title V renewal for the operations at a natural gas compressor station.
Permit Type:	Renewal
Issue Date:	
Effective Date:	To be entered upon final issuance
Expiration Date:	To be entered upon final issuance
Superseded Permit Number:	P0125627

This document constitutes issuance of an OAC Chapter 3745-77 Title V permit to:

Weaver Compressor Station
2873 Pleasant Valley Rd
Lucas, OH 44843

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Rd.
Bowling Green, OH 43402
(419)352-8461

The above-named entity is hereby granted a Title V permit pursuant to Chapter 3745-77 of the Ohio Administrative Code. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. You will be sent a notice approximately 18 months prior to the expiration date regarding the renewal of this permit. If you do not receive a notice, please contact the Ohio EPA DAPC, Northwest District Office. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, if a timely renewal application is submitted. A renewal application will be considered timely if it is submitted no earlier than 18 months and no later than 6 months prior to the expiration date.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

John Logue
Director

List of Commonly Used Abbreviations

AP-42 = U.S. EPA's Compilation of Air Pollution Emissions Factors	HVLP = high volume, low pressure	PER = Permit Evaluation Report
ASTM = American Society for Testing and Materials	LAER = lowest achievable emission rate	PM = particulate matter
BACT = Best Available Control Technology	lb(s)/hr = pound(s) per hour	PM ₁₀ = particulate matter with an aerodynamic diameter less than or equal to 10 microns
BAT = Best Available Technology	LDAR = leak detection and repair	PM _{2.5} = particulate matter with an aerodynamic diameter less than or equal to 2.5 microns
CAA = Clean Air Act	LPG = liquefied petroleum gas/propane	ppb = parts per billion
CAM = compliance assurance monitoring	MACT = maximum achievable control technology	ppm = parts per million
CEMS = continuous emissions monitoring system	MAGLC = maximum acceptable ground level concentration	PSD = Prevention of Significant Deterioration
CFC = chlorofluorocarbon	mg/m ³ = milligrams per cubic meter	psi = pounds per square inch
CFR = Code of Federal Regulations	MM = million	psia = pounds per square inch absolute
CH ₄ = methane	MMBtu = million British Thermal Units	PTE = potential-to-emit
CI = compression ignition	MSDS = material safety data sheet	PTI = Permit-to-Install
CO = carbon monoxide	MSW = municipal solid waste	PTIO = Permit-to-Install and Operate
CO ₂ = carbon dioxide	NAAQS = National Ambient Air Quality Standard	PTO = Permit-to-Operate
COM = continuous opacity monitor	NESHAP = National Emission Standard for Hazardous Air Pollutants	PWR = process weight rate
DAPC = Division of Air Pollution Control	NG = natural gas	RACM = reasonably available control measures
DO/LAA = District Office/Local Air Agency	ng/m ³ = nanograms per cubic meter	RACT = reasonably available control technology
dscf = dry standard cubic foot	NH ₃ = ammonia	RATA = relative accuracy test audit
EAC = emissions activity category	NMHC = non-methane hydrocarbons	RTO = regenerative thermal oxidizer
eDocs = electronic documents database	NMOC = non-methane organic compound	SB265 = Senate Bill 265
ERAC = Environmental Review Appeals Commission	NO = nitrogen oxide	scfm = standard cubic feet per minute
ESP = electrostatic precipitator	NO ₂ = nitrogen dioxide	SI = spark ignition
EU = emissions unit	NO _x = nitrogen oxides	SIP = State Implementation Plan
FEPTIO = Federally Enforceable Permit-to-Install and Operate	NSPS = New Source Performance Standard	SO ₂ = sulfur dioxide
FER = Fee Emissions Report	NSR = New Source Review	SSMP = startup, shutdown, and malfunction plan
FR = Federal Register	NTV = Non-Title V	TDS = total dissolved solids
GACT = generally achievable control technology	O&M = operation and maintenance	TLV = threshold limit value
GHG = greenhouse gases	OAC = Ohio Administrative Code	TO = thermal oxidizer
gr/dscf = grains per dry standard cubic foot	OC = organic compound	TPH = ton(s) per hour
H ₂ S = hydrogen sulfide	Ohio EPA = Ohio Environmental Protection Agency	TPY = ton(s) per year
H ₂ SO ₄ = sulfuric acid	ORC = Ohio Revised Code	TSP = total suspended particulates
HAP = hazardous air pollutant	Pb = lead	VE = visible particulate emissions
HCl = hydrogen chloride	PBR = Permit-By-Rule	VMT = vehicle miles traveled
HF = hydrogen fluoride	PCB = polychlorinated biphenyl	VOC = volatile organic compound
Hg = mercury	PE = particulate emissions	WPP = work practice plan
hp = horsepower	PEMS = predictive emissions monitoring system	µg/m ³ = micrograms per cubic meter

A. Standard Terms and Conditions

1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under state law only:
 - (1) Standard Term and Condition A. 24., Reporting Requirements Related to Monitoring and Record Keeping Requirements of State-Only Enforceable Permit Terms and Conditions
 - (2) Standard Term and Condition A. 25., Records Retention Requirements for State-Only Enforceable Permit Terms and Conditions
 - (3) Standard Term and Condition A. 27., Scheduled Maintenance/Malfunction Reporting for State-Only Requirements
 - (4) Standard Term and Condition A. 29., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
 - (5) Standard Term and Condition A. 30., Submitting Documents Required by this Permit

[Authority for term: ORC 3704.036(A)]

2. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit), the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.

[Authority for term: OAC rule 3745-77-07(A)(3)(b)(i)]

- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

[Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii)]

- c) The permittee shall submit required reports in the following manner:
 - (1) All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:



Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted by January 31, April 30, July 31, and October 31 of each year in accordance with Standard Term and Condition A.2.c)(2) below; and each report shall cover the previous calendar quarter. An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any submitted scheduled maintenance requests, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

[(Authority for term: OAC rule 3745-77-07(A)(3)(c))]

- (2) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit or, in some cases, in section B. Facility-Wide Terms and Conditions of this Title V permit), all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be submitted promptly to the Ohio EPA DAPC, Northwest District Office. Except as provided below, the written reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation



occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this Standard Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this Standard Term and Condition.

See A.29 below if no deviations occurred during the quarter.

[(Authority for term: OAC rule 3745-77-07(A)(3)(c))]

- (3) All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted in the following manner:

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; Standard Terms and Conditions: A.3, A.4, A.5, A.7.e), A.8, A.13, A.15, A.20, and A.23 of this Title V permit, as well as any deviations from the requirements in section C. Emissions Unit Terms and Conditions of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted to the Ohio EPA DAPC, Northwest District Office by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in section B. Facility-Wide Terms and Conditions of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.



These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with Standard Term and Condition A.2.c)(2) above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

[(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b)]

- (4) Each written report shall be signed by a Responsible Official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete." Signature by the Responsible Official may be represented by entry of the personal identification number (PIN) by the Responsible Official as part of the electronic submission process or by the scanned attestation document signed by the Responsible Official that is attached to the electronically submitted written report.

[(Authority for term: OAC rule 3745-77-07(A)(3)(c)(v)]

- (5) Consistent with A.2.c.1. above, reports of any required monitoring and/or record keeping information required to be submitted to Ohio EPA shall be submitted to Ohio EPA DAPC, Northwest District Office unless otherwise specified.

[(Authority for term: OAC rule 3745-77-07(A)(3)(c)]

3. Reporting of Any Exceedance of a Federally Enforceable Emission Limitation or Control Requirement Resulting from Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in Standard Term and Condition A.2.c)(1) above.

[(Authority for term: OAC rule 3745-77-07(A)(3)(c)]

4. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a) A compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or

- b) As part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

[Authority for term: OAC rule 3745-77-07(A)(4)]

5. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

[Authority for term: OAC rule 3745-77-07(A)(5)]

6. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

[Authority for term: OAC rule 3745-77-07(A)(6)]

7. General Requirements

- a) Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit except as provided pursuant to A.16 below.
- c) This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.11 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f) Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable when:

- (1) The permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01 based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
- (2) The permittee no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01 based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable; or
- (3) A combination of (1) and (2) above.

The permittee shall continue to comply with all applicable OAC Chapter 3745-31 requirements for all regulated air contaminant sources once this permit ceases to be enforceable. The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

[Authority for term: OAC rule 3745-77-01, OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77-07(A)(7)]

8. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

[Authority for term: OAC rule 3745-77-07(A)(8)]

9. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

[Authority for term: OAC rule 3745-77-07(A)(9)]

10. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these standard terms and conditions shall apply to all operating scenarios authorized in this permit.

[Authority for term: OAC rule 3745-77-07(A)(10)]

11. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a) Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.



- b) This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit and shall not require a reopening of this permit.
- c) The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d) The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

[Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D)]

12. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the state, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under state law only.

[Authority for term: OAC rule 3745-77-07(B)]

13. Compliance Requirements

- a) Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a Responsible Official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the Ohio EPA DAPC, Northwest District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted



semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

- (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d) Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the Ohio EPA DAPC, Northwest District Office) and the Administrator of the U.S. EPA in the following manner and with the following content:
- (1) Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
 - (2) Compliance certifications shall include the following:
 - a. Identification of each term or condition that is the basis of the certification. The identification may include a statement by the Responsible Official that every term and condition that is federally enforceable has been reviewed, and such terms and conditions with which there has been continuous compliance throughout the year are not separately identified.
 - b. The permittee's current compliance status.
 - c. Whether compliance was continuous or intermittent consistent with A.13.d)(2)a. above.
 - d. The method(s) used for determining the compliance status of the source currently and over the required reporting period consistent with A.13.d)(2)a. above.
 - e. Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
 - (3) Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

[Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L)]

14. Permit Shield

- a) Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b) This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

[Authority for term: OAC rule 3745-77-07(F)]

15. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [defined as "Title I modification" in OAC rule 3745-77-01], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the Ohio EPA DAPC, Northwest District Office with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days' notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the Ohio EPA DAPC, Northwest District Office as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

[Authority for term: OAC rules 3745-77-07(H)(1) and (2)]

16. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

[Authority for term: OAC rule 3745-77-07(G)]

17. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a) The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b) The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as "insignificant activities and emissions levels" as defined in OAC rule 3745-77-01. Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c) The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d) The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e) The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit-to-install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph

(I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

[Authority for term: OAC rule 3745-77-07(I)]

18. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Federal Register 8314, Feb. 24, 1997), in the context of any future proceeding.

(This term is provided for informational purposes only.)

19. Insignificant Activities or Emissions Levels

Each IEU that is subject to one or more applicable requirements shall comply with those applicable requirements.

[Authority for term: OAC rule 3745-77-07(A)(1)]

20. Permit-to-Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit-to-install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

[Authority for term: OAC rule 3745-77-07(A)(1)]

21. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

[Authority for term: OAC rule 3745-77-07(A)(1)]

22. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the Responsible Official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the Responsible Official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an "emissions unit" as defined in OAC rule 3745-77-01), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

Unless otherwise exempted, no emissions unit identified in this permit that has been certified by the Responsible Official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

[Authority for term: OAC rule 3745-77-01]

23. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a) Persons operating appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

[Authority for term: OAC rule 3745-77-01(H)(11)]

24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or record keeping information shall be submitted to the Ohio EPA DAPC, Northwest District Office.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Northwest District Office. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

25. Records Retention Requirements Under State Law Only

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

26. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable state air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

[Authority for term: OAC rule 3745-77-07(C)]

27. Scheduled Maintenance/Malfunction Reporting for State-Only Requirements

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the Ohio EPA DAPC, Northwest District Office in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

28. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The Ohio EPA DAPC, Northwest District Office must be notified in writing of any transfer of this permit.

[Authority for term: OAC rule 3745-77-01(C)]

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a) Where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in Standard Term and Condition A.2.c)(2); or
- b) Where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potential to emit; or
- c) Where the company's Responsible Official has certified that an emissions unit has been permanently shut down.

30. Submitting Documents Required by this Permit

All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the Ohio EPA DAPC, Northwest District Office, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the Responsible Official may be represented as provided through procedures established in Air Services.

B. Facility Wide Terms and Conditions

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - a) None.
2. The insignificant emissions units listed below are subject to requirements contained in a permit-to-install, subject to a requirement in the SIP approved versions of OAC Chapters 3745-17, 3745-18, 3745-21, and 3745-31, subject to a federal rule requirement, or otherwise subject to an *Applicable Requirement*, as defined in OAC Rule 3745-77-01:

EU ID	Operations, Property and/or Equipment Description
B007	4.24 MMBtu/hr hot water NG Boiler generating hot water [40 CFR, Part 63, Subpart DDDDD - §63.7540(a)(10)(i) through (vi) and Table 3 to the subpart; and a one-time energy assessment, performed in accordance with Table 3 #4 of the subpart]
[OAC rule 3745-77-07(A)(13)]	

C. Emissions Unit Terms and Conditions

1. B008, HEATER #2

Operations, Property and/or Equipment Description:

TPS Line Heater rated at 12.72 MMBtu/hr [natural gas-fired process heater]

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(ii) (PTI #P0138018, issued on 04/29/25)	The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the PM ₁₀ , PM _{2.5} , NO _x , CO, SO ₂ and VOC emissions since the PTE of each is less than 10 TPY.
b.	OAC rule 3745-17-07(A)	Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
c.	OAC rule 3745-17-10(B)(1)	0.020 lb PE/MMBtu actual heat input
d.	OAC rule 3745-18-06(A)	See b)(2)a.
e.	40 CFR, Part 60, Subpart Dc	See b)(2)b. and d)(2)
f.	40 CFR, Part 63, Subpart DDDDD [In accordance with §63.7575, this emissions unit is in the 'unit designed to fire Gas 1 fuels' subcategory new process heater located at a major source of HAP emissions and subject to the applicable emissions limitations/control requirements specified in this section.]	See b)(2)c., c)(2), d)(3) and e)(2).



(2) Additional Terms and Conditions

- a. This emissions unit is exempt from the requirements of OAC rule 3745-18-06 in accordance with OAC rule 3745-18-06(A).
- b. This regulation does not specify emission limitations for units that only fire natural gas.
- c. This emissions unit is subject to the initial notification requirements of 40 CFR, Part 63, Subpart DDDDD (Boiler MACT) as outlined in §63.9(b) and the work practice standards located in Table 3 as outlined in §63.7500 (i.e., it is not subject to the emission limits, performance testing, monitoring, or site-specific monitoring plan requirements of Subpart DDDDD or any other requirements in 40 CFR, Part 63, Subpart A).

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1) and PTI #P0138018]

- (2) The permittee shall comply with the applicable operating requirements pursuant to 40 CFR, Part 63, Subpart DDDDD, including the following sections:

§63.7495(a)	Compliance date
§63.7510(g)	Initial compliance demonstration
§63.7500(e) and §63.7500(a)(1)	Conduct annual tune-up

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart DDDDD]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this EU.

[OAC rule 3745-77-07(C)(1) and PTI #P0138018]

- (2) The permittee shall collect and record the amount of fuel (natural gas) combusted during each calendar month.

[OAC rule 3745-77-07(C)(1) and PTI #P0138018]

- (3) The permittee shall comply with the applicable monitoring and recordkeeping requirements pursuant to 40 CFR, Part 63, Subpart DDDDD, including the following sections:

§63.7555(a)	Maintain records of notifications and reports
§63.7560	General recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart DDDDD]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this EU. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #P0138018]

- (2) The permittee shall comply with the applicable reporting requirements pursuant to 40 CFR, Part 63, Subpart DDDDD, including the following sections:

§63.7545(a), (c), (f) and (h)	Notification requirements
§63.7550(a), (b), (c) and (h)(3)	Annual reporting requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart DDDDD]

f) Testing Requirements

- (1) Compliance with the emission limitations in Section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

0.020 PE/MMBtu of actual heat input

Applicable Compliance Method:

The permittee may demonstrate compliance with the lb PE/MMBtu allowable limitation above by multiplying the emission factor of 7.6 lbs PE (total)/MMft³ of natural gas [from AP-42, Table 1.4-2 (revised 7/1998)] by the EU's maximum hourly natural gas consumption rate (12,471 ft³/hr), and then dividing by the maximum heat input rate of the EU (12.72 MMBtu/hr). If required, the permittee shall demonstrate compliance with the PE limitation above pursuant to OAC rule 3745-17-03(B)(9).

[OAC rule 3745-77-07(C)(1) and PTI #P0138018]

b. Emission Limitation:

Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the visible PE limitation above in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1) and PTI #P0138018]

g) Miscellaneous Requirements

- (1) None.

2. P001, TEG DEHY #1

Operations, Property and/or Equipment Description:

Triethylene glycol gas dehydrator with regeneration boiler and flare

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #P0125850, issued 02/15/2019)	<u>Emissions from the flare (FL2):</u> 0.01 lb PE/hr, 0.04 TPY PE 0.25 lb SO ₂ /hr, 1.10 TPY SO ₂ 0.30 lb NO _x /hr, 1.31 TPY NO _x 1.63 lb CO/hr, 7.14 TPY CO 3.63 lbs VOC/hr, 16 TPY VOC BAT for the regeneration boiler (stack BL2) is compliance with the requirements of OAC rule 3745-17-10(B)(1) and OAC rule 3745-17-07(A).
b.	OAC rule 3745-31-05(D)	0.21 lb benzene/hr and 0.92 ton benzene per rolling, 12-month period See b)(2)a.
c.	OAC rule 3745-21-07(M)(2)	See b)(2)b.
d.	OAC rule 3745-17-10(B)(1)	0.020 lb PE/MMBtu actual heat input (for stack BL2)
e.	OAC rule 3745-17-07 (A)	Visible emissions shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule (for stack BL2). See b)(2)d. (for flare FL2)



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
f.	OAC rule 3745-17-11(B)	See b)(2)e. (for flare FL2)
g.	OAC rule 3745-18-06(E)	See b)(2)f.
h.	40 CFR, Part 63, Subpart HHH (40 CFR, 63.1270-1286) [In accordance with 40 CFR 63.1270(a) and (b), this emission unit is a glycol dehydration unit at a natural gas transmission and storage facility.]	See b)(2)g., c)(1), d)(2), d)(3), e)(7) and f)(2).
i.	40 CFR 63.1-15 (40 CFR 63.1274)	Table 2 of 40 CFR, Part 63, Subpart HHH- Applicability of General Provisions to Subpart HHH shows which parts of the General Provisions in 40 CFR 63. 1-15 apply
j.	40 CFR, Part 63, Subpart DDDDD (40 CFR 63.7480 et seq.)	The regeneration boiler is exempt from the requirements of this rule pursuant to §63.7491(h).

(2) Additional Terms and Conditions

- a. The permittee has requested a federally enforceable limitation of 0.92 ton benzene per rolling, 12-month summation, based on a 98 percent destruction efficiency of the flare.
- b. This emissions unit is exempt from the requirements of OAC rule 3745-21-07(M)(2) pursuant to OAC rule 3745-21-07(M)((3)(c)(iii).
- c. All of the PE are assumed to be PM₁₀.
- d. The emissions from flare FL2 are exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because the emissions unit is not subject to the requirements of OAC rule 3745-17-11.
- e. The uncontrolled mass rate of PE* from flare FL2 are less than 10 pounds per hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply because the process weight rate is equal to zero. "Process weight" is defined in OAC rule 3745-17-01(B)(14).
- f. This EU is exempt from the requirements of OAC rule 3745-18-06(E) pursuant to OAC rule 3745-18-06(C) because the process weight rate* is less than 1,000 lbs/hr. "Process

weight” as defined in OAC rule 3745-18-01(B)(14). The burning of natural gas is the only source of SO₂ from this EU.

- g. This EU must achieve compliance with the 40 CFR, Part 63, Subpart HHH requirements under this permit by October 15, 2015, except as provided in 40 CFR 63.6(i).

c) Operational Restrictions

- (1) The flare shall be operated and maintained in accordance with the following:

- a. The flare shall be designed and operated with no visible emissions as determined by "Method 22, 40 CFR, Part 60, Appendix A," except for periods not to exceed a total of five minutes during any 120 consecutive minutes.
- b. The flare shall be operated with either an electric arc ignition system or a pilot flame. If a pilot flame is employed, the flame shall be present at all times. If an electric arc ignition system is employed, the arcing shall pulse continually.
- c. The net heating value of the gas being controlled in the flare, as determined by the method specified in Paragraph (P)(2) of Rule 3745-21-10 of the Administrative Code, shall be 200 Btu/scf or greater.
- d. The flare shall be designed and operated with an actual exit velocity, as determined by the method specified in Paragraph (P)(3) of Rule 3745-21-10 of the Administrative Code, less than 60 feet per second.
- e. The permittee shall ensure the flare is operated and maintained in conformance with its design.

[OAC rule 3745-77-07(A)(1) and PTI #P0125850]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart HHH, including the following sections:

63.1275(b)(1)(iii)	must meet annual BTEX emission limit according to Equation 1 (of this Title 40 CFR section)
63.1275(b)(1)(iii)(A)	must connect each dehydrator process vent to a control device (i.e. flare) through a closed-vent system
63.1275(b)(2)	safety devices that vent directly to the atmosphere may be used on the air emission control equipment
63.1281(c)(1)	closed-vent system shall route all gases, vapors, and fumes emitted from the material in an emissions unit to a control device

63.1281(c)(2)	closed-vent system shall be designed and operated with no detectable emissions
63.1281(c)(3)	requirements for closed-vent system bypass devices
63.1281(f)(1)(iii)	use of a flare that is designed and operated in accordance with the requirements of 40 CFR 63.11(b)
63.1281(f)(2)(i)	flare shall be operating at all times (may vent more than one unit to a control device)
63.1281(f)(2)(ii)	flare shall demonstrate compliance according to the requirements of 63.1282(h) [where flare manufacturer has tested in accordance with 63.1282(g)].

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart HHH]

- (3) The permittee shall burn natural gas as the singular fuel supplement for this EU.

[OAC rule 3745-77-07(A)(1) and PTI #P0125850]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a supplemental fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this EU.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (2) The permittee shall comply with the applicable inspection /monitoring requirements required under 40 CFR, Part 63, Subpart HHH, including the following sections:

63.1283(b)	[where flare manufacturer has tested in accordance with 63.1282(g)] shall develop an inspection and maintenance plan for the flare - shall conduct semi-annual inspections, with maintenance and replacement of flare components made in accordance with the plan
63.1283(c)(2)(i)	procedures for initial and annual inspections, for closed-vent system joints, seams, or other connections that are permanently or semi-permanently sealed (e.g., a welded joint between two sections of hard piping or a bolted or gasketed ducting flange)
63.1283(c)(2)(ii)	procedures for initial and annual leak detection inspections and annual visual inspections, for closed-vent system components other than those specified in paragraph (c)(2)(i)
63.1283(c)(2)(iii)	bypass devices - inspection, monitoring, and other requirements

63.1283(c)(3), (4)	leak detections - timeframes for repair, provision for delay of repair
63.1283(c)(5), (6)	provisions for 'unsafe' and 'difficult' inspection and repair for closed-vent system
63.1283(d)(1)(i)	each parametric monitoring data reading required every hour (if applicable)
63.1283(d)(1)(ii)	requirements to prepare a site-specific monitoring plan
63.1283(d)(1)(iii), (iv)	QA /QC requirements for monitoring equipment
63.1283(d)(3)(i)(C)	heat sensing monitoring device for flare
63.1283(d)(3)(i)(H)(1)	determine actual average inlet waste gas flowrate using the model GRI- GLYCalc TM , Version 3.0 or higher, ProMax, or AspenTech HYSYS
63.1283(d)(3)(i)(H)(2)	use a heat sensing monitoring device equipped with a continuous recorder that indicates the continuous ignition of the pilot flame
63.1283(d)(6), (7)	definitions /determinations for control device /closed-vent system excursion /noncompliance
63.1283(d)(9)	Nothing in paragraphs 40 CFR 63.1283 (d)(1) through (d)(8) shall be construed to allow or excuse a monitoring parameter excursion caused by any activity that violates other applicable provisions of Subpart HHH.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart HHH]

- (3) The permittee shall comply with the applicable recordkeeping requirements required under 40 CFR, Part 63, Subpart HHH, including the following sections:

63.1284(a)	recordkeeping requirements according to Subpart A are in Table 2 to Subpart HHH
63.1284(b)(1)	records requirements, retention - general
63.1284(b)(2)	records requirement from certain part of Subpart A
63.1284(b)(3)	records for monitoring systems - general
63.1284(b)(5)	records for unsafe-to-inspect parts of closed-vent system
63.1284(b)(6)	records for difficult-to-inspect parts of closed-vent system

63.1284(b)(7), (8)	records for leak inspection for closed-vent system (detailed)
63.1284(f)	malfunction records
63.1284(g)	records when using a control device whose model is tested under 40 CFR 63.1282(g) to comply with 40 CFR 63.1281(d), (e)(3)(ii) and (f)(1)
63.1284(h)	records of the semi-annual flare maintenance inspections

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart HHH]

- (4) The flare shall be monitored with a thermocouple or any other equivalent device to detect the presence of a pilot flame. If an electric arc ignition system is employed, the arcing shall be monitored to detect any failure.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (5) The permittee shall properly install, operate, and maintain a device to continuously monitor the pilot flame when the emissions unit is in operation. The monitoring device and any recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall record the following each day:

- a. All periods of time during which there was no pilot flame.
- b. A log of the downtime for the flare and monitoring equipment when the associated emissions unit was in operation.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (6) The permittee shall collect and record the following information each month for this EU:
- a. the benzene emissions, in pounds, calculated using GRI-GLYCalc, version 3.0 computer program; and
 - b. the rolling, 12-month summation of the monthly benzene emission rates, in tons.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (7) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from all the flare. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
- a. the color of the emissions;
 - b. the total duration of any visible emission incident; and



- c. any corrective actions taken to eliminate the visible emissions.

If during any weekly check the permittee observes visible emissions from the flare, the permittee shall monitor the visible emissions. The observation period shall be a minimum of 2 hours using Test Method 22 as specified in 40 CFR, Part 60, Appendix A, and the results shall be recorded in an operations log.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:

- a. all periods of time during which there was no pilot flame (the reports shall include the date, time, and duration of each such occurrence); and
- b. all exceedances of the rolling, 12-month benzene emission limitation of 0.92 ton.

The quarterly deviation reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions in Section A of this permit.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (2) The permittee shall submit deviation (excursion) reports that identify each day when a supplemental fuel other than natural gas was burned in this EU. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (3) The permittee shall submit quarterly summaries that include a log of the downtime for the flare and monitoring equipment when the associated EU was in operation.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (4) The permittee shall submit quarterly reports that include all visible emission readings conducted pursuant to 40 CFR, Part 60, Appendix A, Method 22 as a result of the presence of visible emissions from the flare. These quarterly reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall address the data obtained during the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (5) The permittee shall comply with the applicable reporting requirements required under 40 CFR, Part 63, Subpart HHH, including the following sections:

63.1285(a)	reporting requirements according to Subpart A are in Table 2 to Subpart HHH
63.1285(b)(1)	initial notification requirement for existing sources

63.1285(b)(2)	monitor performance evaluation report (if applicable)
63.1285(b)(3)	notification of planned date for flare performance test
63.1285(b)(6)	malfunction reporting
63.1285(d)	Notification of Compliance Status reporting requirement
63.1285(d)(5)	results of continuous monitoring system performance evaluations (if applicable)
63.1285(d)(6)	deference to Title V compliance reporting
63.1285(d)(9)	affirmative statement of compliance
63.1285(d)(11)	reporting for flares tested under 1282(g) (i.e. tested by manufacturer) must include data under 1282(g)(8)
63.1285(d)(12)	further reporting for flares tested under 1282(g)
63.1285(e)	Periodic Reports
63.1285(e)(1)	reporting frequency
63.1285(e)(2)(ii)(E)	visible emissions excursion reporting (performance test)
63.1285(e)(2)(iii)	reporting for leak inspection for closed-vent system
63.1285(e)(2)(iv)	reporting for closed-vent system bypass (if applicable)
63.1285(e)(2)(vi)	'negative declaration' reporting
63.1285(e)(2)(xii)	reporting for semi-annual inspections for flare under 1284(h)
63.1285(e)(2)(xiii)	responsible official certification
63.1285(f)	notification of process change (if applicable)
63.1285(g)	electronic reporting of performance test results to US EPA (if applicable)

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart HHH]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:



a. Emission Limitations:

flare FL2 - 0.01 lb PE/hr and 0.04 TPY PE

Applicable Compliance Method:

The permittee may determine compliance with the hourly PE emission limitation by multiplying the AP-42 emission factor from Table 1.4-2, (revised 7/1998) of 1.9 lb PE (filterable)/mm cu. ft. by the maximum natural gas consumption rate of 0.0044 mm cu. ft./hr.

The annual emission limitation was established by multiplying the hourly emission limitation by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is demonstrated with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

b. Emission Limitations:

flare FL2 - 0.25 lb SO₂/hr and 1.10 TPY SO₂

Applicable Compliance Method:

The permittee may determine compliance with the hourly allowable SO₂ emission limitation by multiplying the maximum firing capacity (4.40 MMBtu/hr) by a company-supplied emission factor of 0.0571 lb SO₂/MMBtu. [The emission limitation accounts for combustion from the natural gas pilot flame].

The annual emission limitation was established by multiplying the hourly emission limitation by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is demonstrated with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

c. Emission Limitations:

flare FL2 - 0.30 lb NO_x/hr and 1.31 TPY NO_x

Applicable Compliance Method:

The permittee may determine compliance with the hourly allowable NO_x emission limitation by multiplying the maximum firing capacity (4.40 MMBtu/hr) by the AP-42 emission factor from Table 13.5-1 (revised 1/95) of 0.068 lb NO_x/MMBtu.

The annual emission limitation was established by multiplying the hourly emission limitation by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is demonstrated with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

d. Emission Limitations:

Flare FL2 - 1.63 lbs CO/hr and 7.14 TPY CO

Applicable Compliance Method:

The permittee may determine compliance with the hourly allowable CO emission limitation by multiplying the maximum firing capacity (4.40 MMBtu/hr) by the AP-42 emission factor from Table 13.5-1 (revised 1/95) of 0.37 lb CO/MMBtu.

The annual emission limitation was established by multiplying the hourly emission limitation by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is demonstrated with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

e. Emission Limitations:

flare FL2 – 3.63 lbs VOC/hr and 16 TPY VOC

Applicable Compliance Method:

The permittee may demonstrate compliance with the hourly allowable VOC emission limitation by employing the GRI-GLYCalc, version 3 computer program and a flare control efficiency of 98 percent, by weight.

The emission limitation was established by the summation flare combustion emissions and process emissions. The flare combustion VOC emissions were calculated by multiplying the AP-42 emission factor from Table 13.5-1 (revised 2/2018), of 0.66 lb VOC/MMBtu by the maximum firing capacity (4.40 MMBtu/hr) [2.90 lbs VOC/hr].

The process VOC emissions were provided by the facility as determined by GRI-GlyCalc and applying a 98% control efficiency [0.73 lbs VOC/hr].

The annual emission limitation was established by multiplying the hourly emission limitation by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is demonstrated with the hourly emission limitation, compliance with the annual emission limitation shall also be demonstrated.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

f. Emission Limitations:

flare FL2 - 0.21 lb benzene/hr and 0.92 ton benzene/rolling, 12-month period

Applicable Compliance Method:

The permittee may determine compliance with the hourly allowable benzene emission limitation by employing the GRI's GLYCalc, version 3 computer program and a flare control efficiency of 98 percent, by weight.



Compliance with the annual allowable benzene emission limitation may be determined based upon the recordkeeping requirements specified in d)(4) of the terms and conditions of this permit.

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

g. Emission Limitation:

Stack BL2 - 0.02 lb PE/MMBtu actual heat input

Applicable Compliance Method:

The permittee may determine compliance by multiplying the AP-42 emission factor from Table 1.4-2 (revised 7/1998) of 1.9 lbs PE(filterable)/mm cu. ft. and a heat content of c.u. ft./1020 Btu.

If required, the permittee shall demonstrate compliance with the PE limitation above pursuant to OAC rule 3745-17-03(B)(9).

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

h. Emission Limitation:

Visible PE emissions shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the visible PE limitation in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1) and PTI #P0125850]

- (2) The permittee shall comply with the applicable test methods, compliance procedures and compliance demonstrations as required under 40 CFR, Part 63, Subpart HHH, including the following sections:

63.1282(a)(2)(i)	determine actual average benzene or BTEX emissions using the model GRI-GLYCalc™, Version 3.0 or higher
63.1282(b)	procedures for determining 'no detectable emissions' [Method 21, 40 CFR 60, Appendix A]
63.1282(d)(2)	shall design and operate each flare in accordance with the requirements specified in 40 CFR 63.11(b) and the compliance determination shall be conducted using Method 22 of 40 CFR, Part 60, Appendix A, to determine visible emissions
63.1282(h)(1)	inlet gas flowrate shall meet the range specified by the manufacturer - flowrate shall be calculated as specified in 40 CFR 63.1283(d)(3)(i)(H)(1)

63.1282(h)(2)	a pilot flame shall be present at all times of operation - the pilot flame shall be monitored in accordance with 40 CFR 63.1283(d)(3)(i)(H)(2).
63.1282(h)(3)	flare shall be operated with no visible emissions, except for periods not to exceed a total of 2 minutes during any hour. A visible emissions test using Method 22, 40 CFR, Part 60, Appendix A, shall be performed each calendar quarter. The observation period shall be 1 hour and shall be conducted according to EPA Method 22, 40 CFR, Part 60, Appendix A.
63.1282(h)(4)	compliance determination for 63.1282(h), including provisions /instructions when failing the visible emissions test from (h)(3)

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart HHH]

g) Miscellaneous Requirements

(1) None.

3. P003, RECIP ENGINE/INTEGRAL COMPR #082G1

Operations, Property and/or Equipment Description:

413 hp natural gas-fired reciprocating engine (emergency)

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #03-04754, issued on 1/31/02)	4.2 lbs NO _x /hr and 18.4 TPY NO _x The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-11(B)(5)(b) and 3745-17-07(A).
b.	OAC rule 3745-17-11(B)(5)(a)	0.310 lb PE/MMBtu actual heat input
c.	OAC rule 3745-17-07(A)	Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
d.	OAC rule 3745-18-06(G)	See b)(2)a.
e.	40 CFR, Part 63, Subpart ZZZZ (40 CFR 63.6580-6675)	The existing, stationary, natural gas, reciprocating internal compression engine (RICE) located at a major source for HAP, shall meet the requirements of 40 CFR, Part 63, Subpart ZZZZ. See c)(2).

- (2) Additional Terms and Conditions

- a. Since the rated heat input capacity for this EU is less than 10 MMBtu/hr, this EU is exempt from the SO₂ emission limitation in OAC rule 3745-18-06(G), pursuant to OAC rule 3745-18-06(B). Also, natural gas is the only fuel fired in this EU and, therefore, this EU is exempt from the SO₂ emission limitation in OAC rule 3745-18-06(G), pursuant to OAC rule 3745-18-06(A).



- b. This emission unit does not have to meet the requirements of this subpart and of subpart A in accordance with 40 CFR 63.6590(b)(3) because it is an existing emergency stationary reciprocating internal combustion engine (RICE). In addition, no initial notification is necessary.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas as fuel in this EU.

[OAC rule 3745-77-07(A)(1)]

- (2) The permittee shall comply with the applicable operating requirements pursuant to 40 CFR, Part 63, Subpart ZZZZ, including the following sections:

63.6602 – Table 2c, Item #6	a. oil and filter changes b. inspection of spark plugs c. inspection of all hoses and belts
63.6625(e)	operation and maintenance instructions
63.6625(h)	idle and startup requirements
63.6625(f)	installation of non-resettable hour meter
63.6625(j)	oil analysis program, option to extend the oil change frequency
63.6640(f)	operational limitations

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart ZZZZ]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this EU.

[OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall comply with the following monitoring and/or recordkeeping requirements identified in 40 CFR Part 63, Subpart ZZZZ:

40 CFR 63.6655(f)	Maintain records of the hours of operation in emergency operations, non-emergency operations, and in maintenance checks and readiness testing, as recorded through the non-resettable hour meter. If the RICE is used for demand response,
-------------------	--



	records of the notification of the emergency and the time of operation, as part of the demand response, is to be maintained.
40 CFR 63.6640(a) and 40 CFR 63.6655(d)	Keep the records required in #9 of Table 6 to Subpart ZZZZ to demonstrate continuous compliance.
40 CFR 63.6655(e)	Records of maintenance and inspections conducted in order to demonstrate compliance with Table 2c and to demonstrate that the RICE was operated and maintained according to the facility's maintenance plan.
40 CFR 63.6625(h)	Maintain a record of each idle and/or startup time that exceeded 30 minutes.
40 CFR 63.6660	Records readily available and retained for at least 5 years after the date of occurrence or date of report according to 63.10(b)(1).

[OAC rule 3745-77-07(C)(1) and 40 CFR Part 63 Subpart ZZZZ]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas is in use in this EU. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall comply with the following reporting requirements identified in 40 CFR, Part 63, Subpart ZZZZ:

40 CFR 63.6650(f)	Submit reports in accordance with the Title V operating permit
-------------------	--

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart ZZZZ]

f) Testing Requirements

- (1) Compliance with the emission limitations in Section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitations:

4.2 lbs NO_x/hr and 18.4 TPY NO_x

Applicable Compliance Method:

The permittee may determine compliance with the hourly allowable NO_x emission limitation by multiplying the vendor emission factor by the maximum hourly heat input rate (3.2 MMBtu/hr).

Effective Date: To be entered upon final issuance

If required, compliance with the hourly allowable NO_x emission limitation shall be determined in accordance with Methods 1 through 4 and 7 of 40 CFR, Part 60, Appendix A.

Provided compliance is shown with the hourly allowable NO_x emission limitation, compliance with the annual limitation shall be ensured (the annual allowable limitation was developed by multiplying the hourly allowable limitation by 8760 and then dividing by 2000).

[OAC rule 3745-77-07(C)(1) and PTI #03-04754]

b. Emission Limitation:

0.310 lb PE/MMBtu of actual heat input

Applicable Compliance Method:

The permittee may determine compliance with the PE limitations above based on an emission factor from AP-42, Table 3.2-2 (revised 7/2000) of 0.0000771 lb PE (filterable)/MMBtu of actual heat input.

If required, the permittee shall demonstrate compliance with the PE limitations above in accordance with Methods in OAC rule 3745-17-03(B)(10).

[OAC rule 3745-77-07(C)(1)]

c. Emission Limitation:

Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as provided by rule.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the visible PE limitation above in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

(1) None.

4. P007, TURBINE ENGINE/CENTRIF COMPR #08205 (Engine #5)

Operations, Property and/or Equipment Description:

4405 hp natural gas-fired turbine

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #03-610, issued on 11/21/77)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-11(B)(4) and 3745-17-07(A).
b.	OAC rule 3745-17-11(B)(4)	0.040 lb PE/MMBtu of actual heat input
c.	OAC rule 3745-17-07(A)	Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
d.	OAC rule 3745-18-06(F)	See b)(2)a.
e.	40 CFR, Part 63, Subpart YYYY (40 CFR 63.6080 – 6175)	See b)(2)b.

- (2) Additional Terms and Conditions

- a. Since natural gas is the only fuel fired in this EU, it is exempt from the SO₂ emission limitation in OAC rule 3745-18-06(F), pursuant to OAC rule 3745-18-06(A).
- b. This EU does not have to meet the requirements of this subpart and of subpart A in accordance with 40 CFR 63.6090(b)(4) because it is an existing stationary combustion turbine. In addition, no initial notification is required.

- c) Operational Restrictions

- (1) The permittee shall burn only natural gas as fuel in this EU.

[OAC rule 3745-77-07(A)(1)]



d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this EU.

[OAC rule 3745-77-07(C)(1)]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1)]

f) Testing Requirements

- (1) Compliance with the emission limitations in Section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

0.040 lb PE/MMBtu of actual heat input

Applicable Compliance Method:

The permittee may determine compliance with the PE limitation above based on an emission factor from AP-42, Table 3.1-2a (revised 4/2000) of 0.0019 lb PE (filterable)/MMBtu of actual heat input.

If required, the permittee shall demonstrate compliance with the PE limitations above in accordance with Methods in OAC rule 3745-17-03(B)(10).

[OAC rule 3745-77-07(C)(1) and PTI #03-0610]

b. Emission Limitation:

Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the visible PE limitation above in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

- (1) None.

5. T024, T024

Operations, Property and/or Equipment Description:

10,000 gallon Pipeline Condensate Tank

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) b)(1)e. and d)(2).

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)(ii) (PTI #P0141278, issued on 08/31/26)	The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the VOC emissions from this air contaminant source since the calculated annual emission rate is less than 10 TPY taking into account the enforceable restrictions established pursuant to OAC rule 3745-31-05(F).
b.	OAC rule 3745-31-05(F) (PTI #P0141278, issued on 08/31/26)	VOC emissions from working, standing, breathing and flashing losses from this EU shall not exceed 6.0 tons per rolling, 12-month period. See b)(2)a.
c.	OAC rule 3745-21-09(L)	Exempt pursuant to OAC rule 3745-21-09(L)(2)(a).
d.	40 CFR, Part 60, Subpart OOOOa [In accordance with 40 CFR 60.5360a and 60.5365a(c), this EU is a storage vessel in the crude oil and natural gas source category that commenced construction, modification or reconstruction after September 18, 2015, subject to the emissions limitations/control measures specified in this section.]	Exempt taking into account the enforceable restrictions established pursuant to OAC rule 3745-31-05(F).
e.	OAC rule 3745-114-01 ORC 3704.03(F)	See d)(2).

(2) Additional Terms and Conditions

- a. The legally and practically enforceable restrictions in b)(1)b. are established as voluntary restrictions, as proposed by the permittee, and are established under OAC rule 3745-31-05(F).

c) Operational Restrictions

- (1) The maximum throughput of this EU is limited to 2,737,500 gallons per rolling, 12-month period.

[OAC rule 3745-77-07(A)(1) and PTI #P0141278]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall maintain the following records for this storage vessel:

- a. the maximum average daily throughput determined for a 30-day period of production;
- b. the lab analyses, calculations, and process simulation model results documenting the annual emissions from working, standing, breathing and flashing losses;
- c. the records for the content and monthly and annual throughput (in gallons per month and rolling 12-months);
- d. the rolling, 12-month VOC emissions* from all tank working, standing, breathing and flashing losses, in tons; and
- e. the records under this permit shall be maintained for a period of no less than 5 years and can be kept electronically, provided they can be made available to the Ohio EPA Northwest District Office (NWDO).

*Emissions of VOC shall be determined in accordance with the calculations and methodologies of AP-42 Section 7.1, as presented to the Ohio EPA, submitted by the permittee in permit application A0082489, or the latest publication.

[OAC rule 3745-77-07(C)(1) and PTI #P0141278]

- (2) Modeling to demonstrate compliance with, the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 TPY. OAC Chapter 3745-31 requires a permittee to apply for and obtain a new or modified PTI prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 TPY may require the permittee to apply for and obtain a new PTI.

[OAC rules 3745-77-07(C)(1) and 3745-114]

e) Reporting Requirements

- (1) The permittee shall identify the following information in the quarterly deviation report in accordance with the monitoring requirements specified in d)(1):
 - a. exceedance of the rolling, 12-month VOC emissions limitation applicable to working, standing, breathing and flashing losses as calculated in d)(1)d.;
 - b. exceedances of the rolling, 12-month throughput restriction in c)(1);
 - c. the probable cause of each deviation (excursion);
 - d. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - e. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Director (the NWDO).

[OAC rule 3745-77-07(C)(1) and PTI #P0141278]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation:

VOC emissions shall not exceed 6.0 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance shall be demonstrated with the monitoring and recordkeeping requirements in d)(1).

[OAC rule 3745-77-07(C)(1) and PTI #P0141278]

g) Miscellaneous Requirements

- (1) None.

6. T031, A-22

Operations, Property and/or Equipment Description:

A-22 10,000 Gallon Pipeline Liquids Tank

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) b)(1)e. and d)(2).

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)(ii) (PTI #P0140222, issued on 03/25/26)	The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the VOC emissions from this air contaminant source since the calculated annual emission rate is less than 10 tons/yr taking into account the legally and practically enforceable restrictions established pursuant to OAC rule 3745-31-05(F).
b.	OAC rule 3745-31-05(F) (PTI #P0140222, issued on 03/25/26)	VOC emissions from working, standing, breathing and flashing losses from this emissions unit shall be less than 6 TPY. Methane emissions from working, standing, breathing and flashing losses from this emissions unit shall be less than 20 TPY. See b)(2)a. and c)(1)
c.	OAC rule 3745-21-09(L)	Exempt pursuant to OAC rule 3745-21-09(L)(2)(a).
d.	40 CFR, Part 60, Subpart OOOOb [In accordance with 40 CFR 60.5360b and 60.5365b(e), this EU is a storage vessel in the crude oil and natural gas source category that commenced construction, modification or reconstruction after December 6, 2022, subject to the	Exempt pursuant to 40 CFR Part 60.5365b(e) because the VOC emissions are less than 6 TPY and the methane emissions are less than 20 TPY taking into account the legally and practically enforceable restrictions established pursuant to OAC rule 3745-31-05(F).

	emissions limitations/control measures specified in this section.]	
e.	OAC rule 3745-114 ORC 3704.03(F)	See d)(2).

(2) Additional Terms and Conditions

- a. The legally and practically enforceable restrictions in b)(1)b. are established for the purpose of limiting PTE. The legally and practically enforceable restrictions are voluntary restrictions and are based on the operational restrictions established in c)(1).

c) Operational Restrictions

- (1) The following operational restrictions have been included in this permit for the purpose of establishing legally and practically enforceable requirements which limit PTE [See b)(2)a.):
 - a. The maximum daily throughput of this emissions unit is limited to 8,000 gallons per day.
 - b. The maximum annual throughput of this emissions unit is limited to 2,920,000 gallons per rolling, 12-month period.

[OAC rule 3745-77-07(A)(1) and PTI #P0140222]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall maintain the following records for this storage vessel:
 - a. the maximum daily throughput;
 - b. the content of the storage vessel;
 - c. the lab analyses, calculations, and process simulation model results documenting the annual emissions from breathing, working, standing and flashing losses;
 - d. the monthly throughput rate, in gallons per month;
 - e. the rolling, 12-month summation of the throughput rates, in gallons;
 - f. the VOC emission rate*, in tons per month;
 - g. the rolling, 12-month VOC emissions* from all tank working, breathing, standing and flashing losses, in tons;
 - h. the methane emission rate*, in tons per month; and
 - i. the rolling, 12-month methane emissions* from all tank working, breathing, standing and flashing losses, in tons.

*Emissions of VOC and methane shall be determined in accordance with the calculations and methodologies of Pro-Max 6.0 or the latest publication and/or other methodologies approved by U.S. EPA.

The records under this permit shall be maintained for a period of no less than 5 years and can be kept electronically, provided they can be made available to the Ohio EPA NWDO.

[OAC rule 3745-77-07(C)(1) and PTI #P0140222]

- (2) Modeling to demonstrate compliance with, the “Toxic Air Contaminant Statute”, ORC 3704.03(F)(4)(b), was not necessary because the emissions unit’s maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 TPY. OAC Chapter 3745-31 requires a permittee to apply for and obtain a new or modified PTI prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 TPY may require the permittee to apply for and obtain a new PTI.

[OAC rules 3745-77-07(C)(1) and 3745-114]

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
- all exceedances of the daily maximum throughput of 8,000 gallons per day;
 - all exceedances of the maximum throughput of 2,920,00 gallons per rolling, 12-month period;
 - all exceedances of the rolling, 12-month VOC emissions limitation applicable to working losses, standing losses, breathing and flashing losses as calculated in d)(1); and
 - all exceedances of the rolling, 12-month methane emissions limitation applicable to working losses, standing losses, breathing and flashing losses as calculated in d)(1).

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions in Section A of this permit.

[OAC rule 3745-77-07(C)(1) and PTI #P0140222]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emissions Limitation

VOC emissions from working, standing, breathing and flashing losses from this emissions unit shall be less than 6 TPY.

Methane emissions from working, standing, breathing and flashing losses from this emissions unit shall be less than 20 TPY.

Applicable Compliance Method

Compliance shall be demonstrated with the monitoring and recordkeeping requirements in d)(1).

[OAC rule 3745-77-07(C)(1) and PTI #P0140222]

g) Miscellaneous Requirements

(1) None.

7. Emissions Unit Group - A: P002, P004, P005 and P006

EU ID	Operations, Property and/or Equipment Description
P002	1650 hp natural gas-fired reciprocating engine – Engine #3
P004	1650 hp natural gas-fired reciprocating engine – Engine #4
P005	2970 hp natural gas-fired reciprocating engine – Engine #1
P006	2970 hp natural gas-fired reciprocating engine – Engine #2

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

- b) Applicable Emissions Limitations and/or Control Requirements

- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-11(B)(5)(b)	0.062 lb PE/MMBtu of actual heat input
b.	OAC rule 3745-17-07(A)	Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
c.	OAC rule 3745-18-06(G)	See b)(2)a.
d.	40 CFR, Part 63, Subpart ZZZZ (40 CFR 63.6580-6675) [In accordance with 40 CFR 63.6590 (a)(1)(i), these emissions units are all existing stationary reciprocating internal combustion engines with a site rating of more than 500 brake HP.]	See b)(2)b.

- (2) Additional Terms and Conditions

- a. Since natural gas is the only fuel fired in these emissions units, they are exempt from the sulfur dioxide emission limitation in OAC rule 3745-18-06(G), pursuant to OAC rule 3745-18-06(A).



- b. These emission units do not have to meet the requirements of this subpart and of subpart A in accordance with 40 CFR 63.6590(b)(3) because it is an existing spark ignition 2 stroke lean burn (2SLB) stationary reciprocating internal combustion engine (RICE) with a site rating of more than 500 brake horsepower at a major source. In addition, no initial notification is necessary.
- c) Operational Restrictions
 - (1) The permittee shall burn only natural gas as fuel in these emissions units.

[OAC rule 3745-77-07(A)(1)]
- d) Monitoring and/or Recordkeeping Requirements
 - (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in these emissions units.

[OAC rule 3745-77-07(C)(1)]
- e) Reporting Requirements
 - (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in these emissions units. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1)]
- f) Testing Requirements
 - (1) Compliance with the emission limitations in Section b)(1) of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

0.062 lb PE/MMBtu of actual heat input

Applicable Compliance Method:

The permittee shall determine compliance with the PE limitation above based on an emission factor from AP-42, Table 3.2-1 (revised 7/00) of 0.0384 lb PE (filterable)/MMBtu of actual heat input

If required, the permittee shall demonstrate compliance with the PE limitations above in accordance with Methods in OAC rule 3745-17-03(B)(10).

[OAC rule 3745-77-07(C)(1)]
 - b. Emission Limitation:

Visible PE shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.



Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the visible PE limitation above in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

(1) None.